

# **Test Report**

Report No. : AGC05443240617-001

**SAMPLE NAME** : Mini artificial Christmas tree

MODEL NAME : CX1511

**APPLICANT**: MID OCEAN BRANDS B.V

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Jul. 04, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Report No.: AGC05443240617-001 MID OCEAN BRANDS B.V

Address 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. Test Site 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name Mini artificial Christmas tree

Model CX1511 Vendor code 115205 Country of Origin **CHINA** Country of Destination **EUROPE** Sample Received Date Jun. 18, 2024

**Testing Period** Jun. 18, 2024 to Jul. 02, 2024

Test Requested Selected test(s) as requested by client.

**Test Requested:** Conclusion

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

Pass - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77

**Pass** - Formaldehyde Release

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

Pass - Aromatic Amines Azodyes (AZO) Content

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

- Color fastness to rubbing Pass

Approved by:

Suhongliang, Leon

**Technical Director** 

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Pass





Report Revise Record


Report Version	Issued Date	Valid Version	Notes
/	Jul. 04, 2024	Valid	Initial release




The photo of the sample






















The photo of AGC05443240617-001 is for use only with the original report.

#### **Test Point Description**

Test Point D			1
Test point	Test module	Test parts	Test point description
Mini artifici	al Christmas tree N	Model: CX1511	
1			Sticky side in black Velcro
2		Outer shell	Transparent label
3			Translucent plastic shell
4			Metal spring
5		Battery chip	Metallic sheet
6			Solder
7			Black plastic toggle switch
8			Metallic shell
9		Toggle switch	Metal spring
10			Metallic circlip
11			Epoxy resin board
12			Milk white bushing
13			Transparent wire jacket
14		Lamp	Metallic buckle
15			Conductor
16			Lamp beads
17			Green plastic leaves
18			Brown plastic branches
19			Rough surface in black Velcro
20			Hot melt adhesive
21			Wood
22			Linen cloth
23			Plank
24			Hemp rope
1-3			Wood base
1-4			Wood plate
1-1+1-2			Linen cloth+Hemp rope
1-1			Linen cloth
1-2			Hemp rope

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

#### 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

## - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method		· · · · · · · · · · · · · · · · · · ·	<u> </u>
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015/ UV-Vis	0.1 μg/cm <sup>2</sup>	/
Polybrominated Biphenyls (PBBs) -Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)	$\dashv$	50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)		50mg/kg	1000mg/kg



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	I	Pb	BL	/	
	(	Cd	BL	/	
		łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
1	Br	PBBs PBDEs	BL	/	Conformity
	D	BP	N/A	N.D.	
		BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DE	ЕНР	N/A	N.D.	
	I	<b>P</b> b	BL	/	
		Cd	BL	/	
	I	łg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
2	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
_	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		<b>P</b> b	BL	/	
	(	Cd	BL	/	
	ŀ	łg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
3	Br	PBBs PBDEs	BL	/	Conformity
	Di	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
4	Br	PBBs PBDEs	N/A	/	Conformity
-	Di	BP	N/A	/	
_		BP	N/A	/	
-			N/A	/	
_	BBP DEHP		N/A	/	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443240617-00
	I	Pb	BL	/	
	(	Cd	BL	/	
	F	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
5	Br	PBBs PBDEs	N/A	/	Conformity
-	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
6	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
			BL	/	
		- <u>s</u> Cr <sup>6+</sup> )	BL	/	
7	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	DBP		N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
8	Br	PBBs PBDEs	N/A	/	Conformity
<del> </del>	D)	IBP	N/A	/	
<del> </del>		BP	N/A	,	
-		BP	N/A	/	
<del> </del>		EHP	N/A	,	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443240617-00
	]	Pb	BL	/	
	(	Cd	BL	/	
	I	Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
9	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		ЕНР	N/A	/	
		Pb	BL	/	
			BL	/	
-			BL	/	
		Cr <sup>6+</sup> )	BL	/	
10	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
			BL	/	
	$Cr(Cr^{6+})$		BL	/	
11	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	DBP		N/A	N.D.	
_		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
			BL	/	
		Hg	BL	/	
_		Cr <sup>6+</sup> )	BL	/	
12	Br	PBBs PBDEs	BL	/	Conformity
-	D.	IBP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		EHP	N/A	N.D.	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
-		$(Cr^{6+})$	BL	/	
13	Br	PBBs PBDEs	BL	/	Conformity
-	Г	OIBP	N/A	N.D.	
-		OBP	N/A	N.D.	
-		BBP	N/A	N.D.	
-		EHP	N/A	N.D.	
		Pb	BL	N.D. /	
-		Cd	BL	/	
-			BL	/	
_		Hg (C=6+)		/	
-	Cr	$(\operatorname{Cr}^{6+})$	BL	/	
14	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
-		Cd	BL	/	
-		Hg	BL	/	
-	$Cr(Cr^{6+})$		BL	/	
15	Br	PBBs PBDEs	N/A	/	Conformity
-	Г	OIBP	N/A	/	
-		)BP	N/A	/	
-			N/A	/	
	BBP DEHP		N/A	/	
		Pb	BL	/	
-		Cd	BL	/	
-		Hg	BL	/	
-		(Cr <sup>6+</sup> )	BL	/	
-	Cr		DL	/	
16	Br PBBs		BL	/	Conformity
-	T-	PBDEs	NT/A	N D	,
-		OIBP	N/A	N.D.	
-		OBP OBD	N/A	N.D.	
-		BBP	N/A	N.D.	
	DEHP		N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443240617-00
	I	Pb	BL	/	
	(	Cd	BL	/	
		Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
17	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	
		Pb	BL	/	
			BL	/	
			BL	/	
		<u>Cr<sup>6+</sup>)</u>	BL	/	
18	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
			BL	/	
		Cr <sup>6+</sup> )	BL	/	
19	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	DBP		N/A	N.D.	
		BP	N/A	N.D.	
-	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		-Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
20	Br	PBBs PBDEs	BL	/	Conformity
<del> </del>	D.	IBP	N/A	N.D.	
<del> </del>		BP	N/A	N.D.	
-		BP	N/A	N.D.	
_		<u>БР</u> ЕНР	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	F	Pb .	BL	/	
	(	Cd	BL	/	
	I	Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
21	D	PBBs	DI	/	C C :
21	Br	PBDEs	BL	/	Conformity
	Dl	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DE	ЕНР	N/A	N.D.	
	I	<b>P</b> b	BL	/	
	(	Cd	BL	/	
	I	Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
22		PBBs	DI	/	C C :
22	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	I	<b>'</b> b	BL	/	
	(	Cd	BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
23	Br	PBBs PBDEs	BL	/	Conformity
	Dl	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		<b>P</b> b	BL	/	
		Cd	BL	/	
		Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
24	Br	PBBs PBDEs	BL	/	Conformity
-	ות	BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A N/A	N.D.	
-		EHP	N/A N/A	N.D.	

Remark: The samples of the following test points were resubmitted on July 01, 2024:6



Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

#### Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) Boiling-water-extraction:(X represents the results of the tested sample)

Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X < 0.1 \mu g/cm^2$	Negative
2	$0.1 \mu g/cm^2 \le X \le 0.13 \mu g/cm^2$	Uncertainty
3	$X > 0.13 \mu g/cm^2$	Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

(5) This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77

#### - Formaldehyde Release

Test Methods and Equipment: EN 717-1:2004; UV-Vis

Test Itams(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)				1-3	1-4
Formaldehyde Release	mg/m³	0.062	0.006	N.D. (240h)	N.D. (240h)
Conclusion				Conformity	Conformity

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

#### - Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1+1-2
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.



Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1+1-2
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.
C	Conformity			

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2

Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

#### Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

#### - Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Toot Itom(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Onit	Lillit	MIDL	1-3	1-4
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.	N.D.
Co	Conformity	Conformity			



- Color fastness to rubbing

**Test Method:** ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: 21.5°C, 63 %R.H., 4 hrs

The long direction of the specimen Endwise/ Crossrange The percentage of soak of wet rubbing cloth: 95%~100%

	Test l		
Test point	Colour fastness to	Conclusion	
	Dry rubbing	Wet rubbing	
1-1	4-5	4	Conformity
1-2	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/

#### Note:


Colour Fastness Grade:


Grade 5 = No Colour Change (Best Grade)

Grade 1 = Colour Change Seriously (Bad Grade)

9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.


#### **Test Flow Chart of XRF**









## **Test Flow Chart of Phthalates**









# **Test Flow Chart of Formaldehyde Release**









#### **Test Flow Chart of AZO**







## **Test Flow Chart of Pentachlorophenol (PCP)**





# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*