

# **TEST REPORT**

Report No. : WTF22F06123315C

Applicant : Mid Ocean Brands B.V.

Address ...... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer..... : 115582

Sample Name : PRET Xmas hat

Sample Model ..... : CX1525

Test Requested : 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries

 $63\ (EC)$  No. 1907/2006 and the amendment No.

836/2012 and (EU) 2015/628

 Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No.

552/2009, No. 494/2011, No. 835/2012 and (EU)

2016/217

3) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).

4) As requested by the applicant, to test Colour Fastness to

Rubbing in the submitted sample.

Test Conclusion .....: Refer to next page (s)

**Date of Receipt sample**..... : 2022-06-20

**Testing period**...... 2022-06-20 to 2022-06-28

Date of Issue ...... 2022-06-29

Test Result .....: Refer to next page (s)

Note...... : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn





# Sample photo:



# MA AND THE REPORT



#### **Test Results:**

#### 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tank Hamme Lifet	LOQ	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.1+No.2	No.3	(mg/kg)
Lead(Pb)	2	ND*	ND	500
Conclusion		Pass	Pass	11

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.

#### 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Toolitom	LOQ	Results (mg/kg)		
Test Item	(mg/kg)	No.1+No.2	No.3	
Cadmium(Cd)	2	ND*	ND	
Conclusion	2	Pass	Pass	

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)	
Wet paint	100	
Surface coating	1000	
Plastic	100	
Metal parts of jewellery and hair accessories	100	

(5) "\*" = Results are calculated by the minimum weight of mixed components.



3) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

Na	Amines Substances	CAS No.	Limit	Result (mg/kg)
No.			(mg/kg)	No.3
1	4-Aminobiphenyl	92-67-1	30	ND
2	Benzidine	92-87-5	30	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND
4	2-Naphthylamine	91-59-8	30	NUTE WILLIAM
5	o-Aminoazotoluene	97-56-3	30	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND W
7	p-Chloroaniline	106-47-8	30	ND +
8	2,4-diaminoanisol	615-05-4	30	ND W
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	UND WE W
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	TILL ND ILL
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	AL ND ALL SO
14	p-cresinin	120-71-8	30	ND ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND.
16	4,4'-Oxydianiline	101-80-4	30	ND N
17	4,4'-Thiodianiline	139-65-1	30	ND
18	o-Toluidine	95-53-4	30	ND W
19	2,4-Toluylendiamine	95-80-7	30	ND Str. St
20	2,4,5 – Trimethylaniline	137-17-7	30	ND ND
21	o-anisidine	90-04-0	30	L ND
22	4-aminoazobenzene	60-09-3	30	ND
23	2,4-Xylidin	95-68-1	30	ND ND
24	2,6-Xylidin	87-62-7	30	MND MND
E.	Conclusion		A 74	Pass

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



## 4) Colour Fastness to Rubbing

Colour Fastne	ss to Rubbing	ex rex wife with w	is any and an
(ISO 105-X12:	2016; Size of rubbing finger: 1	6mm diameter.)	a state of the
are are	Mr. In A	No.3	Client's Limit
Longth	Dry staining	4-5	2-3
Length	Wet staining	4	2-3
\\/:- 4 -	Dry staining	4-5	2-3
Width	Wet staining	4	2-3
Conclusion		Pass Pass	WILL THE MULT - MILL


## Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

# **Description for Specimen:**

No.1: White cotton ball No.2: White cotton cloth No.3: Red cotton cloth

# Photograph of parts tested:





#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

===== End of Report ======



