



Report No. A2230104336101R1 Page 1 of 10

Company Name MID OCEAN BRANDS B.V.

shown on Report

Address 7/F, KINGS TOWER, 111 KING LAM STREET, CHEUNG SHA WAN, KOWLOON,

HONG KONG

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name Set of 4 erasers in Cotton Bag

Item No. CX1526

Buyer Mid Ocean Brands B.V.

114276 Supplier Country of Origin China Exported to Europe Client Specified Age Grading 3+

Labeled Age Grading Not suitable for children under three years

Over 3 years Age Group Applied in Testing Sample Received Date Mar. 13, 2023

Mar. 29, 2023/ Apr. 3, 2023 Sample Resubmitted Date **Testing Period** Mar. 13, 2023 to Mar. 27, 2023

Test Conducted:

As requested by the applicant. For details refer to next page(s)

Victor Wang

Apr. 4, 2023

sting International Group Co.,Ltd.

Lab Manager Technical Manager

No. T517957979

CTI Building, Xing Dong Community, Xin'an Sub-district, Bao'an District, Shenzhen City, Guangdong Province, P.R. China



Report No. A2230104336101R1 Page 2 of 10

Executive Summary:

TES	TT REQUEST	CONCLUSION
1)	EN 71-1:2014+A1:2018 European Standard on Safety of Toys	
-	Mechanical and Physical Properties	PASS
2)	EN 71-2:2020 European Standard on Safety of Toys	
-	Flammability	PASS
3)	EN 71-3:2019+A1:2021 European Standard on Safety of Toys	
-	Migration of certain elements	PASS
4)	Annex XVII of European regulation (EC) No. 1907/2006 (REACH) with	
	Amendment(s)	
-	Cadmium and its compounds	PASS
-	Polycyclic Aromatic Hydrocarbons (PAHs)	PASS
-	Phthalates in plasticized materials	PASS

******* For further details, please refer to the following page(s) *********



Report No. A2230104336101R1 Page 3 of 10

1) EN 71-1:2014+A1:2018 European Standard on Safety of Toys

▼ Mechanical and Physical Properties

As specified in European Standard on Safety of Toys EN 71 part 1:2014+A1:2018.

Clause	<u>Description</u>	<u>Assessment</u>
4	General requirements	
4.1	Material cleanliness	Pass
4.4	Toy bags	N/A
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
7	Warnings, markings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
	(Remark : Small part(s) was(were) found before abuse test. It is acceptable	
	because appropriate age warning was found on the packaging.)	
Annex	Warnings, markings and instructions for use	

A.33

Check points	Location where the information is		
<u>Check points</u>	On toy	On packaging	
CE Mark	√	√	
Product ID	√	√	
Manufacturer's Name & Address	√	√	
Importer's Name & Address	√	√	

Remark:

- ①: Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principle set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging.
- 2: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- ③: The manufacturer must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

N/A = Not Applicable



Report No. A2230104336101R1 Page 4 of 10

Note:

- Only applicable clause(s) was/ were shown.
- Result(s) shown of tested clause(s) (7) and Annex A.33 is/are based on resubmitted sample(s)/ part material(s).

2) EN 71-2:2020 European Standard on Safety of Toys

▼ Flammability

As specified in European Standard on Safety of Toys EN 71-2:2020.

<u>Clause</u>	<u>Description</u>	Assessment
4	Requirements	
4.1	General requirements	Pass
	(The following materials shall not be used in the manufacture of toys except as	
	provided in EN 71-2:2020:	
	Celluloid, highly flammable solids, materials with a piled surface which produce	
	surface flash, flammable gases, extremely flammable liquids, highly flammable	
	liquids, flammable liquids and flammable gels.)	

Note:

- Only applicable clause(s) was/ were shown.

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com



Report No. A2230104336101R1 Page 5 of 10

3) EN 71-3:2019+A1:2021 European Standard on Safety of Toys

▼ Migration of certain elements

Method(s) EN 71-3:2019+A1:2021 was/were used, and the item(s) was/were analyzed by ICP-OES, ICP-MS, IC-UV and/or GC-MS.

Category Ⅲ: scraped-off toy material

Tested Item(s)	Result (mg/kg)				MDL	<u>Limit</u>	
rested fterif(s)	001	002	003	004	005	(mg/kg)	(mg/kg)
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	1	17
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.002	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	1	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn) #2	N.D.	N.D.	N.D.	N.D.	N.D.	2	180000
Organic tin (TBT) #3	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com



Report No. A2230104336101R1

Page 6 of 10

T4-114(-)	Result (mg/kg)	MDL	<u>Limit</u>
Tested Item(s)	006	(mg/kg)	(mg/kg)
Aluminium (Al)	N.D.	50	28130
Antimony (Sb)	N.D.	5	560
Arsenic (As)	N.D.	5	47
Barium (Ba)	N.D.	50	18750
Boron (B)	N.D.	50	15000
Cadmium (Cd)	N.D.	1	17
Chromium (III) #1	N.D.	0.2	460
Chromium (VI)	N.D.	0.002	0.053
Cobalt (Co)	N.D.	5	130
Copper (Cu)	N.D.	50	7700
Lead (Pb)	N.D.	1	23
Manganese (Mn)	N.D.	50	15000
Mercury (Hg)	N.D.	5	94
Nickel (Ni)	N.D.	5	930
Selenium (Se)	N.D.	5	460
Strontium (Sr)	N.D.	50	56000
Tin (Sn) #2	N.D.	2	180000
Organic tin (TBT) #3	N.D.	0.05	12
Zinc (Zn)	N.D.	50	46000

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- #1 Trivalent chromium (Cr (III)) = Chromium (Cr) Hexavalent chromium (Cr (VI)).
- ^{#2} Tin (Sn) content can be used for screen test for organic tins analysis to show compliance with the requirement of EN 71-3:2019+A1:2021.



Report No. A2230104336101R1

Page 7 of 10

- #3 The migration of organic tin is expressed as tributyltin (TBT). Where the tin content exceeded the limit of organic tin, eleven organic tins listed in the table were determined by GC-MS and the client should note there are other organic tins that may be present in toy materials.

Organic tins tested under EN 71-3:2019+A1:2021
Methyl tin (MeT)
Butyl tin (BuT)
Dibutyl tin (DBT)
Tributyl tin (TBT)
Tetrabutyl tin (TeBT)
n-Octyl tin (MOT)
Di-n-octyl tin (DOT)
Di-n-propyl tin (DProT)
Diphenyl tin (DPhT)
Triphenyl tin (TPhT)
Dimethyl tin (DMT)

4) Annex XVII of European regulation (EC) No. 1907/2006 (REACH) with Amendment(s)

▼ Cadmium and its compounds

As specified in entry 23, annex XVII of European regulation (EC) No. 1907/2006 (REACH) with amendments No.552/2009 & No.494/2011 & No.835/2012 & No. 2016/217, method(s) EN 1122:2001(E) Method B was/were used, and the item(s) was/were analyzed by ICP-OES.

Tested Item(s)	Result ((mg/kg)	MDL	<u>Limit</u>
<u>rested item(s)</u>	001+002	003+004	(mg/kg)	(mg/kg)
Cadmium (Cd)	N.D.	N.D.	2	100

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- The limit for composite test should be divided by the mixed number.



Report No. A2230104336101R1 Page 8 of 10

▼ Polycyclic Aromatic Hydrocarbons (PAHs)

As specified in entry 50, annex XVII of European regulation (EC) No.1907/2006 (REACH) with amendments No.552/2009 & No.1272/2013, method(s) AfPS GS 2019:01 PAK was/were used, and the item(s) was/were analyzed by GC-MS.

Tostad Itam(s)	CACNO	Result	(mg/kg)	MDL	<u>Limit</u>
Tested Item(s)	CAS No.	001+002	003+004	(mg/kg)	(mg/kg)
Benzo[a]anthracene	56-55-3	N.D.	N.D.	0.2	0.5
Chrysene	218-01-9	N.D.	N.D.	0.2	0.5
Benzo[b]fluoranthene	205-99-2	N.D.	N.D.	0.2	0.5
Benzo[k]fluoranthene	207-08-9	N.D.	N.D.	0.2	0.5
Benzo[a]pyrene	50-32-8	N.D.	N.D.	0.2	0.5
Dibenzo[a,h]anthracene	53-70-3	N.D.	N.D.	0.2	0.5
Benzo[j]fluoranthene	205-82-3	N.D.	N.D.	0.2	0.5
Benzo[e]pyrene	192-97-2	N.D.	N.D.	0.2	0.5

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- The limit for composite test should be divided by the mixed number.

▼Phthalates in plasticized materials

As specified in entry 51 & entry 52, annex XVII of European regulation (EC) No. 1907/2006 (REACH) with amendment No.552/2009 & No. 2015/326 & (EU) 2018/2005, method(s) EN 14372:2004 was/were used, and the item(s) was/were analyzed by GC-MS.

Tested Item(s)	Result (MDL	<u>Limit</u>	
rested item(s)	001+002	003+004	(mg/kg)	(mg/kg)
Di-2-ethylhexyl Phthalate (DEHP)	N.D.	N.D.	30	1000
Dibutyl Phthalate (DBP)	N.D.	N.D.	30	1000
Benzylbutyl Phthalate (BBP)	N.D.	N.D.	30	1000
Di-isobutyl Phthalate (DIBP)	N.D.	N.D.	30	1000
SUM(DEHP+DBP+BBP+ DIBP)	N.D.	N.D.		1000
Diisononyl Phthalate (DINP)	N.D.	N.D.	50	
Di-n-octyl Phthalate (DNOP)	N.D.	N.D.	30	
Diisodecyl Phthalate (DIDP)	N.D.	N.D.	50	
SUM(DINP+DNOP+DIDP)	N.D.	N.D.		1000



Report No. A2230104336101R1 Page 9 of 10

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- 1000 mg/kg = 0.1%
- The limit for composite test should be divided by the mixed number.

Tested Sample/Part Description

No.	CTI Sample ID	Description
1	001	Multi-color plastic(tree)
2	002	Multi-color plastic(Santa Claus)
3	003	Multi-color plastic(snowman)
4	004	Blue/white plastic(snowflake)
5	005	Beige fabric(bag)
6	006	Beige cord(bag)

Note:

- This testing report revised "7.1&7.2, Annex A.33" based on the original report of No. A2230104336101. This testing report displaces the original one which was invalid since the date of this testing report released.

人な悪台に



Report No. A2230104336101R1 Page 10 of 10

Photo(s) of the sample(s)



Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;

*** End of Report ***