

Test Report

Report No. : AGC05443230704-001

SAMPLE NAME : Black colouring pencils

MODEL NAME : IT3630

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Aug. 02, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

3F., Building D, Sanwei Qinyu Technical Park, Nanchang Community, Bao'an

Report No.: AGC05443230704-001

Avenue, Xixiang, Baoan District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Black colouring pencils

Model : IT3630
Vendor code : 104901
Country of Origin : CHINA
Country of Destination : EUROPE
Labeled Age Grading : Not stated

Requested Age Grading : 3+

Age Group Applied in : 3+

Testing

Sample receiving state : Normal Sample Received Date : Jul. 07, 2023

Testing Period : Jul. 07, 2023 to Aug. 02, 2023

Test Requested : Selected test(s) as requested by client.

Approved by: Mengushua Approved by: Jessie lians

Huangguohua Liangdan, Jessie.Liang

Vice Laboratory Manager Technical Director



Conclusion

European Standard on Safety of Toys

- EN 71-1:2014+A1:2018: Mechanical and Physical Properties

Pass

European Standard on Safety of Toys

- EN 71-2:2020: Flammability

Pass

European Standard on Safety of Toys

- EN 71-3:2019+A1:2021: Migration of Certain Elements (Al, Sb, As, Ba, B, Cd, Cr(III), Cr(VI),

Pass

Co, Cu, Pb, Mn, Hg, Ni, Se, Sr, Sn, Zn)

European Standard on Safety of Toys

- EN 71-3:2019+A1:2021: Migration of Certain Elements (Organic Tin)

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 5

- Benzene Content

Pass

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

Pass

- Formaldehyde Release


Pass



Report Revise Record

Report No.: AGC05443230704-00	1
-------------------------------	---

Report Version	Issued Date	Valid Version	Notes		
/	Aug. 02, 2023	Valid	Initial release		





The photo of AGC05443230704-001 is for use only with the original report.

Test Point Description

T	
Test point	Test point description
1-1	Transparent plastic cover
1-2	Carton tube
1-3	Wooden pen holder
1-4	Black coating
1-5	Black pencil core
1-6	Dark blue pencil core
1-7	Green pencil core
1-8	Cyan pencil core
1-9	Yellow pencil core
1-10	Red pencil core
1-11	Pink pencil core
1-12	Purple pencil core
1-13	Orange pencil core
1-14	Blue pencil core
1-15	Brown pencil core
1-16	Brown red pencil core
1-17	Metal pencil sharpener
1-18	Metal nail



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

European Standard on Safety of Toys

EN 71 Part 1: 2014+A1:2018 - Mechanical and Physical Properties

Clause	Description	Result
4	GENERAL REQUIREMENTS	
4.1	Material cleanliness	Pass
4.2	Assembly	N/A
4.3	Flexible plastics sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	N/A
4.10	Parts moving against each other	N/A
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures	N/A
4.15	Toys intended to bear the mass of a child	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectiles	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A



Clause	Description	Result
4.23	Magnets	N/A
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27	Flying toys	N/A
5	TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General requirements	N/A
5.2	Filling materials	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	N/A
5.5	Liquid-filled toys	N/A
5.6	Speed limitation of electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric-shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	PACKAGING	N/A
7	Warnings, markings and instructions for use	Pass

Note:

- As per client's requirement, the sample(s) was evaluated for use by children 3+
- N/A=Not Applicable



EN 71 Part 2:2020 - Flammability of Toys

Clause	Description	Result
4	Requirements	
4.1	General	Pass
4.2	Toys to be worn on the head	N/A
4.2.1	General	N/A
4.2.2	Beards, moustaches, wigs, etc, made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to 50 mm from the surface of the toy	N/A
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands etc.), which protrude less than 50 mm from the surface of the toy	N/A
4.2.4	Full or partial moulded head masks	N/A
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3	N/A
4.3	Toys disguise costumes and other toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A

Soft Filled Toys (animals and dolls, etc) with a piled or textile surface

Note:

4.5

N/A=Not Applicable

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

N/A

Report No.: AGC05443230704-001

Test Method: EN 71-3:2019+A1:2021

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES),

Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometer (LC-ICP-MS)

Gas Chromatography-Mass Spectrometer (GC-MS)

			Limit (mg/kg)				Result(s)			
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder- like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped- off materials	1-1	1-2	1-3		
Al	mg/kg	2	2250	560	28130	N.D.	1920	N.D.		
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.		
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.		
Ba	mg/kg	2	1500	375	18750	N.D.	25	N.D.		
В	mg/kg	2	1200	300	15000	N.D.	92	N.D.		
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.		
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.		
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.		
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.		
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.		
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.		
Mn	mg/kg	2	1200	300	15000	N.D.	29	N.D.		
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.		
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.		
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.		
Sr	mg/kg	2	4500	1125	56000	N.D.	27	N.D.		
Sn	mg/kg	0.2	15000	3750	180000	N.D.	N.D.	N.D.		
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.		
Zn	mg/kg	2	3750	938	46000	N.D.	42	N.D.		



			Limit (mg/kg)				Result(s)			
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder- like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped- off materials	1-4	1-5	1-6		
Al	mg/kg	2	2250	560	28130	N.D.	86	54		
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.		
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.		
Ba	mg/kg	2	1500	375	18750	N.D.	34	N.D.		
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.		
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.		
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.		
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.		
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.		
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.		
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.		
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	19		
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.		
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.		
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.		
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.		
Sn	mg/kg	0.2	15000	3750	180000	N.D.	N.D.	N.D.		
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.		
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.		



			Limit (mg/kg)			Result(s)		
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder- like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped- off materials	1-7	1-8	1-9
Al	mg/kg	2	2250	560	28130	99	100	97
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	31	35
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.
Sn	mg/kg	0.2	15000	3750	180000	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.



			Limit (mg/kg)				Result(s)		
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder- like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped- off materials	1-10	1-11	1-12	
Al	mg/kg	2	2250	560	28130	119	131	74	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	82	45	26	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	53	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	
Sn	mg/kg	0.2	15000	3750	180000	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	



			Limit (mg/kg)				Result(s)			
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder- like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped- off materials	1-13	1-14	1-15		
Al	mg/kg	2	2250	560	28130	84	109	86		
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.		
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.		
Ba	mg/kg	2	1500	375	18750	33	44	N.D.		
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.		
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.		
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.		
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.		
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.		
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.		
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.		
Mn	mg/kg	2	1200	300	15000	N.D.	19	N.D.		
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.		
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.		
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.		
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.		
Sn	mg/kg	0.2	15000	3750	180000	N.D.	N.D.	N.D.		
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.		
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.		



	Unit M		Limit (mg/kg)			Result(s)			
Test item(s)		Unit MDL	Category 1:dry, brittle, powder- like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped- off materials	1-16	1-17	1-18	
Al	mg/kg	2	2250	560	28130	103	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	21	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	
Sn	mg/kg	0.2	15000	3750	180000	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	

Remark:

- 1. The migration of organic tin is expressed as Tributyltin(TBT).
- 2. Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN 71-3:2019+A1:2021.
- 3. Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A1:2021.



- mg/kg=milligram per kilogram
- N.D. =Not Detected (<MDL)
- MDL=Method Detection Limit

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys

Summary table:

builling table.			
	On product	On packaging	
Washing/Cleaning instruction	/	/	
CE mark	Absent	Present	
Manufacturer's name	Absent	Absent	
Manufacturer's address	Absent	Absent	
Importer's name	Absent	Present	
Importer's address	Absent	Present	
Product ID	Absent	Present	

Remark:

- 1: Washing/Cleaning label According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2:Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Linit	Limit	MDL	Test Resi	ult(s)
Test Item(s)	Unit	Limit	MIDL	1-1	1-4
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co	onclusion	•		Conformity	Conformity

Report No.: AGC05443230704-001

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: EN 14372:2004; GC-MS

Tost Itom(s)	Unit	Unit Limit MDL		Unit Limit MI		Test Res	ult(s)
Test Item(s)	Oilit	Lillit	MIDL	1-1	1-4		
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.01	N.D.	N.D.		
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.01	N.D.	N.D.		
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.01	N.D.	N.D.		
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.01	N.D.	N.D.		
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.01	N.D.	N.D.		
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.01	N.D.	N.D.		
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.01	N.D.	N.D.		
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.		
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.		
Con	nclusion	•		Conformity	Conformity		

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Test Item(s) Unit Limit MDL	Test Resi	ult(s)		
rest item(s)	Unit	LIIIII	MIDL	1-1	1-4
Benzo[a]pyrene(BaP)	mg/kg	0.5	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	0.5	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	0.5	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	0.5	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	0.5	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	0.5	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	0.5	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	0.5	0.1	N.D.	N.D.
Co.	nclusion			Conformity	Conformity

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443230704-001



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 5

- Benzene Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8260D:2018; GC-FID

Tost Itom(s)	Unit	Limit	Limit MDL	Test Resi	ult(s)
Test Item(s)	Unit	Lillit	MIDL	1-1	1-4
Benzene	mg/kg	5	5	N.D.	N.D.
Co	nclusion			Conformity	Conformity

Report No.: AGC05443230704-001

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content


Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Tost Itam(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Onit	LIIIII	MDL	1-3
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.
Со	nclusion			Conformity

- Formaldehyde Release


Test Methods and Equipment: EN 717-3:1996; UV-Vis


Test Item(s)	Unit	Client's	MDL	Test Result(s)
Test ttem(s)	Onit	limit	MIDL	1-3
Formaldehyde Release	mg/kg	80	1	N.D.
Co	nclusion			Conformity






Test Flow Chart of Migration of Certain Elements









Test Flow Chart of Migration of Certain Elements (Organic Tin)









Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates









Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)









Test Flow Chart of Monoaromatic Hydrocarbons









Test Flow Chart of Pentachlorophenol (PCP)







Test Flow Chart of Formaldehyde Release





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***