

# **RoHS Test Report**

Report No. : AGC05443250413-001

**SAMPLE NAME** : Round shape wall clock

MODEL NAME : KC2669

**APPLICANT**: MID OCEAN BRANDS B.V.

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Apr. 16, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

Sample Name : Round shape wall clock

Model : KC2669
Vendor code : 103941
Country of Origin : CHINA
Country of Destination : EUROPE
Sample Received Date : Apr. 10, 2025

Testing Period : Apr. 10, 2025 to Apr. 15, 2025

Test Requested : Selected test(s) as requested by client.

Test Requested: Conclusion

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Pass

Report No.: AGC05443250413-001

Approved by: Len

Suhongliang, Leon

**Technical Director** 




Report Revise Record

Report No.:	AGC05443250413-001
-------------	--------------------

Report Version	Issued Date	Valid Version	Notes
/	Apr. 16, 2025	Valid	Initial release




The photo of the sample

































The photo of AGC05443250413-001 is for use only with the original report.





Round shape wall clock Model: KC2669           1          Transparent glass         Silver coating           3          Black plastic ring         Black plastic shell           4          White dial           5          Plastic with Silver plating           7          Metal rivet           8           Metal second hand           9           Metal minute hand           10           Metal washer           12          Metal threaded ring           13          Movement case         Black plastic shell           Copper metallic screw           15          Milk white plastic gear           16          Metallic shaft         Translucent plastic gear           18          Black plastic stand           19          Black plastic stand           20          Black magnet	
Silver coating   Black plastic ring   Black plastic shell	
Black plastic ring   Black plastic shell	
Black plastic shell   White dial   Plastic with Silver plating	
Black plastic shell   White dial   Plastic with Silver plating	
6          Plastic with Silver plating           7          Metal rivet           8           Metal second hand           9           Metal minute hand           10           Metal hour hand           11          Metal washer           12          Metal threaded ring           13          Black plastic shell           Copper metallic screw         Copper metallic screw           Milk white plastic gear         Metallic shaft           17          Transparent plastic gear           18          Black plastic stand           19          Movement	
7          Metal rivet           8          Metal second hand           9          Metal minute hand           10          Metal hour hand           11          Metal washer           12          Metal threaded ring           13          Movement case           14          Black plastic shell           Copper metallic screw         Milk white plastic gear           16          Metallic shaft           17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Movement	
8           Metal second hand           9           Metal minute hand           10           Metal hour hand           11           Metal washer           12           Metal threaded ring           13          Black plastic shell           Copper metallic screw           15          Milk white plastic gear           16          Metallic shaft           17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Milk white plastic	
9           Metal minute hand           10           Metal hour hand           11           Metal washer           12          Metal threaded ring           13          Black plastic shell           14          Copper metallic screw           15          Milk white plastic gear           16          Metallic shaft           17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Movement	
10           Metal hour hand           11           Metal washer           12           Metal threaded ring           13          Black plastic shell           14          Copper metallic screw           15          Milk white plastic gear           16          Metallic shaft           17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Milk white plastic	
11           Metal washer           12          Metal threaded ring           13          Black plastic shell           14          Copper metallic screw           15          Milk white plastic gear           16          Metal threaded ring           Movement         Milk white plastic gear           Translucent plastic gear         Transparent plastic gear           19          Black plastic stand           20          Movement	
12          Metal threaded ring           13          Black plastic shell           14          Copper metallic screw           15          Milk white plastic gear           16          Metallic shell           17          Metallic shell           17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Movement	
13          Movement case         Black plastic shell           14          Copper metallic screw           15          Milk white plastic gear           16          Metallic shaft           17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Movement	
Movement case   Copper metallic screw	
14	
16          Metallic shaft           17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Milk white plastic	
17          Translucent plastic gear           18          Transparent plastic gear           19          Black plastic stand           20          Milk white plastic	
18 19 20 Movement Transparent plastic gear Black plastic stand Milk white plastic	
19 Black plastic stand 20 Movement Milk white plastic	
20 Movement Milk white plastic	
20 Milk white plastic	
21 Black magnet	
22 Milk white plastic framework	
Enameled wire	
24 Metallic stand	
Crystal oscillator  Crystal oscillator	
26 Metal pin	
27 Circuit board Red circular IC	
28 PCB	
29 Solder	
30 Battery chip Metallic sheet	

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

#### 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

## - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method	-		
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015/ UV-Vis	0.1 μg/cm <sup>2</sup>	/
-Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)		50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)		50mg/kg	1000mg/kg



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250413-00
	I	<b>'</b> b	BL	/	
	(	Cd	BL	/	
	F	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
1	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	
		<b>P</b> b	BL	/	
		Cd	BL	/	
		<del>I</del> g	BL	/	
		Cr <sup>6+</sup> )	BL	/	
2	Br	PBBs PBDEs	BL	/	Conformity
-	DIBP		N/A	N.D.	
-	DBP		N/A	N.D.	
_	BBP		N/A	N.D.	
_	DEHP		N/A	N.D.	
	Pb		BL	/	
_	Cd		BL	/	
_	Hg		BL	/	
_	$\frac{\text{Trg}}{\text{Cr}(\text{Cr}^{6^+})}$		BL	/	
3	Br	PBBs PBDEs	BL	/	Conformity
	Dl	BP	N/A	N.D.	
	DIBP DBP BBP DEHP		N/A	N.D.	
			N/A	N.D.	
			N/A	N.D.	
		Pb	BL	/	
		Cd Cd	BL	/	
-	Hg		BL	/	
		Cr <sup>6+</sup> )	BL	/	
4	Br	PBBs PBDEs	BL	/	Conformity
-	DI	BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		ве ЕНР	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250413-00
	F	Pb	BL	/	
	(	Cd	BL	/	
		łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
5	Br	PBBs PBDEs	BL	/	Conformity
	Dl	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd Cd	BL	/	
			BL	/	
		Cr <sup>6+</sup> )	BL	/	
6	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
_	DBP		N/A	N.D.	
-	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
7	Br	PBBs PBDEs	N/A	/	Conformity
	Dl	BP	N/A	/	
	DBP BBP		N/A	/	
			N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd Cd	BL	/	
-	Hg		BL	/	
	Cr(	- <u>s</u> Cr <sup>6+</sup> )	BL	/	
		PBBs		/	
8	Br	PBDEs	N/A	/	Conformity
	Dl	BP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		ЕНР	N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250413-00
	I	Pb	BL	/	
	(	Cd	BL	/	
	F	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
9	Br	PBBs PBDEs	N/A	/	Conformity
	D	BP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
			BL	/	
		Cr <sup>6+</sup> )	BL	/	
10	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
11	Br	PBBs PBDEs	N/A	/ /	Conformity
	DIBP DBP BBP		N/A	/	
			N/A	/	
			N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd Cd	BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
12	Br PBBs PBDEs		N/A	/	Conformity
_			<b>NT/A</b>	/	
_		BP	N/A	/	
		BP	N/A	/	
		BP EHP	N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250413-00
	]	Pb	BL	/	
	(	Cd	BL	/	
	I	Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
13	D.,	PBBs	INI	N.D.	C <b>C</b> : <del>-</del>
13	Br	PBDEs	IN	169	Conformity
	D:	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DI	ЕНР	N/A	N.D.	
	]	Pb	BL	/	
	(	Cd	BL	/	
	I	Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
14	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
15	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP DEHP		N/A	N.D.	
			N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
_		Hg	BL	/	
-		Cr <sup>6+</sup> )	IN	N.D.	
		PBBs		/	
16	Br	PBDEs	N/A	/	Conformity
<del> </del>	D.	IBP	N/A	/	
<del> </del>		BP	N/A	/	
-		BP	N/A	/	
-		вр ЕНР	N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250413-00
	I	Pb	BL	/	
	(	Cd	BL	/	
	F	Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
17	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		łg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
18	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
19	Br	PBBs PBDEs	IN	N.D. N.D.	Conformity
	D		N/A	N.D.	
	DIBP DBP		N/A	N.D.	
			N/A	N.D.	
	BBP DEHP		N/A	N.D.	
		2b	BL	N.D.	
_		Cd	BL	/	
		-Ig	BL	/	
-		Cr <sup>6+</sup> )	BL	/	
-	CI			/	
20	Br PBBs	PBDEs	BL	/	Conformity
<del> </del>	D <sub>1</sub>	IBP	N/A	N.D.	
<u> </u>		BP	N/A	N.D.	
<u> </u>		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	F	b	BL	/	
	(	Cd	BL	/	
	H	Ig	BL	/	
	Cr(0	$\mathbb{C}r^{6+}$ )	BL	/	
21	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
_		BP	N/A	N.D.	
-		CHP	N/A	N.D.	
		<u>пг</u> Рb	BL	N.D.	
_		Ed		1	
_			BL	/	
_		<u>Ig</u>	BL	/	
_	Cr(C	Cr <sup>6+</sup> )	BL	/	
22	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
23	Br	PBBs PBDEs	BL	/	Conformity
	DI		N/A	N.D.	
	DIBP DBP		N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		b	BL	/	
-		Cd Cd	BL	/	
_	Hg		BL	/	
_		Cr <sup>6+</sup> )	BL	/	
24	Br	PBBs	N/A	/	Conformity
_		PBDEs			
<u> </u>		BP	N/A	/	
_		BP	N/A	/	
_		BP	N/A	/	
	DE	EHP	N/A	/	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	F	b	BL	/	
	C	Cd	BL	/	
	H	Ig	BL	/	
	Cr(0	$\mathbb{C}r^{6+}$ )	BL	/	
25	Br	PBBs	BL	/	Conformity
_		PBDEs	27/1	/	•
_		BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		CHP	N/A	N.D.	
		ъ	BL	/	
		Cd	BL	/	
		Ig	BL	/	
	Cr(C	Cr <sup>6+</sup> )	BL	/	
26	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
		b	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
27	Br	PBBs PBDEs	BL	/	Conformity
_	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
			N/A	N.D.	
_	BBP DEHP		N/A	N.D.	
		'b	BL	/	
		Cd Cd	BL	/	
		Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
-	CI(C		DL	/	
28	Br PBBs PBDEs		BL	/	Conformity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DE	ЕНР	N/A	N.D.	



Test point	Pb Cd Hg		X-ray Fluorescence Spectrometry (XRF) mg/kg BL BL BL	Wet Chemistry Method mg/kg /	Conclusion
	Cr(C	Cr <sup>6+</sup> )	BL	/	
29	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP DBP		N/A	/	
			N/A	/	
	BBP	N/A	/		
	DEHP		N/A	/	
	Pb Cd Hg		BL	/	
			BL	/	
			BL	/	
	Cr(C	Cr <sup>6+</sup> )	IN	N.D.	
30	Br	PBBs	N/A	/	Conformity
50	Di	PBDEs	1 1/1 1	/	Comorning
	DIBP		N/A	/	
	D	BP	N/A	/	
	B	BP	N/A	/	
	DE	ЕНР	N/A	/	

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

#### Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.



(4) Boiling-water-extraction:(X represents the results of the tested sample)

(1)					
Number	Colorimetric result (Cr(VI) concentration)	Judgement			
1	$X < 0.1 \mu g/cm^2$	Negative			
2	0.1μg/cm <sup>2</sup> ≤X≤0.13μg/cm <sup>2</sup>	Uncertainty			
3	$X > 0.13 \mu g/cm^2$	Positive			

Report No.: AGC05443250413-001

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.


Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).


Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

(5) This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.


#### **Test Flow Chart of XRF**









## **Test Flow Chart of Phthalates**









## **Test Flow Chart of PBBs and PBDEs**







## Test Flow Chart of Hexavalent Chromium (Cr6+)





## Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*