

Test Report

Report No. : AGC05443250829-001

SAMPLE NAME : Wine set in wine box

MODEL NAME : KC2690

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Sep. 01, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Wine set in wine box

Model : KC2690
Vendor code : 104438
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal

Sample Received Date : Aug. 20, 2025

Testing Period : Aug. 20, 2025 to Sep. 01, 2025

Test Requested : Selected test(s) as requested by client.

Approved by: Suhong hung

Report No.: AGC05443250829-001

Suhongliang

Technical Director



DM-4B-COM-003-v01

- Specific Migration of Organotin (measured as Tin)

Report No.: AGC05443250829-001

Conclusion

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 Pass - Lead(Pb) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 Pass -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 **Pass** - Phthalates Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 Pass - Polycyclic-aromatic Hydrocarbons (PAHs) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43 Pass - Aromatic Amines Azodyes (AZO) Content Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) Pass - Pentachlorophenol (PCP) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77 Pass - Formaldehyde Release Pass Mechanical dishwashing safe test - Colour fastness to rubbing Pass Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9 **Pass** - Specific migration of Heavy metal Regulation 1935/2004/EC, Regulation (EU) No 10/2011, Council of Europe Resolution AP (2004)5 Pass - Overall Migration Regulation 1935/2004/EC, Regulation (EU) No 10/2011, Council of Europe Resolution AP (2004)5 and Regulation (EU) 2024/3190 Pass - Bisphenol A (BPA) content DM-4B-COM-003-v01 **Pass** - Peroxides DM-4B-COM-003-v01 Pass - Volatile Organic Matter

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Pass



	Report No.: AGC05443250829-001	
Report Revise Record		

Report Version	Issued Date	Valid Version	Notes	
/	Sep. 01, 2025	Valid	Initial release	



The photo of the sample





The photo of AGC05443250829-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Rufous paper skin of MDF box
1-2	MDF box
1-3	Grey foam
1-4	Black fabric on grey foam
1-5	Black fabric inside metal ring
1-6	Metal lock
1-7	Metal screw
1-8	Metal hinge
1-9	Metal ring
1-10	Metal wine pourer
1-11	Metal wire
1-12	Metal ring sheet
1-13	Black silicone plug
1-14	Black silicone around wine pourer
1-15	Black silicone ring
1-16	Metal wine stopper
1-17	Rose wood ball
1-18	Rose wood handle
1-19	Metal foil cutter
1-20	Metal frame
1-21	Metal corkscrew
1-22	Metal bottle opener
1-23	Silver metal rivet
1-24	Golden metal rivet



Test Results:

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)		Unit	Limit MDL		Test Result(s)		
Test Itelli(s)	Test Item(s)		Unit Limit	MDL	1-1+1-2	1-3	1-4+1-5
Lead(Pb)		mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity	

Tost Itam(s)	I Init	Unit Limit MDL Te		est Result(s)		
Test Item(s)	u(s) Unit Limit MD	MIDL	1-6	1-7	1-8	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Tost Itam(s)	Unit	Limit MDI		Unit Limit MDL Test Result(s)				
Test Item(s)	Unit Limit	LIIIII	MDL	1-9	1-10	1-11		
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.		
Conclusion				Conformity	Conformity	Conformity		

			Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-12	1-13+1-	1-16
				1-12	14+1-15	1-10
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	65
Conclusion				Conformity	Conformity	Conformity

Tost Itam(s)	Unit Limit	MDI	Test Result(s)			
Test Item(s)		Lilliit	MDL	1-17+1-18	1-19	1-20
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

Test Item(s)	Test Item(s) Unit		Unit Limit MDI		Test Result(s)	
Test Item(s)	Unit Limit	MDL	1-21	1-22	1-23	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Unit	Limit	MDL	1-24
Lead(Pb)	mg/kg	500	10	29
Со	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-4+1-5,1-13+1-14+1-15,1-17+1-18



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-13+1-14+1-15
Cadmium(Cd)	mg/kg	100	10	N.D.
Со	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-13+1-14+1-15

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-13+1-14+1-15
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.
Co	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-13+1-14+1-15

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-13+1-14+1-15
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.
Co	onclusion			Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-13+1-14+1-15

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250829-001

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

- Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-4+1-5			
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.			
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.			
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.			
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.			
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.			
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.			
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.			
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.			
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.			
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.			
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.			
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.			
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.			
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.			
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.			
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.			
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.			
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.			
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.			
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.			
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.			
4-Aminoazobenzene	mg/kg	30	5	N.D.			
	CAS:60-09-3 Conclusion						

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250829-001



1. As specified by client, the submitted samples were mixed to test, the test points: 1-4+1-5

Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Tost Itom(s)	Unit Limit		MDI	Test Result(s)	
Test Item(s)	Unit Lin	Lillit	MDL	1-2	1-17+1-18
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.	N.D.
Co	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-17+1-18

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77

- Formaldehyde Release

Test Methods and Equipment: EN 717-1:2004; UV-Vis

Tost Itom(s)	I Init	Unit Limit		Test Result(s)		
Test Item(s)	Unit Limit		MDL	1-2	1-18	
Formaldehyde Release	mg/m³	0.062	0.006	N.D.(240h)	N.D.(240h)	
Co	Conformity	Conformity				



Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Report No.: AGC05443250829-001

Sample No.: KC2690、1-10、1-11、1-12、1-13、1-14

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

- Colour fastness to rubbing

Test Method: ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: $20.6\,^{\circ}\mathrm{C}$, $64\,^{\circ}\mathrm{R.H.}$, $4\,\mathrm{hrs}$

The percentage of soak of wet rubbing cloth: 95%~100% The long direction of the specimen: Endwise/ Crossrange

	Test I		
Test point	Colour fastness to	Conclusion	
	Dry rubbing	Wet rubbing	
1-4	3-4	2-3	Conformity
1-5	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/

Note:

Colour Fastness Grade:

Grade 5 = No Colour Change (Best Grade)

Grade 1 = Colour Change Seriously (Bad Grade)

9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.




Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of

Europe Resolution CM/Res(2020)9

- Specific migration of Heavy metal

Test Method: EDQM (2024)

rest Wethod. EDQW	Limit				Test result(s)	
Item(s)	Unit			MDL	1-10	
		1 st +2 nd migration	3 rd migration		1 st +2 nd migration	3 rd migration
Simulant Used: 0.5%	6 Citric acid					
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.
Iron (Fe)	mg/kg	280	40	0.1	N.D.	N.D.
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.
Chromium (Cr)	mg/kg	7	1	0.01	N.D.	N.D.
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.
Nickel (Ni)	mg/kg	0.98	0.14	0.01	N.D.	N.D.
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.
Magnesium (Mg)	mg/kg	/	/	0.01	N.D.	N.D.
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.
	Conclusion					Conformity





		Limit			Test result	t(s)
Item(s)	Unit	Limit		MDL	1-16	
		1 st +2 nd migration	3 rd migration		1 st +2 nd migration	3 rd migration
Simulant Used: Artif	icial tap wa					
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.
Iron (Fe)	mg/kg	280	40	0.1	N.D.	N.D.
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.
Chromium (Cr)	mg/kg	7	1	0.01	N.D.	N.D.
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.
Nickel (Ni)	mg/kg	0.98	0.14	0.01	N.D.	N.D.
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.
Magnesium (Mg)	mg/kg	/	/	0.01	N.D.	N.D.
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.
		Conclusion			Conformity	Conformity

Note:

Results from all three migration are to be considered for compliance: Result of 3^{rd} migration shall not exceed the SRL and Sum of result of 1^{st} and 2^{nd} migration shall not exceed 7 times of SRL.

Regulation 1935/2004/EC, Regulation (EU) No 10/2011, Council of Europe Resolution AP (2004) 5

- Overall Migration

Test Method: EN 1186-3:2022

					Test result(s)		
Simulant Used	Test Condition	Unit	Limit	MDL	1-15		
							3 rd migration
3% Acetic acid	40℃, 24h	mg/dm ²	10	5	N.D.		
50% Ethanol	40℃, 24h	mg/dm ²	10	5	N.D.		
Conclusion					Conformity		



Regulation 1935/2004/EC, Regulation (EU) No 10/2011, Council of Europe Resolution AP (2004)5 and Regulation (EU) 2024/3190

- Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:1996 & EPA 8321B:2007; LC-MS-MS

Test Item(s)	I Init	Limit	MDL	Test Result(s)
	Unit	Limit		1-15
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Со	Conformity			

DM-4B-COM-003-v01

- Peroxides

Test Methods: European Pharmacopoeia 9.0 Method 2.5.5

Test Itaus(s)	Iluit	Unit Limit		Test Result(s)
Test Item(s)	Onit	Limit	MDL	1-15
Peroxides	%	Absent	0.2	N.D.
	Conformity			

DM-4B-COM-003-v01

- Volatile Organic Matter

Test Methods: DGCCRF 2004-64

Temperature and Time: Bake at 100°C for 1h and then at 200°C for 4h


Test Item(s)	Unit	Limit	MDL	Test Result(s)
				1-15
Volatile Organic Components	%	0.5	0.1	0.15
Cond	Conformity			

DM-4B-COM-003-v01

- Specific Migration of Organotin (measured as Tin)


Test Methods and Equipment: EN 13130-1:2004; ICP-OES

					Test result(s)
Simulant Used	Test Condition	Unit	Limit	MDL	1-15
					1 st migration
3% Acetic acid	40℃, 24h	mg/kg	0.1	0.01	N.D.
	Conformity				







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates








Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)









Test Flow Chart of AZO









Test Flow Chart of Pentachlorophenol (PCP)







Test Flow Chart of Formaldehyde Release





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***