

## **Test Report**

Report No. : AGC05443240827-001

**SAMPLE NAME** : Barbecue cooler bag

MODEL NAME : KC6387

**APPLICANT**: MID OCEAN BRANDS B.V.

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Dec. 10, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. Test Site : 5,6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng

Street, Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

Sample Name : Barbecue cooler bag

Model : KC6387

Vendor code : 104438

Country of Origin : CHINA

Country of Destination : EUROPE

Sample receiving state : Normal

Sample Received Date : Aug. 20, 2024

Testing Period : Aug. 20, 2024 to Dec. 09, 2024

Test Requested : Selected test(s) as requested by client.

Approved by: Leon

Suhongliang, Leon

**Technical Director** 



Report No.: AGC05443240827-001 Conclusion Mechanical dishwashing safe test Pass Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43 Pass - Aromatic Amines Azodyes (AZO) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 **Pass** - Lead(Pb) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 **Pass** -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 **Pass** - Phthalates Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 **Pass** - Polycyclic-aromatic Hydrocarbons (PAHs) Content - Colour fastness to rubbing Pass Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5 - Overall migration Pass - Bisphenol A(BPA) content Pass - Specific migration of Primary aromatic amines Pass - Specific migration of Heavy metals Pass - Formaldehyde on textile Pass - PCP, TeCP and TriCP **Pass** - Organotin (TBT, TPhT, DBT, DOT) Pass

of Council of Europe Resolution CM/Res(2013)9

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials

Pass

- Specific migration of Heavy metal



Report Revise Record


Report No.: AGC05443240827-00	01
-------------------------------	----

Report Version	Issued Date	Valid Version	Notes
/	Dec. 10, 2024	Valid	Initial release



The photo of the sample










The photo of AGC05443240827-001 is for use only with the original report.





Test point	Test point description
1-1	Black cloth
1-2	Grey cloth
1-3	Black zipper fabric
1-4	Black webbing
1-5	Black plastic buckle
1-6	Black plastic zipper teeth
1-7	Black rubber handle
1-8	Black rubber edging
1-9	Black rubber foot pad
1-10	Gray EVA lining
1-11	Silver metal grilling net
1-12	Silver metal tripod
1-13	Metal pot
1-14	Metal switch piece
1-15	Metal nail
1-16	Black coating
1-17	Metal zipper head
1-1+1-2	Black cloth+Grey cloth
1-3+1-4	Black zipper fabric+Black webbing
1-5+1-6	Black plastic buckle+Black plastic zipper teeth
1-7+1-8+1-9	Black rubber handle+Black rubber edging+Black rubber foot pad



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

#### Mechanical dishwashing safe test

#### Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:KC6387

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 1 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Remark: Test result was resubmitted sample on Nov. 08, 2024.

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

#### - Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Oiiit	LIIIII	MDL	1-1+1-2	1-3+1-4	
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.	N.D.	
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.	N.D.	
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.	N.D.	
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.	N.D.	
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.	N.D.	
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.	N.D.	
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.	N.D.	
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.	N.D.	
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.	N.D.	
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.	N.D.	



Tast Itam(s)	Unit Limit		MDL	Test Result(s)		
Test Item(s)	Ullit	Lillit	MIDL	1-1+1-2	1-3+1-4	
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.	N.D.	
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.	N.D.	
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.	N.D.	
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.	N.D.	
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.	N.D.	
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.	N.D.	
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.	N.D.	
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.	N.D.	
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.	N.D.	
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.	N.D.	
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.	N.D.	
Co	Conformity	Conformity				

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-3+1-4 Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

#### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit	MDL	Test Result(s)			
rest item(s)			1-10	1-11	1-12	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Toot Itam(s)	Unit Limit N		em(s) Unit Limit MDL		MDI	7	Test Result(s)	
Test Item(s)			MIDL	1-13	1-14	1-15		
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	25		
Cor	Conformity	Conformity	Conformity					



Tost Itam(s)	Unit Limit	MDI	Test Result(s)			
Test Item(s)		LIIIII	MDL	1-16	1-17	1-1+1-2
Lead(Pb)	mg/kg	500	10	N.D.	12	N.D.
Conclusion				Conformity	Conformity	Conformity

				Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-3+1-4	1-5+1-6	1-7+1-8	
						+1-9	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Conclusion				Conformity	Conformity	Conformity	

#### Remark:

- 1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-3+1-4,1-5+1-6,1-7+1-8+1-9
- 2. As specified by client, the submitted samples were directly tested without drying, the test points: 1-16
- 3. Raw materials were sampled at the following test points: 1-16

Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-11,1-16,1-17

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

#### -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit Limit		MDL	Test Result(s)		
Test Item(s)	Unit	Limit	MIDL	1-10	1-16	
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	
Co.	Conformity	Conformity				

				Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-5+1-6	1-7+1-8 +1-9
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co	Conformity	Conformity			

#### Remark:

- 1. As specified by client, the submitted samples were mixed to test, the test points: 1-5+1-6,1-7+1-8+1-9
- 2. As specified by client, the submitted samples were directly tested without drying, the test points: 1-16
- 3. Raw materials were sampled at the following test points: 1-16

Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-16



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

#### - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Tast Itam(s)	Unit	Limit	MDI	Test Res	ult(s)
Test Item(s)	Unit	Limit	MDL	1-10	1-16
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.
Con	Conformity	Conformity			

					ult(s)
Test Item(s)	Test Item(s) Unit Limit MDL		MDL	1-5+1-6	1-7+1-8 +1-9
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.
Co	Conclusion				

#### Remark:

- 1. As specified by client, the submitted samples were mixed to test, the test points: 1-5+1-6,1-7+1-8+1-9
- 2. As specified by client, the submitted samples were directly tested without drying, the test points: 1-16
- 3. Raw materials were sampled at the following test points: 1-16

Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-16

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report.  $Further\ enquiry\ of\ validity\ or\ verification\ of\ the\ test\ report\ should\ be\ addressed\ to\ AGC\ by\ agc 01@agccert.com.$ 

Report No.: AGC05443240827-001



#### Limit requirements of Phthalates

Report No.: AGC05443240827-001

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

#### - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit Lir	Limit	MDL	Test Result(s)	
Test Item(s)	Onit	Lillit	MIDL	1-10	1-16
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Co	nclusion			Conformity	Conformity

				Test Res	Result(s)	
Test Item(s)	Unit	Limit MDL		1-5+1-6	1-7+1-8+1-	
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	
Co	Conclusion					

#### Remark:

- 1. As specified by client, the submitted samples were mixed to test, the test points: 1-5+1-6,1-7+1-8+1-9
- 2. As specified by client, the submitted samples were directly tested without drying, the test points: 1-16
- 3. Raw materials were sampled at the following test points: 1-16

Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-16



#### Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

#### - Colour fastness to rubbing

**Test Method:** ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: 21.4 °C, 63 %R.H., 4 hrs

The percentage of soak of wet rubbing cloth: 95%~100% The long direction of the specimen: Endwise/ Crossrange

	Test 1	Conclusion	
Test point	Colour fastness to		
	Dry rubbing	Wet rubbing	
1-1	4-5	4-5	Conformity
1-2	4-5	4-5	Conformity
1-3	4-5	4-5	Conformity
1-4	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/



Colour Fastness Grade:

Grade 5 = No Colour Change (Best Grade)

Grade 1 = Colour Change Seriously (Bad Grade)

9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.

# Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

#### - Overall Migration

			Test result		
Test point		(	Conclusion		
		3% Acetic acid, 40°C,240h	50% Ethanol, 40°C,240h	Rectified Olive Oil, 40°C,240h	
	1 <sup>st</sup> migration	N.D.	N.D.	N.D.	
1-6	2 <sup>nd</sup> migration	N.D.	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	N.D.	N.D.	
	1 <sup>st</sup> migration	9.2	N.D.	5.1	
1-10	2 <sup>nd</sup> migration	8.3	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	6.1	N.D.	N.D.	
I	Limit	10	10	10	/
N	MDL	5	5	3	/

Test result						
Test point Overall migration/ (mg/dm²)						Conclusion
		3% Acetic acid,       50% Ethanol,       95% Ethanol,       Isooctane,         40°C,240h       40°C,240h       40°C,240h       40°C,48h				
	1 <sup>st</sup> migration	N.D.	N.D.	N.D.	N.D.	
1-16	2 <sup>nd</sup> migration	N.D.	N.D.	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	N.D.	N.D.	N.D.	
I	Limit	10	10	10	10	/
N	MDL	5	5	5	5	/

Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-16



#### -Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)		
Limit (mg/kg)	Prohibited		
MDL(mg/kg)	0.1		
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS		


Test point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-6	N.D.	Conformity
1-10	N.D.	Conformity
1-16	N.D.	Conformity

Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-16




#### - Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01






		Test Result (mg/kg)	
		1-6	
Test Item(s)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration 3% Acetic acid	3 <sup>rd</sup> migration
		40°C, 240h	
4-Aminobiphenyl	N.D.	N.D.	N.D.
Benzidine	N.D.	N.D.	N.D.
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.
2-Naphthylamine	N.D.	N.D.	N.D.
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.
5-Nitro-o-toluidine	N.D.	N.D.	N.D.
4-Chloroaniline	N.D.	N.D.	N.D.
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.
6-methoxy-m-toluidine	N.D.	N.D.	N.D.
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.
4,4'-Oxydianiline	N.D.	N.D.	N.D.
4,4'-Thiodianiline	N.D.	N.D.	N.D.
2-Aminotoluene	N.D.	N.D.	N.D.
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.
2-Methoxyaniline	N.D.	N.D.	N.D.
4-Aminoazobenzene	N.D.	N.D.	N.D.
1,3 phenylenediamine	N.D.	N.D.	N.D.
Total of other primary aromatic amines	N.D.	N.D.	N.D.
Conclusion		Conformity	





	Test Result (mg/kg)			
		1-10		
Test Item(s)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
		3% Acetic acid 40°C, 240h		
4-Aminobiphenyl	N.D.	N.D.	N.D.	
Benzidine	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.	
2-Naphthylamine	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	N.D.	N.D.	N.D.	
4-Chloroaniline	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	N.D.	N.D.	N.D.	
2-Aminotoluene	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.	
2-Methoxyaniline	N.D.	N.D.	N.D.	
4-Aminoazobenzene	N.D.	N.D.	N.D.	
1,3 phenylenediamine	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	N.D.	N.D.	N.D.	
Conclusion	Conformity			





	Test Result (mg/kg)				
		1-16			
Test Item(s)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
		3% Acetic acid 40°C, 240h			
4-Aminobiphenyl	N.D.	N.D.	N.D.		
Benzidine	N.D.	N.D.	N.D.		
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.		
2-Naphthylamine	N.D.	N.D.	N.D.		
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.		
5-Nitro-o-toluidine	N.D.	N.D.	N.D.		
4-Chloroaniline	N.D.	N.D.	N.D.		
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.		
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.		
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.		
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.		
6-methoxy-m-toluidine	N.D.	N.D.	N.D.		
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.		
4,4'-Oxydianiline	N.D.	N.D.	N.D.		
4,4'-Thiodianiline	N.D.	N.D.	N.D.		
2-Aminotoluene	N.D.	N.D.	N.D.		
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.		
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.		
2-Methoxyaniline	N.D.	N.D.	N.D.		
4-Aminoazobenzene	N.D.	N.D.	N.D.		
1,3 phenylenediamine	N.D.	N.D.	N.D.		
Total of other primary aromatic amines	N.D.	N.D.	N.D.		
Conclusion	Conformity				


Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-16






- Specific migration of Heavy metals

		Mer		Test Result(s) (mg/kg)		
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	1-6			Limit (mg/kg)
	Equipment	(mg/ng)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	(g/.kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	40°C, 240h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.270	0.168	0.141	/
Magnesium (Mg)		0.01	0.023	N.D.	N.D.	/
Potassium (K)		0.01	0.027	N.D.	0.041	/
Sodium (Na)		0.01	0.110	0.042	0.025	/





	Test condition/	MDL		Test Result(s) (mg/kg)		Limit
Test Item(s)	Equipment	(mg/kg)	1-10			(mg/kg)
	1 1	( 8 8)	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Barium (Ba)		0.1	migration N.D.	migration N.D.	migration N.D.	1
Cobalt (Co)	_	0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)	_	0.01	N.D.	N.D.	N.D.	5
Iron (Fe)	_	0.25	N.D.	N.D.	N.D.	48
Lithium (Li)	-	0.23	N.D.	N.D.	N.D.	0.6
	-					
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)	_	0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)	_	0.1	1.012	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	40°C, 240h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)	_	0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	_	0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)	_	0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	_	0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	_	0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)	1	0.01	106.336	19.310	8.722	/
Magnesium (Mg)		0.01	3.286	0.702	0.295	/
Potassium (K)	1	0.01	0.074	N.D.	N.D.	/
Sodium (Na)		0.01	0.139	0.043	N.D.	/





	Test condition/	MDL		Test Result(s) (mg/kg)		
Test Item(s)	Equipment	(mg/kg)	1-16			Limit (mg/kg)
			1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	(
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 40°C, 240h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	196.341	3.033	0.456	/
Magnesium (Mg)		0.01	30.149	23.304	5.796	/
Potassium (K)		0.01	0.301	N.D.	0.048	/
Sodium (Na)		0.01	0.184	0.024	0.029	/

Remark: The samples of the following test points were resubmitted on November 08, 2024:1-10,1-16



Report No.: AGC05443240827-001

Formaldehyde on textile

	Test Result	
Test point	Formaldehyde on textile/ (mg/kg)	Conclusion
	Water,40°C,1h	
1-3	N.D.	Conformity
Limit	Absent	/
MDL	10	/

#### - PCP, TeCP and TriCP

Test Item	Test Method/Instrument	MDL(mg/kg)	Limit(mg/kg)
Pentachlorophenol (PCP)	ENISO 15320:2011/ GC-MS	0.01	0.05
Tetrachloroguajacql (TeCP)	EPA 3550C:2007&EPA 8270E:2018/	0.01	0.05
Trichloropheno (TriCP)	GC-MS	0.01	0.2

Toot maint		Test Result (mg/kg)		Canalysian
Test point	PCP	ТеСР	TriCP	Conclusion
1-3	N.D.	N.D.	N.D.	Conformity

#### - Organotin (TBT, TPhT, DBT, DOT)

Test Item	Test Method/ Instrument	MDL(mg/kg)	Limit(mg/kg)
Tributyltin (TBT)		0.1	0.5
Triphenyltin (TPhT)	DIN EN ISO 17353:2005/ GC-MS	0.1	0.5
Dibutyltin (DBT)		0.1	1.0
Dioctyltin (DOT)		0.1	1.0


Toot maint	Test Result (mg/kg)				Conclusion
Test point	TBT	TPhT	DBT	DOT	Conclusion
1-3	N.D.	N.D.	N.D.	N.D.	Conformity

#### Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of

#### **Europe Resolution CM/Res(2013)9**

#### - Specific migration of Heavy metal


Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg) 1-11	Limit (mg/kg)
	Equipment	(g,g)	1 <sup>st</sup> + 2 <sup>nd</sup> extractives	(g/g/
Barium ( Ba )		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	0.260	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	0.011	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)		0.005	N.D.	0.07
Nickel (Ni)	0.5% citric acid,	0.01	N.D.	0.98
Cobalt (Co)	100°C, 1h, ICP-OES	0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum(Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/






T-4 14(-)	Test condition/	MDL	Test Result(s) (mg/kg)	Limit
Test Item(s)	Equipment	(mg/kg)	1-11	(mg/kg)
			3 <sup>rd</sup> extractives	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)		0.005	N.D.	0.01
Nickel (Ni)	0.5% Citric acid	0.01	N.D.	0.14
Cobalt (Co)	100°C, 1h, ICP-OES	0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum(Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/


Remark: The samples of the following test points were resubmitted on November 08, 2024:1-11






#### **Test Flow Chart of AZO**









#### **Test Flow Chart of Heavy Metal Content**




#### **Test Flow Chart of Phthalates**







#### Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





### Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*