

SUSTAINABILITY DECLARATION



Item number
MO2275

Item description

Active noise cancelling (ANC) 5.3 wireless foldable headphones in ABS. Hands free function and built-in microphone. Playing time approx. 17 hours. Includes micro USB charging cable. Rechargeable 200 mAh Li-ION battery. All presented in PU pouch.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Housing	External	Acrylonitrile Butadiene Styrene (ABS)	40,00%
2	Headband	External	Acrylonitrile Butadiene Styrene (ABS)	18,00%
3	Frame of housing	External	Acrylonitrile Butadiene Styrene (ABS)	8,00%
4	Magnet	Inside	Magnetite	7,00%
5	Frame of speaker	Inside	Acrylonitrile Butadiene Styrene (ABS)	6,00%
6	Black cover	External	Polyurethane (PU) 80% Polyester (PET) 20%	5,00%
7	Printed Circuit Board	Inside	Printed Circuit Board	2,50%
8	Battery	Inside	See Part II	2,50%
9	White foam	Inside	Polyethylene (PE)	2,00%
10	Cable	External	Thermoplastic Elastomer (TPE)	1,50%
11	Joint of headband	External	Acrylonitrile Butadiene Styrene (ABS)	1,50%
12	Metal screw	External	Iron	1,00%
13	Plastic end of cable	External	Thermoplastic Elastomer (TPE)	1,00%
14	Film of speaker	Inside	Polyethylene Terephthalate (PET)	1,00%
15	Plug of cable	External	Iron	0,50%
16	Plastic wire cover	Inside	Polyvinyl Chloride (PVC)	0,50%
17	Transparent plastic cover	Inside	Polyvinyl Chloride (PVC)	0,50%
18	Button	External	Acrylonitrile Butadiene Styrene (ABS)	0,50%
19	Black foam	Inside	Polyethylene (PE)	0,20%
20	Plastic in plug of cable	External	Thermoplastic Elastomer (TPE)	0,20%
			Total	100,00%

*midocean uses the original chemical names registered in the [ECHA](https://echa.europa.eu/) (European Chemicals Agency) database in our Bill of Materials. Additional

information on the material can be found in the description

Part II	Component description	Position	Material	Weight Percentage
Battery	Cobalt lithium dioxide	Battery	Cobalt lithium dioxide	32,00%
	Graphite	Battery	Graphite	22,00%
	Lithium hexafluorophosphate(1-)	Battery	Lithium hexafluorophosphate(1-)	22,00%
	Copper	Battery	Copper	11,00%
	Aluminium	Battery	Aluminium	9,00%
	Nickel	Battery	Nickel	4,00%
			Total	100,00%

Part II	Component description	Position	Material	Weight Percentage
Battery	Cobalt lithium dioxide	Battery	Cobalt lithium dioxide	32,00%
	Graphite	Battery	Graphite	22,00%
	Lithium hexafluorophosphate(1-)	Battery	Lithium hexafluorophosphate(1-)	22,00%
	Copper	Battery	Copper	11,00%
	Aluminium	Battery	Aluminium	9,00%
	Nickel	Battery	Nickel	4,00%
			Total	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Recycled material

Biodegradability of material	☐ Yes	☒ No
-------------------------------------	------------------------------	--

Recyclability of material	☒ Yes	☐ No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

- - -

Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	-	16	Yes	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director