



中国认可
国际互认
检测
TESTING
CNAS L6478



TEST REPORT

Report No. : WTF24F04094133R1C

Applicant..... : Mid Ocean Brands B.V.

Address..... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Manufacturer : 110075

Sample Name : Foldable ANC headphone

Sample Model..... : MO2275

Test Requested : Refer to next page (s)

Test Method..... : Refer to next page (s)

Test Conclusion : Refer to next page (s)

Date of Receipt sample : 2024-04-24 & 2024-08-19

Testing period : 2024-04-24 to 2024-05-06 & 2024-08-19 to 2024-08-26

Date of Issue..... : 2024-08-26

Test Result..... : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang



WTF24F04094133R1C



Summary:

Test Requested	Test Conclusion
In accordance with the RoHS Directive 2011/65/EU and its amendment (EU) No. 2015/863, to determine the 10 restricted substances content in the submitted sample.	Pass (Please refer to next pages for details)

Sample Photo(s):



**Test Results:****1. Lead, Mercury, Cadmium, Hexavalent Chromium, PBBs and PBDEs**

Test method:

- 1) With reference to IEC 62321-2:2021, disassembly, disjunction and mechanical sample preparation
- 2) With reference to IEC 62321-3-1:2013, screening –Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry
- 3) With reference to IEC 62321-4:2013+AMD1:2017 CSV, determination of Mercury by ICP-OES
- 4) With reference to IEC 62321-5:2013, determination of Lead and Cadmium by ICP-OES
- 5) With reference to IEC 62321-7-2: 2017 and IEC 62321-7-1: 2015, determination of Hexavalent Chromium by UV-Vis
- 6) With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
1	Black leather sheet	BL	BL	BL	BL	BL	NA
2	Black leather sheet	BL	BL	BL	BL	BL	NA
3	Black plastic shell	BL	BL	BL	BL	BL	NA
4	Black plastic key	BL	BL	BL	BL	BL	NA
5	Black fibrous sheet	BL	BL	BL	BL	BL	NA
6	White sponge ring	BL	BL	BL	BL	BL	NA
7	Transparent plastic sheet	BL	BL	BL	BL	BL	NA
8	Blue sponge sheet	BL	BL	BL	BL	BL	NA
9	Black plastic shell	BL	BL	BL	BL	BL	NA
10	Black sponge sheet	BL	BL	BL	BL	BL	NA
11	Black plastic shell	BL	BL	BL	BL	BL	NA
12	Black plastic shell	BL	BL	BL	BL	BL	NA
13	Black plastic sheet	BL	BL	BL	BL	BL	NA
14	Black plastic sheet	BL	BL	BL	BL	BL	NA
15	Black plastic sheet	BL	BL	BL	BL	BL	NA



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
16	Black plastic sheet with adhesive	BL	BL	BL	BL	BL	NA
17	Black plastic part	BL	BL	BL	BL	BL	NA
18	Black plastic shell	BL	BL	BL	BL	BL	NA
19	Black plastic shell	BL	BL	BL	BL	BL	NA
20	Black sponge sheet with adhesive	BL	BL	BL	BL	BL	NA
21	White glue	BL	BL	BL	BL	BL	NA
22	Black sponge sheet with adhesive	BL	BL	BL	BL	BL	NA
23	Yellow transparent plastic adhesive tape	BL	BL	BL	BL	BL	NA
24	Silvery metal screw with black plating	BL	BL	BL	BL	--	NA
25	Silvery metal screw with black plating	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
26	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
27	Black sponge sheet with adhesive	BL	BL	BL	BL	BL	NA
28	Solder	BL	BL	BL	BL	--	NA
29	Black plastic holder	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 254
30	Transparent plastic film	BL	BL	BL	BL	BL	NA
31	Coppery varnished wire	BL	BL	BL	BL	BL	NA
32	Black magnetic core	BL	BL	BL	BL	--	NA
33	Silvery metal shell	BL	BL	BL	BL	--	NA
34	Black paper sheet	BL	BL	BL	BL	BL	NA
35	Green PCB	BL	BL	BL	BL	BL	NA



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
36	Solder	BL	BL	BL	BL	--	NA
37	Black glue	BL	BL	BL	BL	BL	NA
38	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
39	Black plastic wire covering	BL	BL	BL	BL	BL	NA
40	Red plastic wire covering	BL	BL	BL	BL	BL	NA
41	Coppery metal wire	BL	BL	BL	BL	--	NA
42	Chip IC	BL	BL	BL	BL	BL	NA
43	Chip capacitor	BL	BL	BL	BL	BL	NA
44	Chip resistor	BL	IN	BL	BL	BL	Pb :604
45	Silvery metal sheet	BL	BL	BL	BL	--	NA
46	Solder	BL	BL	BL	BL	--	NA
47	Black plastic wire jacket	BL	BL	BL	BL	BL	NA
48	Green varnished wire	BL	BL	BL	BL	BL	NA
49	White fibrous wire	BL	BL	BL	BL	BL	NA
50	Coppery varnished wire	BL	BL	BL	BL	BL	NA
51	Blue varnished wire	BL	BL	BL	BL	BL	NA
52	Red varnished wire	BL	BL	BL	BL	BL	NA
53	Red plastic wire covering	BL	BL	BL	BL	BL	NA
54	Coppery MIC	BL	BL	BL	BL	BL	NA
55	Black sponge sheet with adhesive	BL	BL	BL	BL	BL	NA



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
56	Black plastic wire covering	BL	BL	BL	BL	BL	NA
57	Silvery MIC	BL	BL	BL	IN	BL	Cr ⁶⁺ : ND
58	Black plastic key(switch)	BL	BL	BL	BL	BL	NA
59	Black plastic shell(switch)	BL	BL	BL	BL	BL	NA
60	Silvery metal shell(switch)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
61	Silvery metal sheet(switch)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
62	Black plastic shell(socket)	BL	BL	BL	BL	BL	NA
63	Silvery metal sheet(socket)	BL	BL	BL	BL	--	NA
64	Silvery metal shell(Type-C socket)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
65	Silvery metal pin(Type-C socket)	BL	BL	BL	BL	--	NA
66	Black plastic core(Type-C socket)	BL	BL	BL	BL	BL	NA
67	Chip IC	BL	BL	BL	BL	BL	NA
68	Chip LED	BL	BL	BL	BL	BL	NA
69	Chip capacitor	BL	BL	BL	BL	BL	NA
70	Chip resistor	BL	BL	BL	IN	BL	Cr ⁶⁺ : ND
71	Chip IC	BL	BL	BL	BL	BL	NA
72	Chip crystal oscillator	BL	BL	BL	BL	BL	NA
73	Solder	BL	BL	BL	BL	--	NA
74	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
75	Black plastic wire covering	BL	BL	BL	BL	BL	NA



Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
76	Red plastic wire covering	BL	BL	BL	BL	BL	NA
77	Silvery metal wire	BL	BL	BL	BL	--	NA
78	White plastic core(USB plug)	BL	BL	BL	BL	BL	NA
79	Silvery metal shell(USB plug)	BL	BL	BL	BL	--	NA
80	Semi-transparent plastic sheet(USB plug)	BL	BL	BL	BL	BL	NA
81	Black plastic jacket(USB plug)	BL	BL	BL	BL	BL	NA
82	Silvery metal pin(USB plug)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
83	Solder(USB plug)	BL	BL	BL	BL	--	NA
84	Black plastic jacket(Type-C plug)	BL	BL	BL	BL	BL	NA
85	Semi-transparent plastic sheet(Type-C plug)	BL	BL	BL	BL	BL	NA
86	Solder(Type-C plug)	BL	BL	BL	BL	--	NA
87	Red PCB(Type-C plug)	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
88	Silvery metal shell(Type-C plug)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
89	Silvery metal pin(Type-C plug)	BL	BL	BL	BL	--	NA
90	Black plastic core(Type-C plug)	BL	BL	BL	BL	BL	NA
91	Black plastic wire jacket	BL	BL	BL	BL	BL	NA
92	White plastic wire covering	BL	BL	BL	BL	BL	NA
93	Pink plastic wire covering	BL	BL	BL	BL	BL	NA
94	Coppery metal wire	BL	BL	BL	BL	--	NA
95	White leather sheet	BL	BL	BL	BL	BL	NA



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
96	White leather sheet	BL	BL	BL	BL	BL	NA
97	White plastic shell	BL	BL	BL	BL	BL	NA
98	White plastic key	BL	BL	BL	BL	BL	NA
99	White fibrous sheet	BL	BL	BL	BL	BL	NA
100	Off-white sponge ring	BL	BL	BL	BL	BL	NA
101	White plastic shell	BL	BL	BL	BL	BL	NA
102	White sponge sheet	BL	BL	BL	BL	BL	NA
103	White plastic shell	BL	BL	BL	BL	BL	NA
104	White plastic shell	BL	BL	BL	BL	BL	NA
105	White plastic sheet	BL	BL	BL	BL	BL	NA
106	White plastic sheet	BL	BL	BL	BL	BL	NA
107	White plastic sheet	BL	BL	BL	BL	BL	NA
108	Grey plastic sheet with adhesive	BL	BL	BL	BL	BL	NA
109	White plastic part	BL	BL	BL	BL	BL	NA
110	White plastic shell	BL	BL	BL	BL	BL	NA
111	White plastic shell	BL	BL	BL	BL	BL	NA
112	Silvery metal screw	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
113	Silvery metal screw	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
114	White plastic wire jacket	BL	BL	BL	BL	BL	NA
115	White plastic jacket(USB plug)	BL	BL	BL	BL	BL	NA



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
116	White plastic jacket(Type-C plug)	BL	BL	BL	BL	BL	NA
117	White plastic wire jacket	BL	BL	BL	BL	BL	NA
118	Black plastic wire covering	BL	BL	BL	BL	BL	NA
119	Red plastic wire covering	BL	BL	BL	BL	BL	NA

Remark:

- (1) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for Cr⁶⁺) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1: 2013 (unit: mg/kg)

Element	Polymer	Metal	Composite Materials
Cd	$BL \leq (70-3\sigma) < IN < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < IN < (130+3\sigma) \leq OL$	$LOD < IN < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < IN < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < IN < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < IN < (1500+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < IN$	$BL \leq (700-3\sigma) < IN$	$BL \leq (500-3\sigma) < IN$
Br	$BL \leq (300-3\sigma) < IN$	--	$BL \leq (250-3\sigma) < IN$

BL= Below Limit

OL= Over Limit

LOD = Limit of Detection

-- = Not Regulated

- (2) "IN" expresses the inconclusive region, and further chemical testing to confirm whether it complies with the requirement of RoHS Directive.
- (3) The XRF screening test for RoHS elements – the reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) mg / kg =milligram per kilogram=ppm, $\mu\text{g}/\text{cm}^2$ = Micrograms per square centimetre.
- (5) ND = Not Detected or lower than limit of quantitation.
- (6) NA = Not Applicable, as the XRF screening test result was below the limit or as the XRF screening directly determine that test result was over the limit, it was not need to conduct the wet chemical testing.
- (7) LOQ = Limit of quantitation.

Test Items	Pb	Cd	Hg	Cr ⁶⁺		PBB	PBDE
Units	mg/kg	mg/kg	mg/kg	mg/kg	$\mu\text{g}/\text{cm}^2$	mg/kg	mg/kg
LOQ	2	2	2	8	0.1	5	5

The LOQ for single compound of PBBs and PBDEs is 5 mg/kg, LOQ of Cr⁶⁺ for polymer and composite sample is 8 mg/kg and LOQ of Cr⁶⁺ for metal sample is 0.1 $\mu\text{g}/\text{cm}^2$.



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

(8) RoHS Requirement

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

- (9) According to IEC 62321-7-1:2015, determined of Cr⁶⁺ on metal sample by boiling water extraction test method, and result is shown as Positive/Negative.

Boiling water extraction:

Negative = Absence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is less than 0.10 ug/cm².

Positive = Presence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is greater than 0.13 ug/cm².

Information on storage conditions and production date of the tested sample is unavailable and thus Cr⁶⁺ results represent status of the sample at the time of testing.

(10) Abbreviation:

"Pb" denotes Lead, "Cd" denotes Cadmium, "Hg" denotes Mercury, "Cr" denotes Chromium, "Cr (VI)" denotes Hexavalent Chromium, "Br" denotes Bromine, "PBBs" denotes Total Polybrominated Biphenyls, "PBDEs" denotes Total Polybrominated Diphenyl Ethers.

- (11) As per client's requirement, the result of specimen No.1 to No.94 was quoted from Report No. WTF24F04094133C specimen No.1 to No.94.

2. Phthalates:

Test method:

With reference to IEC 62321-8:2017, determination of Phthalates content by GC-MS.

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T01	1+2+5 [△]	ND	ND	ND	ND
T02	3+4+7+9+11 [△]	ND	ND	ND	ND
T03	6+8+10 [△]	ND	ND	ND	ND
T04	12+13+14+15+16 [△]	ND	ND	ND	ND
T05	17+18+19+23+29 [△]	ND	ND	ND	ND
T06	20+21+22 [△]	ND	ND	511	ND
T07	24	--	--	--	--
T08	25	--	--	--	--
T09	26+35+38+74+87 [△]	ND	ND	ND	ND
T10	27+30+34 [△]	ND	ND	302	ND
T11	28	--	--	--	--
T12	31+48+50+51+52 [△]	ND	ND	ND	ND
T13	32	--	--	--	--
T14	33	--	--	--	--
T15	36	--	--	--	--



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T16	37+39+40 [△]	124	ND	ND	ND
T17	41	--	--	--	--
T18	42+43+44+54+57 [△]	ND	ND	ND	ND
T19	45	--	--	--	--
T20	46	--	--	--	--
T21	47+49+53 [△]	ND	ND	ND	ND
T22	55+56+75 [△]	ND	ND	ND	ND
T23	58+59+62+66+78 [△]	ND	ND	ND	ND
T24	60	--	--	--	--
T25	61	--	--	--	--
T26	63	--	--	--	--
T27	64	--	--	--	--
T28	65	--	--	--	--
T29	67+68+69+70+71 [△]	ND	ND	ND	ND
T30	72	ND	ND	ND	ND
T31	73	--	--	--	--
T32	76+81+84 [△]	ND	ND	ND	ND
T33	77	--	--	--	--
T34	79	--	--	--	--
T35	80+85+90 [△]	ND	ND	ND	ND
T36	82	--	--	--	--
T37	83	--	--	--	--
T38	86	--	--	--	--
T39	88	--	--	--	--
T40	89	--	--	--	--
T41	91+92+93 [△]	ND	ND	ND	ND
T42	94	--	--	--	--
T43	95+95 [△]	ND	ND	ND	ND
T44	97+98+99+101+103 [△]	ND	ND	ND	ND
T45	100+102 [△]	ND	ND	ND	ND
T46	104+105+106+107+108 [△]	ND	ND	ND	ND
T47	109+110+111 [△]	ND	ND	ND	ND
T48	112	--	--	--	--
T49	113	--	--	--	--
T50	114+115+116 [△]	ND	ND	ND	ND
T51	117+118+119 [△]	ND	ND	ND	ND

Note:

- (1) mg/kg = milligram per kilogram= ppm
- (2) ND = Not Detected or lower than limit of quantitation.
- (3) -- = Not Regulated.
- (4) LOQ = Limit of quantitation.

Test Items	DBP	BBP	DEHP	DIBP
Units	mg/kg	mg/kg	mg/kg	mg/kg
LOQ	50	50	50	50



Report No.: WTF24F04094133R1C

Job No.: FSW20240425102980CJ

(5) Abbreviation:

“DBP” denotes Dibutyl phthalate, “BBP” denotes Benzyl butyl phthalate (BBP), “DEHP” denotes Bis(2-ethylhexyl)-phthalate, “DIBP” denotes Diisobutyl phthalate, “PHT” denotes Phthalates.


(6) RoHS requirement

Restricted Substances	Limits
Dibutyl phthalate (DBP)	0.1% (1000 mg/kg)
Benzyl butyl phthalate (BBP)	0.1% (1000 mg/kg)
Di(2-ethylhexyl) phthalate (DEHP)	0.1% (1000 mg/kg)
Di-iso-butyl phthalate (DIBP)	0.1% (1000 mg/kg)

(7) “△”= As client’s requirement, the testing was conducted based on mixed components. Results are calculated by the minimum weight of mixed components.

(8) As per client’s requirement, the result of specimen No.1 to No.94 was quoted from Report No. WTF24F04094133C specimen No.1 to No.94.

Measurement Flowchart:






Photograph(s) of parts tested:












**Remarks:**

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====