

Report No: TST20240403560-3RR Date:Apr.25, 2024 Page 1 of 10

Applicant Mid Ocean Brands B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Manufacturer : Mid Ocean Brands B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

The following sample(s) was /were submitted and identified on behalf of the clients as :

Wireless Charger Sample Name

Sample Model MO2281

: Apr.22, 2024 Sample Received Date

Testing Period Apr.22, 2024 To Apr.25, 2024

Test Requested 1. As specified by client ,to screen Lead(Pb), Cadmium(Cd), Mercury(Hg), Chromium(Cr)and Bromine(Br)in the submitted sample(s)by XRF.

2. As specified by client ,when screening results exceed the XRF screening limit in

IEC62321:2013 Edition 1.0, further use of wet chemical methods are required to test

Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)),

Polybrominated Biphenyls(PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutylphthalate (DBP), and Diisobutyl phthalate (DIBP) in the submitted sample(s).

Test Method Please refer to next page(s).

Test Result Please refer to next page(s).

The test results comply with the limits of RoHS 2.0 Directive (EU) 2015/863 **Test Conclusion**

and (EU)2017/2102 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of

Andy Zheng **Technical Directo**



Report No : TST20240403560-3RR Date:Apr.25, 2024 Page 2 of 10

1.Pb, Cd, Cr(VI), Hg, PBBs&PBDEs

Test Method:

A.Disassembly, disjointment and mechanical sample preparation

—Ref. to IEC 62321-2:2021, Disassembly, disjointment and mechanical sample preparation.

B.With reference to IEC 62321-1:2013, tests were performed for the samples indicated by the photos in this report.

(1)Screening - Lead, mercury, cadmium, total chromium and total bromine

—Ref. to IEC 62321-3-1:2013, Screening for Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry.

(2)Wet chemical test method

Test Item(s)	Test Method	Test Equipment	Unit	MDL	Limit
Pb	IEC62321-5:2013	ICP-OES	mg/kg	10	1000
Cd	IEC62321-5:2013	ICP-OES	mg/kg	10	100
Hg	IEC 62321-4:2013/AMD1:2017	ICP-OES	mg/kg	10	1000
Cr(VI) (Metal)	IEC62321-7-1:2015	UV-Vis	µg/cm²	0.1	0.13
Cr(VI) (Nonmetal)	IEC62321-7-2:2017	UV-Vis	mg/kg	10	1000
PBBs	IEC62321-6:2015	GC-MS	mg/kg	10	1000
PBDEs	IEC62321-6:2015	GC-MS	mg/kg	10	1000

РВ	Bs	PBDEs		
Monobromobiphenyl	Hexabromobiphenyl	Monobromodiphenyl ether	Hexabromodiphenyl ether	
Dibromobiphenyl	Heptabromobiphenyl	Dibromodiphenyl ether	Heptabromodiphenyl ether	
Tribromobiphenyl	Octabromobiphenyl	Tribromodiphenyl ether	Octabromodiphenyl ether	
Tetrabromobiphenyl	Nonabromobiphenyl	Tetrabromodiphenyl ether	Nonabromodiphenyl ether	
Pentabromobiphenyl	Decabromobiphenyl	Pentabromodiphenyl ether	Decabromodiphenyl ether	

This report shall not be altered,increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail:tst@tst-test.com

Http:www.tst-test.com



Report No: TST20240403560-3RR Date:Apr.25, 2024 Page 3 of 10

Test result(s):

No.	Sample Description	Results of XRF					Chemical confirmation	Conclusion
	Campie Bescription	Pb	Cd	Hg	Cr	Br	results (mg/kg)	Conclusion
1	Bamboo	BL	BL	BL	BL	BL		Pass
2	White film	BL	BL	BL	BL	BL		Pass
3	Black wire	BL	BL	BL	BL	BL		Pass
4	Red wire	BL	BL	BL	BL	BL		Pass
5	Wire core	BL	BL	BL	BL			Pass
6	Black cloth	BL	BL	BL	BL	BL		Pass
7	Grey cloth	BL	BL	BL	BL	BL		Pass
8	Coil	BL	BL	BL	BL			Pass
9	PCB	BL	BL	BL	BL	Х	PBBs:N.D. PBDEs:N.D.	Pass
10	Resistance	BL	BL	BL	BL	BL		Pass
11	Capacitance	BL	BL	BL	BL	BL		Pass
12	IC	BL	BL	BL	BL	BL		Pass
13	LED	BL	BL	BL	BL	BL		Pass
14	White glue	BL	BL	BL	BL	BL		Pass
15	USB interface metal	BL	BL	BL	BL			Pass
16	USB interface plastic	BL	BL	BL	BL	BL		Pass
17	Solders	BL	BL	BL	BL			Pass
18	Black wire outside	BL	BL	BL	BL	BL		Pass
19	Black terminal	BL	BL	BL	BL	BL		Pass
20	Solders	BL	BL	BL	BL			Pass



Report No: TST20240403560-3RR Date: Apr. 25, 2024 Page 4 of 10

Remark:

- a. It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
- b. The XRF screening test for RoHS elements-The reading may be different to the actual content in the sample be of non-uniformity composition.
- c. Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS for Cr(VI) and GC-MS (for PBBs/PBDEs) is recommended to be performed if the concentration exceeds the below warming value according to IEC 62321-3-1:2013.

XRF Screening limits for different matrices :

Madadala	Concentration (mg/kg)						
Materials	Cd	Cr	Pb	Hg	Br		
Polymeric	BL≤60 <x<140≤ol< td=""><td>BL≤640<x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<></td></x<1330≤ol<></td></x<></td></x<140≤ol<>	BL≤640 <x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<></td></x<1330≤ol<></td></x<>	BL≤670 <x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<></td></x<1330≤ol<>	BL≤660 <x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<>	BL≤290 <x< td=""></x<>		
Metallic	BL≤60 <x<140≤ol< td=""><td>BL≤640<x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td></td></x<1340≤ol<></td></x<1330≤ol<></td></x<></td></x<140≤ol<>	BL≤640 <x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td></td></x<1340≤ol<></td></x<1330≤ol<></td></x<>	BL≤670 <x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td></td></x<1340≤ol<></td></x<1330≤ol<>	BL≤660 <x<1340≤ol< td=""><td></td></x<1340≤ol<>			
Composite materials	BL≤40 <x<160≤ol< td=""><td>BL≤440<x< td=""><td>BL≤470<x<1530≤ol< td=""><td>BL≤460<x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<></td></x<1530≤ol<></td></x<></td></x<160≤ol<>	BL≤440 <x< td=""><td>BL≤470<x<1530≤ol< td=""><td>BL≤460<x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<></td></x<1530≤ol<></td></x<>	BL≤470 <x<1530≤ol< td=""><td>BL≤460<x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<></td></x<1530≤ol<>	BL≤460 <x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<>	BL≤240 <x< td=""></x<>		



Report No: TST20240403560-3RR Date:Apr.25, 2024 Page 5 of 10

Note: -BL= Below Limit

-OL=Over Limit

-X = inconclusive, the region where need further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs).

- --- = Not Applicable
- mg/kg=0.0001%
- N.D.=Not Detected(<MDL)
- MDL= Method Detection Limit
- -Negative = Absence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is less than 0.02 mg/kg with 50cm² sample surface area used.
- -*=According to 2011/65/EU Annex,point *Lead as an alloying element is steel containing up to 0.35% lead by weight, aluminum containing up to 0.4% lead by weight and as a copper alloy, containing up to 4% lead by weight can be exempted.



Report No : TST20240403560-3RR Date:Apr.25, 2024 Page 6 of 10

2. Phthalates—DBP, BBP, DEHP & DIBP

Test Item(s)	Test Method	Test Equipment	Unit	MDL	Limit
Dibutyl Phthalate(DBP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000
Benzylbutyl Phthalate (BBP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000
Di-(2-ethylhexyl)Phthalate (DEHP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000
Diisobutyl phthalate(DIBP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000

Test result(s):

Part No.		Canalysian			
	DBP	BBP	DEHP	DIBP	Conclusion
1	N.D.	N.D.	N.D.	N.D.	Pass
2	N.D.	N.D.	N.D.	N.D.	Pass
3+4	N.D.	N.D.	N.D.	N.D.	Pass
6+7	N.D.	N.D.	N.D.	N.D.	Pass
9	N.D.	N.D.	N.D.	N.D.	Pass
10+11+12	N.D.	N.D.	N.D.	N.D.	Pass
13	N.D.	N.D.	N.D.	N.D.	Pass
14	N.D.	N.D.	N.D.	N.D.	Pass
15	N.D.	N.D.	N.D.	N.D.	Pass
18+19	N.D.	N.D.	N.D.	N.D.	Pass

Note:

- mg/kg=0.0001%


-N.D.=Not Detected(<MDL)




Report No: TST20240403560-3RR Date:Apr.25, 2024 Page 7 of 10

Chemical Test Process:

1.Test for Cd/Pb Content




2. Test for Hg Content






Report No: TST20240403560-3RR Date:Apr.25, 2024 Page 8 of 10

3. Test for Chromium (VI) Content



4. Test for DBP, BBP, DEHP, DIBP, PBB, PBDE Content



This report shall not be altered,increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail:tst@tst-test.com

Http:www.tst-test.com



Report No: TST20240403560-3RR Date:Apr.25, 2024 Page 9 of 10

Sample pictures:













Report No: TST20240403560-3RR Date:Apr.25, 2024 Page 10 of 10





*** End of Report ***