

SUSTAINABILITY DECLARATION



Item number
MO2292

Item description

Handheld electric milk frother in ABS with matt finish. Built-in battery capacity 500 mAh. USB Type-C rechargeable (cable included). Speed: 10000 rpm.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Plastic shell	External	Acrylonitrile Butadiene Styrene (ABS)	35,00%
2	Battery	Inside	See Part II	18,00%
3	Frame of motor	Inside	Iron	15,00%
4	Cable	External	Polyvinyl Chloride (PVC)	13,00%
5	Printed Circuit Board	Inside	Printed Circuit Board	3,50%
6	Metal axle	External	Stainless Steel 304 - Carbon 0.08% - Silicone 0.75% - Manganese 2% - Phosphorus 0.045% - Sulfur 0.03% - Nickel 8% - Chromium 18% - Iron 71.095%	3,00%
7	Plastic end of cable	External	Polyvinyl Chloride (PVC)	2,50%
8	Metal spiral	External	Stainless Steel 304 - Carbon 0.08% - Silicone 0.75% - Manganese 2% - Phosphorus 0.045% - Sulfur 0.03% - Nickel 8% - Chromium 18% - Iron 71.095%	2,00%
9	Plug of cable	External	Iron	2,00%
10	Axle of motor	Inside	Iron	1,50%
11	Plastic button	External	Acrylonitrile Butadiene Styrene (ABS)	1,00%
12	Plastic cap	External	Acrylonitrile Butadiene Styrene (ABS)	1,00%

13	Plastic end of motor	Inside	Acrylonitrile Butadiene Styrene (ABS)	1,00%
14	Plastic wire cover	Inside	Polyvinyl Chloride (PVC)	0,50%
15	Metal screw	Inside	Iron	0,50%
16	Plastic in plug of cable	External	Acrylonitrile Butadiene Styrene (ABS)	0,50%
			Total	100,00%

*midocean uses the original chemical names registered in the [ECHA](#) (European Chemicals Agency) database in our Bill of Materials. Additional information on the material can be found in the description

Part II	Component description	Position	Material	Weight Percentage
Battery	Cobalt lithium nickel oxide	Battery	Cobalt lithium nickel oxide	39,50%
	Graphite	Battery	Graphite	20,60%
	Lithium hexafluorophosphate(1-)	Battery	Lithium hexafluorophosphate(1-)	14,38%
	Copper	Battery	Copper	9,34%
	Iron	Battery	Iron	7,10%
	Aluminium	Battery	Aluminium	3,39%
	Polyethylene (PE)	Battery	Polyethylene (PE)	2,24%
	Carbon black	Battery	Carbon black	1,44%
	Ethene, 1,1-difluoro-, homopolymer	Battery	Ethene, 1,1-difluoro-, homopolymer	0,70%
	Benzene, ethenyl-, polymer with 1,3-butadiene	Battery	Benzene, ethenyl-, polymer with 1,3-butadiene	0,49%
	Nickel	Battery	Nickel	0,43%
	Carboxymethyl cellulose	Battery	Carboxymethyl cellulose	0,39%
			Total	100,00%

Cotton sourced & processed

Country of origin	-
Country of processing	-

Recycled material

Biodegradability of material	☐ Yes	☒ No
------------------------------	------------------------------	--

Recyclability of material	☒ Yes	☐ No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	-	72	Yes	-	Each pc wrap in white tissue paper

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director