

Report No.: GNBZ240314136EN

Issue Date: Mar. 26, 2024

Page 1 of 9

The following information was/were submitted and identified by/on behalf of the client:

Applicant Mid Ocean Brands B.V.

Applicant's Address 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Sample Name **USB HUB**

Tested Model MO2294

Sample Receive Date Mar. 14, 2024

Sample Testing Period Mar. 14, 2024 - Mar. 21, 2024

Test Result Summary:

As requested by the applicant, for details refer to attached page(s).

TEST ITEM(S)	TEST REQUESTED	CONCLUSION(S)
Lead, Cadmium, Mercury, Hexavalent	As specified by client, to comply with the Limits for	
chromium, Polybrominated biphenyls	Restriction of the use of certain hazardous substance	
(PBBs), Polybrominated diphenyl	in electrical and electronic equipment (RoHS	PASS
ethers(PBDEs) and Phthalates(DBP,	Directive (EU) 2015/863 amending Annex II of	
BBP, DEHP, DIBP)	Directive 2011/65/EU) on the submitted sample(s)	

Note: The test results are only related to the test item(s) and test part(s) appointed by client.

Authorized signature:

Lab Manager: Gavin Zhou

Mar. 26, 2024



Report No.: GNBZ240314136EN Issue Date: Mar. 26, 2024 Page 2 of 9

Test Result(s):

Part 1. Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent chromium(Cr(VI)), Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers(PBDEs)

Test Method:

Screening Test by XRF spectrometry

With reference to IEC 62321-3-1:2013, Screening of Lead(Pb), Mercury(Hg), Cadmium(Cd), Total chromium(Cr) and Total bromine(Br) by X-ray fluorescence(XRF) spectrometry

Chemical Confirmation Test

Lead(Pb), Cadmium(Cd) - IEC 62321-5:2013, Acid digestion and determined by ICP-OES

Mercury(Hg) - IEC 62321-4:2013/AMD1:2017, Acid digestion and determined by ICP-OES

Cr(VI) - IEC 62321-7-1:2015, Boiling water extraction and determined colorimetrically by UV-vis

& IEC 62321-7-2:2017, Solution extraction and determined colorimetrically by UV-vis

PBBs, PBDEs - IEC 62321-6:2015, Solvent extraction and determined by GC-MS

Part		XRF screening Results					Chemical	
No.	<u>Description</u>	<u>Pb</u>	<u>Cd</u>	<u>Hg</u>	Total Cr	Total Br	Confirmation Results (mg/kg)	Conclusion(s)
1	Silvery metal	BL	BL	BL	IN	1	Cr(VI): Negative	PASS
2	White plastic	BL	BL	BL	BL	BL		PASS
3	PCB	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	PASS
4	Soldering tin (SMD)	BL	BL	BL	BL			PASS
5-1	White plastic support	BL	BL	BL	BL	BL		PASS
5-2	Metal (contact pins)	BL	BL	BL	BL			PASS
6	Silvery metal	BL	BL	BL	IN	/	Cr(VI): Negative	PASS
7	Soldering tin	BL	BL	BL	BL	U - A		PASS
8	Black plastic frame	BL	BL	BL	BL	BL		PASS
9-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	PASS
9-2	Black plastic support	BL	BL	BL	BL	BL		PASS
9-3	Metal (contact pins)	BL	BL	BL	BL			PASS
10	PCB	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	PASS
11	Soldering tin (wiring)	BL	BL	BL	BL			PASS
12	Transparent plastic	BL	BL	BL	BL	BL		PASS
13	Soldering tin (SMD)	BL	BL	BL	BL			PASS
14	Black plastic frame	BL	BL	BL	BL	BL		PASS
15	Black plastic casing	BL	BL	BL	BL	BL		PASS
16	Green wire sheath	BL	BL	BL	BL	BL		PASS
17	Gray wire sheath	BL	BL	BL	BL	BL		PASS
18	White wire sheath	BL	BL	BL	BL	BL		PASS
19-1	Pink wire sheath	BL	BL	BL	BL	BL		PASS



Report No.: GNBZ240314136EN Page 3 of 9 Issue Date: Mar. 26, 2024

Part	Part Baradada		XRF sci	eening	Results	<u>Chemical</u>		
No.	<u>Description</u>	<u>Pb</u>	Cd	Hg	Total Cr	Total Br	Confirmation Results (mg/kg)	Conclusion(s)
19-2	Copper wire	BL	BL	BL	BL			PASS
20-1	Black coating	BL	BL	BL	BL	BL		PASS
20-2	Metal (substrate)	BL	BL	BL	BL			PASS
21-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	PASS
21-2	Black plastic support	BL	BL	BL	BL	BL		PASS
21-3	Metal (contact pins)	BL	BL	BL	BL			PASS
22-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	PASS
22-2	Black plastic support	BL	BL	BL	BL	BL		PASS
22-3	Metal (contact pins)	BL	BL	BL	BL			PASS
23-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	PASS
23-2	Black plastic support	BL	BL	BL	BL	BL		PASS
23-3	Metal (contact pins)	BL	BL	BL	BL			PASS
24	SMD resistor	BL	BL	BL	BL	BL		PASS
25	SMD capacitor	BL	BL	BL	BL	BL		PASS
26	SMD chip (IC)	BL	BL	BL	BL	BL	(PASS
27	Soldering tin (SMD)	BL	BL	BL	BL			PASS
28	Soldering tin (wiring)	BL	BL	BL	BL	į		PASS
29	РСВ	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	PASS
30	Soldering tin (THC)	BL	BL	BL	BL			PASS

Remark:

- (^1) Screening Test by XRF spectrometry
 - (a) XRF analysis of the result(s) may only related to the surface of the sample(s).
 - (b) The results of total Cr and total Br only represent the total content of the elements, do not represent Cr(VI), PBBs and PBDEs content correspondingly. As restricted by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU, The result(s) is expressed as total Cr while test items on restricted substances is Cr(VI). The result(s) is expressed as total Br while test items on restricted substances are PBBs and PBDEs.
 - (c) The results are obtained by XRF screening for primary judgment, further chemical confirmation by ICP-OES (for Pb, Cd, Hg), UV-vis (for Cr(VI)) and GC-MSD (for PBBs, PBDEs) may be performed, if the XRF screening result(s) exceeds the below limits according to IEC 62321-3-1:2013 Table A.2 - Screening limits in mg/kg for regulated elements in various matrices.

Element	Polymers	Metals	Composite material
Cd	BL ≤(70-3σ) <x <(130+3σ) ≤OL</x 	BL ≤(70-3σ) <x <(130+3σ) ≤OL</x 	LOD <x <(150+3σ)="" td="" ≤ol<=""></x>
Pb	BL ≤(700-3σ) <x <(1300+3σ) ≤OL</x 	BL ≤(700-3σ) <x <(1300+3σ) ≤OL</x 	BL ≤(500-3σ) <x <(1500+3σ) ≤OL</x
Hg	BL ≤(700-3σ) <x <(1300+3σ) ≤OL</x 	BL ≤(700-3σ) <x <(1300+3σ) ≤OL</x 	BL ≤(500-3σ) <x <(1500+3σ) ≤OL</x
Br	BL ≤(300-3σ) <x< td=""><td>Not applicable</td><td>BL ≤(250-3σ) <x< td=""></x<></td></x<>	Not applicable	BL ≤(250-3σ) <x< td=""></x<>
Cr	BL ≤(700-3σ) <x< td=""><td>BL ≤(700-3σ) <x< td=""><td>BL ≤(500-3σ) <x< td=""></x<></td></x<></td></x<>	BL ≤(700-3σ) <x< td=""><td>BL ≤(500-3σ) <x< td=""></x<></td></x<>	BL ≤(500-3σ) <x< td=""></x<>



Report No.: GNBZ240314136EN Issue Date: Mar. 26, 2024 Page 4 of 9

BL = Below limit, OL = Over limit, IN = Inconclusive, 3σ = Repeability of the analyser at the action level, X = The region where further investigation is necessary, LOD = Limit of detection.

- (d) The XRF screening test of selected elements The result(s) was/ were only given for reference, as the result(s) may be different to the actual content in the non-uniformity composition, and the results differ based on various factors, including but not limited to the tested part(s)/component(s) size, thickness, surface flatness, equipment parameters and matrix effect etc.
- (^2) Chemical Confirmation Test
 - (a) 1000mg/kg = 0.1%; RL = Reporting Limit; N.D. = Not detected (< RL).
 - (b) RL and Limits of test items.

Test Item(s)	t Item(s) Reporting Limit (RL)	
Lead(Pb)	d(Pb) 10 mg/kg	
Cadmium(Cd)	10 mg/kg	100 mg/kg (0.01%)
Mercury(Hg)	10 mg/kg	1000 mg/kg (0.1%)
Chromium VI (Cr VI)	Polymer and composite material: 10 mg/kg, Metal: 0.10 ug/cm ²	1000 mg/kg (0.1%)
Group PBBs	Single compound of PBBs: 50 mg/kg	1000 mg/kg (0.1%)
Group PBDEs	Single compound of PBDEs: 50 mg/kg	1000 mg/kg (0.1%)

(c) According to IEC 62321-7-1:2015, result of Cr(VI) for metal sample is shown as below: If Cr(VI) concentration > 0.13 ug/cm², the sample contains Cr(VI) which is positive for Cr(VI); If Cr(VI) concentration < 0.10 ug/cm², the sample does not contain Cr(VI) which is negative for Cr(VI); If Cr(VI) concentration $\geq 0.10 \text{ ug/cm}^2$ and $\leq 0.13 \text{ ug/cm}^2$, the result is considered to be inconclusive – Unavoidable coating variations may influence the determination.

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part (entire copy is excepted).

Tel.: +86-574-89201291

www.gig-lab.com www.gigqc.com



Report No.: GNBZ240314136EN Issue Date: Mar. 26, 2024 Page 5 of 9

Part 2. Phthalates - Dibutyl phthalate(DBP), Butyl benzyl phthalate(BBP), Bis(2-ethylhexyl) phthalate (DEHP), Diisobutyl phthalate(DIBP)

Test Method: IEC 62321-8:2017, Solvent extraction and determined by GC-MS

Davi Na	<u>DBP</u>	<u>BBP</u>	<u>DEHP</u>	DIBP	
		Conclusion(s)			
Part No.	50	50	50	50	Conclusion(s)
	1000	1000	1000	1000	
2 + 5-1 + 9-2	N.D.	N.D.	N.D.	N.D.	PASS
3 + 10 + 29	N.D.	N.D.	N.D.	N.D.	PASS
8	N.D.	N.D.	N.D.	N.D.	PASS
12 + 21-2 + 22-2	N.D.	N.D.	N.D.	N.D.	PASS
14	N.D.	N.D.	70	N.D.	PASS
16	710	N.D.	N.D.	N.D.	PASS
17	500	N.D.	N.D.	N.D.	PASS
18	610	N.D.	N.D.	N.D.	PASS
19-1	600	N.D.	N.D.	N.D.	PASS
20-1	N.D.	N.D.	N.D.	N.D.	PASS
23-2	N.D.	N.D.	N.D.	N.D.	PASS

Note: 1. 1000 mg/kg = 0.1%;

- 2. N.D. = Not detected (<RL);
- 3. The test parts were analyzed on behalf of the applicant as mixing sample in one testing. The above results were only given as the informality value and only for reference.




Report No.: GNBZ240314136EN Issue Date: Mar. 26, 2024 Page 6 of 9

Sample photo(s):





Tested Model: MO2294






Report No.: GNBZ240314136EN Issue Date: Mar. 26, 2024 Page 7 of 9








Report No.: GNBZ240314136EN Issue Date: Mar. 26, 2024 Page 8 of 9









Report No.: GNBZ240314136EN Issue Date: Mar. 26, 2024

Page 9 of 9





GIG authenticate the photo(s) on original report only

****End of Report****