

SUSTAINABILITY DECLARATION



Item number MO2363

Item description

Fully adjustable nordic walking poles in aluminium with cork handles, walking rubber tips and mud baskets. Presented in a RPET ripstop pouch. Fully adjustable: 65cm to 135cm.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Metal shaft	Shaft	Aluminium	64,30%
2	Plastic cap	End of shaft	Natural Rubber	4,50%
3	Metal connection	Joint of shaft	Zinc alloy - Zinc 85% - Aluminium 8% - Copper 6% - Magnesium 0.955% - Iron 0.02% - Silicone 0.02% - Chromium 0.003% - Nickel 0.001% - Tin 0.001%	4,00%
4	Twist lock	Shaft	Polypropylene (PP)	3,00%
5	Black Bag	Bag	Recycled Polyethylene Terephthalate (RPET)	3,00%
6	Wrist strap	Top of grip	Modified Polyamide (PA) (Nylon)	2,80%
7	Mud basket	Basket	Polypropylene (PP)	2,50%
8	Black soft plastic	Top of grip	Natural Rubber	2,00%
9	Grey plastic	Top of grip	Polypropylene (PP)	2,00%
10	Metal cap	End of shaft	Iron	1,50%
11	Metal spring	Joint of shaft	Zinc alloy - Zinc 85% - Aluminium 8% - Copper 6% - Magnesium 0.955% - Iron 0.02% - Silicone 0.02% - Chromium 0.003% - Nickel 0.001% - Tin 0.001%	1,50%



12	Metal nut	Joint of shaft	Stainless Steel 420 - Carbon 0.15% - Silicone 1% - Manganese 1% - Phosphorus 0.04% - Sulfur 0.03%	1,50%
			- Chromium 12% - Iron 85.78%	
13	Clamp	Shaft	Polypropylene (PP)	1,00%
14	Metal tip	End of shaft	Stainless Steel 201	1,00%
17	Wetar tip	Life of Shart	- Carbon 0.15% - Silicone 0.75% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Iron 74.01%	1,0070
15	Black plastic joint	Joint of shaft	Polypropylene (PP)	1,00%
16	White plastic joint	Joint of shaft	Polypropylene (PP)	1,00%
17	Cork handle	Grip	Cork	0,50%
18	Rivet	End of wrist strap	Stainless Steel 201 - Carbon 0.15% - Silicone 0.75% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Iron 74.01%	0,50%
19	Rivet	Top of grip	Stainless Steel 201 - Carbon 0.15% - Silicone 0.75% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Iron 74.01%	0,50%
20	Metal gasket	Joint of shaft	Stainless Steel 410 - Carbon 0.15% - Silicone 1% - Manganese 1% - Phosphorus 0.04% - Sulfur 0.03% - Nickel 0.75% - Chromium 11.5% - Iron 85.53%	0,50%
			Total	100,00%

^{*}midocean uses the original chemical names registered in the <u>ECHA</u> (European Chemicals Agency) database in our Bill of Materials. Additional information on the material can be found in the description

Cotton sourced & processed

Country of origin	-
-------------------	---



Country of processing		-			
Recycled material					
Biodegradebility of material		☐ Yes		⊠ No	
					_
Recyclability of material		⊠ Yes		□ No	
Renewable source					
Recycled material Natu		tural material		used waste material	
X Voc I No		Vas XI No		Ves X No	

End of life suggestion

















Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



- -

Packaging and Transport

	J				
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	-	20	Yes	-	Each set with 2 x sticks fixer and packed inside RPET pouch

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela

Buying & Portfolio Directo