

# **EU Declaration of Compliance (DOC)**

For materials intended to come into contact with food (EU No. 10/2011)

Company name: Mid Ocean Brands BV (MOB)

Postal address: PO BOX 644

Postcode and City: 6710 BP Ede (NL)
Telephone number: 0031 (0)342 426992
E-mail address: DOC@reclamond.com

## We declare that DOC issued under our sole responsibility and belongs to the following product:

Item number	MO2383-03, -41, -43, -65
Description	Double wall vacuum insulating bottle in recycled stainless with ceramic inner lining. Capacity: 420 ml
Country of origin	China
Batch	PO 41-115067

**Object of the declaration** (identification of food contact product allowing traceability; it may include a colour image of sufficient clarity where necessary for the identification of the product):



1, 2, 7, 8, 10: direct food contact

The following substances subject to restrictions and/or specification are used in the above-mentioned product. The materials and raw materials used comply with Regulation (EU) No 10/2011.

Chemical Name	CAS	EINECS	Percent
Stainless Steel 304			
- Carbon 0.08%	7440-44-0	231-153-3	
- Silicone 0.75%	7440-21-3	231-130-8	
- Manganese 2%	7439-96-5	231-105-1	
- Phosphorus 0.045%	7723-14-0	231-768-7	40,00%
- Sulfur 0.03%	7704-34-9	231-722-6	
- Nickel 8%	7440-02-0	231-111-4	
- Chromium 18%	7440-47-3	231-157-5	
- Iron 71.095%	7439-89-6	231-096-4	
Stainless Steel 304 (99.12%)			
- Carbon 0.08%	7440-44-0	231-153-3	35,61%
- Silicone 0.75%	7440-21-3	231-130-8	

- Manganese 2%	7439-96-5	231-105-1	
- Phosphorus 0.045%	7723-14-0	231-768-7	
- Sulfur 0.03%	7704-34-9	231-722-6	
- Nickel 8%	7440-02-0	231-111-4	
- Chromium 18%	7440-47-3	231-157-5	
- Iron 71.095%	7439-89-6	231-096-4	
Ceramic (0.88%)	66402-68-4	266-340-9	
Polypropylene (PP)	9003-07-0	618-352-4	10,59%
Stainless Steel 201			
- Carbon 0.15%	7440-44-0	231-153-3	
- Silicone 0.75%	7440-21-3	231-130-8	
- Manganese 5.5%	7439-96-5	231-105-1	
- Phosphorus 0.06%	7723-14-0	231-768-7	6,70%
- Sulfur 0.03%	7704-34-9	231-722-6	
- Nickel 3.5%	7440-02-0	231-111-4	
- Chromium 16%	7440-47-3	231-157-5	
- Iron 74.01%	7439-89-6	231-096-4	
Polypropylene (PP)	9003-07-0	618-352-4	3,50%
Stainless Steel 304			
- Carbon 0.08%	7440-44-0	231-153-3	
- Silicone 0.75%	7440-21-3	231-130-8	
- Manganese 2%	7439-96-5	231-105-1	
- Phosphorus 0.045%	7723-14-0	231-768-7	2,00%
- Sulfur 0.03%	7704-34-9	231-722-6	
- Nickel 8%	7440-02-0	231-111-4	
- Chromium 18%	7440-47-3	231-157-5	
- Iron 71.095%	7439-89-6	231-096-4	
Silicone	7440-21-3	231-130-8	1,60%

# The following substances and materials are intended to come into contact with food.

Chemical Name	CAS	EINECS
Stainless Steel 304 (99.12%)		
- Carbon 0.08%	7440-44-0	231-153-3
- Silicone 0.75%	7440-21-3	231-130-8
- Manganese 2%	7439-96-5	231-105-1
- Phosphorus 0.045%	7723-14-0	231-768-7
- Sulfur 0.03%	7704-34-9	231-722-6
- Nickel 8%	7440-02-0	231-111-4
- Chromium 18%	7440-47-3	231-157-5
- Iron 71.095%	7439-89-6	231-096-4
Ceramic (0.88%)	66402-68-4	266-340-9
Polypropylene (PP)	9003-07-0	618-352-4
Stainless Steel 304		
- Carbon 0.08%	7440-44-0	231-153-3
- Silicone 0.75%	7440-21-3	231-130-8
- Manganese 2%	7439-96-5	231-105-1
- Phosphorus 0.045%	7723-14-0	231-768-7
- Sulfur 0.03%	7704-34-9	231-722-6
- Nickel 8%	7440-02-0	231-111-4
- Chromium 18%	7440-47-3	231-157-5
- Iron 71.095%	7439-89-6	231-096-4
Silicone	7440-21-3	231-130-8



# **COMPLIANCE**

# The manufacturer declares that the mentioned product complies with all relevant provisions of

Regulation (EC) No 1935/2004 - Materials and articles intended to come into contact with food\* Regulation (EU) No 10/2011 - Plastic materials and articles intended to come into contact with food\* Regulation (EC) No 2023/2006 - GMP for materials and articles intended to come into contact with food\* \* Inclusive subsequent amendments

### In conjunction with following harmonized standards

EN 1186-1:2002; EN 1186-3:2002; EN 1122:2001; EN 13130-1:2004; EN14372:2004

#### **Conditions of use:**

- Type(s) of food intended to come into contact with the material:

#### Suitable for hot and cold drinks

- Time and temperature and storage while in contact with food:

Time: maximum 2 hours (can keep hot for 8 hours)

Temperature: 0°C - 70°C

- Ratio of food contact surface area to volume used: 6dm<sup>2</sup>/l

### Substances, which are subject to "DUAL-USE" additives in materials or "PURITY CRITERIA".

- No dual use additives were used in the manufacture of this product
- There are no substances subject to purity criteria

# Information about the compliance of substances used are subject to any restriction or specification

- This product is in compliance with overall and Specific Migration Limits (SML's) standard testing conditions laid down in Regulation (EU) 10/2011. Additional information including test reports can be provided on request.

# **Functional barrier**

There is no function barrier present.

### Signed for and on behalf of:

Ede (NL) 01-01-2025
Place of issue Date of issue

R.M. Sillessen General Manager solo midocean