



TEST REPORT

Report No. : WTF24F09209348A1C

Applicant: Mid Ocean Brands B.V.

Wan, Kowloon, Hong Kong

Manufacturer..... 115582

Sample Name : RPET Felt cooler bag

Sample Model : MO2464

Test Requested..... : Refer to next page (s)

Test Method: Refer to next page (s)

Test Conclusion : Pass (Please refer to next pages for details)

Date of Receipt sample..... : 2024-09-05 & 2024-09-20

Date of Issue 2024-09-27

Test Result : Refer to next page (s)

Note...... : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

WTF24F09209348A1C



Summary

Item No.	Test Requested	Test Conclusion		
UNIFEK W	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628			
2 1111	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217			
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass		
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass		
5 TELL	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass		
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass		

Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tank Ham a Ville	LOQ	Resu	ilts (mg/kg)	Limit
Test Item	(mg/kg)	No.1	No.2+No.3+No.7	(mg/kg) 500
Lead(Pb)	2	ND	79*	
Conclusion		Pass	Pass	

Tankin still	LOQ	in wir, wir	Results (mg/kg)	L 15 10	Limit
Test Item	(mg/kg)	No.4+No.8	No.4+No.8 No.5(R1)		(mg/kg)
Lead(Pb)	IT JULY 2 JULY	ND*	27	88	500
Conclusion	ie ji e jek	Pass	Pass	Pass	$a_n = \overline{a_n}$

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.
- (6) The test sample of specimen No.7 is received on the date of 2024-09-05.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Took Itom	LOQ		Results (mg/kg)		
Test Item	(mg/kg)	No.4+No.8	No.5(R1)	No.6(R1)	
Cadmium(Cd)	2	ND*	ND ND	14	
Conclusion	aurau	Pass	Pass	Pass	

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)		
Wet paint 100			
Surface coating 1000			
Plastic 100			
Metal parts of jewellery and hair accessories	100		

(5) "*" = Results are calculated by the minimum weight of mixed components.





3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)	Limit
	(%)	No.4+No.8	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	LITER OLITER WITE AND
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four
Dibutyl phthalate (DBP)	0.005	ND*, ND*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	- ALTER MITER MILITER
Diisodecyl phthalate (DIDP)	0.01	ND*	A St. St.
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	philialates < 0.1
Conclusion	et zet set	Pass	20 20 20 20

Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Aminos Substances	CAS No.	Limit	Result (mg/kg)		
NO.	Amines Substances	CAS NO.	(mg/kg)	No.1	No.2+No.3+No.7	
1	4-Aminobiphenyl	92-67-1	30	ND	ND*	
2	Benzidine	92-87-5	30	ND	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND	ND*	
4	2-Naphthylamine	91-59-8	30	ND	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND*	
7	p-Chloroaniline	106-47-8	30	ND	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND ND	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND*	
14	p-cresinin	120-71-8	30	ND d	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND W	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND	ND*	
18	o-Toluidine	95-53-4	30	ND	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND -	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND*	
21	o-anisidine	90-04-0	30	ND	ND*	
22	4-aminoazobenzene	60-09-3	30	ND	ND*	
23	2,4-Xylidin	95-68-1	30	ND ND	ND*	
24	2,6-Xylidin	87-62-7	30	ND	ND*	
E.	Conclusion		A - A	Pass	Pass	

Note

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.
- -The test sample of specimen No.7 is received on the date of 2024-09-05.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

++	112.14	Results	1.00	at mate	
Test Items	Unit	No.4+No.8	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	TEX- TEX	Pass	mr mr	- 2h	

Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



6) Colour Fastness to Rubbing

Colour Fastness to Rubbing						
(ISO 105-X1	2: 2016; Size of rubbin	g finger: 16mr	n diameter.)			at at
are an	20, 20, 2	No.1	No.2	No.3	No.7	Client's Limit
Length	Dry staining	4-5	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4	4-5	2-3
Width	Dry staining	4-5	CE JE	Will We	11/2- 1	2-3
	Wet staining	4 4	777	4		2-3
Conclusion		Pass	Pass	Pass	Pass	415 415


Note:

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) The test sample of specimen No.7 is received on the date of 2024-09-20.

Description for Specimen:

Specimen No.	Specimen Description		
1 1	Black main fabric		
meti met 2 met me	Black fabric rim		
THE THE 3 THE MY OF	Black zipper fabric		
4	Black plastic zipper tooth Silvery metal zipper head with black surface Silvery metal zipper handle with black surface		
5(R1)			
6(R1)			
W. 701. 7 W. W. W.	Black webbing		
iter alles alle milles	Silvery thermal insulation material		

Photograph of parts tested:



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn







Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

