



TEST REPORT

Report No. : WTF24F12302579C

Job No. FSW2412200840CJ

Kowloon, Hong Kong

Manufacturer..... : 119350

Sample Name RPET laptop backpack, RPET backpack

Sample Model : MO2559, MO2491

Test Requested: Refer to next page (s)

Test Method: Refer to next page (s)

Test Conclusion Pass (Please refer to next pages for details)

Date of Receipt sample 2024-12-20

Testing period...... : 2024-12-20 ~ 2024-12-27

Date of Issue 2024-12-27

Test Result: Refer to next page (s)

Note : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Gwing Liang

Swing.Liang



WTF24F12302579C



Summary

Item No.	Test Requested	Test Conclusion
un 1et w	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2 - 11-12	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
m 4 m	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
5 THE WALL	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	white white who was provided the control of the con
un 6 W	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass



Sample photo:









Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

- 15th 15th	LOQ	Results	s (mg/kg)	Limit
Test Item	(mg/kg)	No.1+No.2+No.7	No.3+No.14+No.18	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	. J . J.	Pass	Pass	

Test Item	LOQ	Result	ts (mg/kg)	Limit
	(mg/kg)	No.4	No.5	(mg/kg)
Lead(Pb)	2	13	13	500
Conclusion	A	Pass	Pass	

Charles all	LOQ	Resi	ults (mg/kg)	Limit
Test Item	(mg/kg)	No.6	No.9+No.10+No.11	(mg/kg)
Lead(Pb)	2	ND	ND*	500
Conclusion	·	Pass	Pass	20

Figure 1	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.12+No.13+No.15	No.16+No.17+No.20	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	L - 3-	Pass	Pass	- ,

-15t	LOQ	Resul	ts (mg/kg)	Limit
Test Item	(mg/kg)	No.19+No.25	No.21+No.24+No.26	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	J J.	Pass	Pass	

- 15EH 17EH	LOQ	Results	s (mg/kg)	Limit
Test Item	(mg/kg)	No.22	No.23	(mg/kg)
Lead(Pb)	2 0	ND	54	500
Conclusion	- Let Let .	Pass	Pass	1 NE 1



Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool Hom	LOQ	Results (mg	g/kg)
Test Item	(mg/kg)	No.3+No.14+No.18	No.4
Cadmium(Cd)	2 2	ND*	ND ND
Conclusion	mr on m	Pass	Pass

Tant Ham	LOQ	Resi	ults (mg/kg)
Test Item	(mg/kg)	No.5	No.8+No.19+No.25
Cadmium(Cd)	2	AT NO.	ND*
Conclusion	W - W -	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.





3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)		Limit
	(%)	No.3+No.14+No.18	No.8+No.19+No.25	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	INLIES WALTE
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND*	sum of four phthalates < 0.1
Dibutyl phthalate (DBP)	0.005	ND*	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	H WALTER WALT
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	sum of three
Diisononyl phthalate (DINP)	0.01	ND*	ND*	phthalates <
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	0.1
Conclusion	et zet	Pass	Pass	` <u>-</u> -

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed

by Gas Chromatographic Mass Spectrometry (GC-MS)

	ex tex cites acite acite and a	Vr. 20.	Limit	Result (mg/kg)
No.	Amines Substances	CAS No.	(mg/kg)	No.1+No.2 +No.7	No.6
1	4-Aminobiphenyl	92-67-1	30	ND*	ND
2	Benzidine	92-87-5	30	ND*	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND
4	2-Naphthylamine	91-59-8	30	ND*	ND
5	o-Aminoazotoluene	97-56-3	30	ND*	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND
7	p-Chloroaniline	106-47-8	30	ND*	ND ND
8	2,4-diaminoanisol	615-05-4	30	ND*	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	, ND+
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	, ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	MD M
14	p-cresinin	120-71-8	30	ND*	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	MD ND
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND O
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND
18	o-Toluidine	95-53-4	30	ND*	ND ⁻
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND
21	o-anisidine	90-04-0	30	ND*	ND ND
22	4-aminoazobenzene	60-09-3	30	ND*	ND (
23	2,4-Xylidin	95-68-1	30	ND*	ND
24	2,6-Xylidin	87-62-7	30	ND*	ND
<	Conclusion	JE 1	77.17	Pass	Pass



et .	LIE RITE MILL WALL WAS THE	20,	+ *	Result (mg/kg)		
No.	Amines Substances	CAS No.	Limit (mg/kg)	No.9+No.10 +No.11	No.12+No.13 +No.15	
7	4-Aminobiphenyl	92-67-1	30	ND*	ND*	
2	Benzidine	92-87-5	30	ND*	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*	
14	p-cresinin	120-71-8	30	ND*	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*	
18	o-Toluidine	95-53-4	30	ND*	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*	
21	o-anisidine	90-04-0	30	ND*	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	ND*	
	Conclusion	12 2/10	- m	Pass	Pass	



£ .	LIFE RELIE WALL WALL WALL WALL	10.	1 ×	Result (mg/kg)		
No.	Amines Substances	CAS No.	Limit (mg/kg)	No.16+No.17 +No.20	No.21+No.24 +No.26	
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*	
2	Benzidine	92-87-5	30	ND*	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*	
7.0	p-Chloroaniline	106-47-8	30	ND*	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*	
14	p-cresinin	120-71-8	30	ND*	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*	
18	o-Toluidine	95-53-4	30	ND*	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*	
21	o-anisidine	90-04-0	30	ND*	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	ND*	
	Conclusion	12 Lan		Pass	Pass	

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Tare 162ma Tell Stell William Co	Results	1.00	1.45		
Test Items	Unit	No.3+No.14+No.18	No.19+No.25	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	ND*	0.2	1.0
Conclusion	A S	Pass	Pass	1, 1,	"

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



6) Colour Fastness to Rubbing

Colour Fastness to Rubbing						
(ISO 105-X1	2: 2016; Size of rubbin	g finger: 16mm	diameter.)	-	,t- ,	14 18th 18
are an	2 14 14 14	No.1	No.2	No.6	No.7	Client's Limit
Length	Dry staining	4-5	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	A 4 0 -	4-5	2-3
\ \	Dry staining	4-5	of the same	Contraction of	Ver - Price	2-3
Width	Wet staining	4-5	24.	- d	Jt Jt	2-3
Conclusion		Pass	Pass	Pass	Pass	10, 215, 21

Colour Fastness to Rubbing						
(ISO 105-X12	2: 2016; Size of rubbin	g finger: 16mm	diameter.)	4 4	the set	THE SITE
111, 111,	70 2	No.9	No.10	No.11	No.12+No.13	Client's Limit
Longth	Dry staining	4-5	4-5	4-5	4-5*	2-3
Length	Wet staining	4-5	4-5	4-5	4-5*	2-3
۱۸/: مادام	Dry staining	(C) (C)	4-5	1/1	1, 2	2-3
Width	Wet staining	20, 20,	4-5	L -2+	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	2-3
Conclusion		Pass	Pass	Pass	Pass	40, 4,

Colour Fastness to Rubbing						
(ISO 105-X1	2: 2016; Size of rubbir	ng finger: 16mm	diameter.)		17.17	MILE SILL
20 20		No.15	No.16	No.17	No.20	Client's Limit
it it	Dry staining	4-5	4-5	4-5	4	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	2-3
VV.: -14P	Dry staining	ALTE MITE	2005- 200	20.	,	2-3
Width	Wet staining	20, 72,	At A	- x 4 3	E 250 .	2-3
Conclusion		Pass	Pass	Pass	Pass	

Colour Fastness to Rubbing					
(ISO 105-X1	2: 2016; Size of rubbing	ı finger: 16mm dian	neter.)	TER SUITE INLI	The The A
4	A St St	No.21	No.24	No.26	Client's Limit
THE LITE	Dry staining	4-5	4-5	4	2-3
Length	Wet staining	4-5	4-5	4-5	2-3
101: -141-	Dry staining	4-5		1 - 0	2-3
Width	Wet staining	4-5	t THE THE	CLIFE SHALL SA	2-3
Conclusion	at alt alt	Pass	Pass	Pass	J- J+- J+

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) "*" = As per applicant's requirement, the testing was conducted based on mixed components.



Description for Specimen:

Specimen No.	Specimen Description
A 18 18 18	Blue main fabric
2 112 111	Black zipper fabric
A STEEL 3 STEEL WALTER JOY	Black plastic zipper tooth
4 4	Silvery metal zipper head with black surface
white me an	Silvery metal zipper handle with black surface
THE LOS MITTER MITTER	Black fabric rim
7	Black net fabric
THE MILITER WILL WILL MILL	White pearl wool
of 9 th the state of	Black lining
10	Black main fabric
STEE JUSTE WALTER WAY	Black fabric rim
12	Black elastic band
13 4/12 4/12	Black net fabric
14 LT 14 LT	Black plastic buckle
15	Black webbing
multiple 16 mg w	Black-white drawstring
17- Jill 11 11 11 11 11 11 11 11 11 11 11 11 1	Silvery-black fabric
18	Black plastic part
tet met 19 mil mil m	Black plastic part
20	Black webbing
21	Dark blue main fabric
The 22 th of the same	Silvery metal zipper head
23	Silvery metal zipper handle
24	Black drawstring
1 25 THE STATE	Black plastic part
26	Black fabric rim



Photograph of parts tested:





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

