

Test Report

Report No. : AGC05443250308-001S2

SAMPLE NAME : Double wall tumbler

MODEL NAME : MO2596

APPLICANT : MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Jun. 10, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Double wall tumbler

Model: MO2596Vendor code: 109979Country of Origin: CHINACountry of Destination: EUROPESample receiving state: Normal

Sample Received Date : Mar. 11, 2025

Testing Period : Mar. 11, 2025 to Mar. 19, 2025

Test Requested : Selected test(s) as requested by client.

Approved by: Suhong hung

Report No.: AGC05443250308-001S2

Suhongliang

Technical Director



DM-4B-COM-003-v01 for: -Volatile Organic Matter

- Specific Migration of Organotin (measured as Tin)

- Peroxide value

Report No.: AGC05443250308-001S2 Conclusion **Test Requested:** Mechanical dishwashing safe test Pass Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 Pass - Lead(Pb) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 **Pass** -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 Pass - Phthalates Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 **Pass** - Polycyclic-aromatic Hydrocarbons (PAHs) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43 **Pass** - Aromatic Amines Azodyes (AZO) Content - Color fastness to rubbing Pass Recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190, Council of Europe Resolution AP (2004)5 - Overall migration Pass - Bisphenol A(BPA) content Pass - Specific migration of Bisphenol A(BPA) Pass - Specific migration of Heavy metals **Pass** -Specific migration of Primary aromatic amines **Pass**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Pass

Pass

Pass



Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Mar. 19, 2025	Invalid	Initial release
S1	Jun. 09, 2025	Invalid	Modification of Test Requested
S2	Jun. 10, 2025	Valid	Modification of Test Requested



The photo of the sample



Test sample





The photo of AGC05443250308-001S2 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1+1-2+1-3	Black plastic lid with flip+ Black plastic outer mug body+ Black plastic inner mug body
1-3	Black plastic inner mug body
1-4	S/S bottom
1-5+1-6+1-7	White silicone plug+ White silicone small plug+ White silicone ring
1-7	White silicone ring
1-8	White rope
1-9	Black PU
1-10	Black strap



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO2596 (Black)

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit	Limit	Test Result(s))
Test Item(s)	Ullit	LIIIII	MDL 1-1+1-2+1-3 1-4 1-5+1-	1-5+1-6+1-7		
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Toot Itom(a)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Onit	Lımıt	MDL	1-8	1-9	1-10
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Cor	Conformity	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3,1-5+1-6+1-7

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Linit	Unit Limit	MDL	Test Result(s)		
Test Item(s)	Omi	Lillit	MIDL	1-1+1-2+1-3	1-5+1-6+1-7	1-9
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity



1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3,1-5+1-6+1-7

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit MDL		Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-1+1-2+1-3	1-5+1-6+1-7	1-9
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.
Con	clusion		·	Conformity	Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3,1-5+1-6+1-7

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Ullit	LIIIII	MIDL	1-1+1-2+1-3	1-5+1-6+1-7	1-9
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Con		Conformity	Conformity	Conformity		

Report No.: AGC05443250308-001S2

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3,1-5+1-6+1-7

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

- Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.		
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.		
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.		
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.		
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.		
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.		
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.		
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.		
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.		
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.		
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.		
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.		
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.		
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.		
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.		
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.		
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.		
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.		
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.		
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.		
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.		
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.		
	CAS:60-09-3 Conclusion					

Report No.: AGC05443250308-001S2



Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

- Color fastness to rubbing

Test Method: ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: 21.1°C, 63 %R.H., 4 hrs

The long direction of the specimen Endwise/ Crossrange The percentage of soak of wet rubbing cloth: 95%~100%

	Test l		
Test point	Colour fastness to	Conclusion	
	Dry rubbing	Wet rubbing	
1-10	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/

Note:

Colour Fastness Grade:

Grade 5 = No Colour Change (Best Grade)

Grade 1 = Colour Change Seriously (Bad Grade)

9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.

Recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190, Council of Europe Resolution AP (2004)5

- Overall Migration

		Test		
Test point		Overall migra	Conclusion	
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
	1 st migration	N.D.	N.D.	
1-3	2 nd migration	N.D.	N.D.	Conformity
	3 rd migration	N.D.	N.D.	
	Limit	10	10	/
	MDL	5	5	/



	Test		
Test point	Overall migra	Conclusion	
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-7	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/

Recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190, Council of Europe Resolution AP (2004)5

- Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)		
Limit(mg/kg)	Absent		
MDL (mg/kg)	0.01		
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS		

Took moint	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-3	N.D.	Conformity
1-7	N.D.	Conformity

Recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190, Council of Europe Resolution AP (2004)5

- Specific migration of Bisphenol A(BPA)


	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid,70°C,2h	
1-7	N.D.	Conformity
Limit (Client's Requirement)	0.05	/
MDL	0.02	/



Recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190, Council of Europe Resolution AP (2004)5

-Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01





	Test Result (mg/kg)					
	1-3					
Test Item(s)	1 st migration	2 nd migration	3 rd migration			
	3% Acetic acid 70°C, 2h					
4-Aminobiphenyl	N.D.	N.D.	N.D.			
Benzidine	N.D.	N.D.	N.D.			
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.			
2-Naphthylamine	N.D.	N.D.	N.D.			
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.			
5-Nitro-o-toluidine	N.D.	N.D.	N.D.			
4-Chloroaniline	N.D.	N.D.	N.D.			
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.			
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.			
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.			
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.			
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.			
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.			
6-methoxy-m-toluidine	N.D.	N.D.	N.D.			
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.			
4,4'-Oxydianiline	N.D.	N.D.	N.D.			
4,4'-Thiodianiline	N.D.	N.D.	N.D.			
2-Aminotoluene	N.D.	N.D.	N.D.			
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.			
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.			
2-Methoxyaniline	N.D.	N.D.	N.D.			
4-Aminoazobenzene	N.D.	N.D.	N.D.			
1,3 phenylenediamine	N.D.	N.D.	N.D.			
Total of other primary aromatic amines	N.D.	N.D.	N.D.			
Conclusion		Conformity				



Recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190, Council of Europe Resolution AP (2004)5

-Specific migration of Heavy metals

	Tost condition/	MDL (mg/kg)	Test Result(s) (mg/kg) 1-3			Limit (mg/kg)
Test Item(s)	Test condition/ Equipment					
	_4		1 st migration	2 nd migration	3 rd migration	. (mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.574	0.241	0.095	/
Magnesium (Mg)		0.01	0.014	N.D.	N.D.	/
Potassium (K)		0.01	0.032	0.019	N.D.	/
Sodium (Na)		0.01	0.041	N.D.	N.D.	/



- Volatile Organic Matter

Report No.: AGC05443250308-001S2

Unit: %

Test item(s)	Test Condition	MDL	Result(s)	I ::4
			1-7	Limit
Volatile Organic Matter	200°C 41	0.1	0.33	0.5
Conclusion	200°C, 4h	/	Conformity	/

DM-4B-COM-003-v01 for:

- Peroxide value


Unit: %

T4 I4	MDI	Result(s)	T ::4
Test Item	MDL	1-7	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	/

DM-4B-COM-003-v01 for:


- Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-7	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates









Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)







Test Flow Chart of AZO





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***