

# **Test Report**

Report No. : AGC05443250320-001

**SAMPLE NAME** : Outdoor cooler bag 600D RPET

MODEL NAME : MO6167

**APPLICANT**: MID OCEAN BRANDS B.V.

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Apr. 09, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. Test Site : 5,6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng

Street, Bao'an District, Shenzhen, Guangdong, China

### Report on the submitted sample(s) said to be:

Sample Name : Outdoor cooler bag 600D RPET

Model : MO6167

Vendor code : 116737

Country of Origin : CHINA

Country of Destination : EUROPE

Sample receiving state : Normal

Sample Received Date : Mar. 21, 2025

Testing Period : Mar. 21, 2025 to Apr. 09, 2025

Test Requested : Selected test(s) as requested by client.

Approved by:

Suhongliang, Leon

Report No.: AGC05443250320-001

**Technical Director** 



Conclusion

Microwave heating resistance test Pass

Mechanical dishwashing safe test Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63
- Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23
-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52
- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50
- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43
- Aromatic Amines Azodyes (AZO) Content

Pass

- Color fastness to rubbing Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190

- Overall migration Pass
- Bisphenol A(BPA) content Pass

- Specific migration of Heavy metals
-Specific migration of Primary aromatic amines

Pass
Pass

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9

Pass
- Specific migration of Heavy metal



Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Apr. 09, 2025	Valid	Initial release



The photo of the sample





The photo of AGC05443250320-001 is for use only with the original report.

## **Test Point Description**

Test point	Test point description
1-1	Ash black 600D fabric with black backing
1-2	Grey handle and strap
1-3	Black webbing
1-4	Black mesh
1-5	Grey mesh
1-6	Grey elastic band
1-7	Black rope linked to metal zipper
1-8	Black elastic band
1-9	Black velcro
1-10	Black lining
1-11	Zipper black fabric
1-12	Inner grey webbing
1-13	Metal zipper head
1-18	Grey sponge layer
1-19	Brown plastic mug
1-20	Brown plastic plate
1-21	Brown plastic handle of cutlery
1-22	Metal fork
1-23	Metal spoon
1-24	Metal knife



Test point	Test point description			
1-2+1-3+1-4	Grey handle and strap+ Black webbing+ Black mesh			
1-5+1-6+1-7	Grey mesh+ Grey elastic band+ Black rope linked to metal zipper			
1-8+1-9+1-10	Black elastic band+ Black Velcro+ Black lining			
1-11+1-12	Zipper black fabric+ Inner grey webbing			
1-14+1-15	Zipper black plastic teeth+ Black plastic buckle			
1-16+1-17	Black soft plastic linked to black rope+ Inner grey PEVA			
1-19+1-20+1-21	Brown plastic mug+ Brown plastic plate+ Brown plastic handle of cutlery			
1-22+1-23+1-24	Metal fork+ Metal spoon+ Metal knife			



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

#### Microwave heating resistance test

## Test Sample:1-19

## **Test Result of microwave test**

Sample No.: MO6167 1-19

Test method: Refer BS EN 15284:007

Microwave power out: 800 W

Short period: 90 s Long period: 585 s

Number of tested sample: 2 pc(s) Number of control sample: 1 pc(s)

Specimen(s)	Maximum surface temperature after long period of heating
1	77.8°C
2	77.9°C

## For all tested plastic articles:

No visible change of color was found on the tested samples after test.

No visible cracking, deformation was found on the tested samples after test.

No melting, charring was found on the tested samples after wash.

The tested samples still suitability to re-use after test.



Microwave heating resistance test

#### Test Sample:1-20

#### **Test Result of microwave test**

Sample No.:MO6167 1-20

Test method: Refer BS EN 15284:007

Microwave power out: 800 W

Short period: 90 s Long period: 585 s

Number of tested sample: 2 pc(s) Number of control sample: 1 pc(s)

Specimen(s)	Maximum surface temperature after long period of heating
1	79.8°C
2	78.8°C

For all tested plastic articles:

No visible change of color was found on the tested samples after test.

No visible cracking, deformation was found on the tested samples after test.

No melting, charring was found on the tested samples after wash.

The tested samples still suitability to re-use after test.

#### Mechanical dishwashing safe test

## Test Sample:1-19

#### Test Result of mechanical dishwashing safe test:

Requirements: For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO6167 1-19

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250320-001



#### Test Sample:1-20

#### Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and

function, it should be "PASS" Sample No.: MO6167 1-20

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

#### Mechanical dishwashing safe test

## Test Sample:1-21

### Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO6167 1-21

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

#### Mechanical dishwashing safe test

## Test Sample:1-22

## Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.: MO6167 1-22

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



#### Test Sample:1-23

#### Test Result of mechanical dishwashing safe test:

Requirements: For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Report No.: AGC05443250320-001

Sample No.: MO6167 1-23

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

#### Mechanical dishwashing safe test

### Test Sample:1-24

### Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.: MO6167 1-24

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

## - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)		Limit	MDL	Test Result(s)			
	Unit			1 1	1-2+1-3+1-	1-5+1-6+1-	
				1-1	4	7	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Con	Conformity	Conformity	Conformity				

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
				1-8+1-9+1-10	1-11+1-12	1-13
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	21
Con	Conformity	Conformity	Conformity			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd



				Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-14+1-15	1-16+1-17	1-19+1- 20+1-21	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	113	
Cor	Conformity	Conformity	Conformity				

Test Item(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Omi	LIIIII	MDL	1-22+1-23+1-24	
Lead(Pb)	mg/kg	500	10	N.D.	
Со	Conformity				

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2+1-3+1-4, 1-5+1-6+1-7, 1-8+1-9+1-10, 1-11+1-12, 1-14+1-15, 1-16+1-17, 1-19+1-20+1-21, 1-22+1-23+1-24

## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

## -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limi	Limit	MDL	Test Result(s)		
		Lillit		1-1	1-14+1-15	1-16+1-17
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Con	Conformity	Conformity	Conformity			

		Limit	MDL	Test Result(s)	
Test Item(s)	Unit			1 10	1-19+1-
				1-18	20+1-21
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co	Conformity	Conformity			

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-14+1-15,1-16+1-17,1-19+1-20+1-21



## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

## - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Tost Itam(s)	Unit	nit Limit MDL		Test Result(s)			
Test Item(s)	Unit	Lillit	MDL	1-1	1-14+1-15	1-16+1-17	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.	
Conclusion				Conformity	Conformity	Conformity	

				Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-18	1-19+1- 20+1-21	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	
Con	Conformity	Conformity				

## Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-14+1-15,1-16+1-17,1-19+1-20+1-21

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250320-001



## Limit requirements of Phthalates

Report No.: AGC05443250320-001

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

## - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Onit	Lillit	MDL	1-1	1-14+1-15
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Co	Conformity	Conformity			

				Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-16+1-17	1-19+1-
				1-10+1-17	20+1-21
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Co.	Conformity	Conformity			

## Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-14+1-15,1-16+1-17,1-19+1-20+1-21



Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

				8 8/
Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	1	1

## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

## - Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

				Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-1	1-2+1-3+1-	1-5+1-6+1- 7	
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.	N.D.	N.D.	
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.	N.D.	N.D.	
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.	N.D.	N.D.	
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.	N.D.	N.D.	
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.	N.D.	N.D.	
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.	N.D.	N.D.	



				Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-1	1-2+1-3+1-	1-5+1-6+1- 7	
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.	N.D.	N.D.	
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.	N.D.	N.D.	
4,4'-Methylenebis[2- chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.	N.D.	N.D.	
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.	N.D.	N.D.	
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.	N.D.	N.D.	
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.	N.D.	N.D.	
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.	N.D.	N.D.	
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.	N.D.	N.D.	
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.	N.D.	N.D.	
Con	Conformity	Conformity	Conformity				

Test Item(s)	Unit	Limit	MDI	Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-8+1-9+1-10	1-11+1-12
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.	N.D.
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.	N.D.
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.	N.D.
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.	N.D.
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.	N.D.
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.	N.D.
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.	N.D.



Report No.: AGC03443250						
Test Item(s)	Unit Limit		MDL	Test Result(s)		
. ,	Oiiit	Lillit	WIDE	1-8+1-9+1-10	1-11+1-12	
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.	N.D.	
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.	N.D.	
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.	N.D.	
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.	N.D.	
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.	N.D.	
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.	N.D.	
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.	N.D.	
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.	N.D.	
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.	N.D.	
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.	N.D.	
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.	N.D.	
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.	N.D.	
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.	N.D.	
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.	N.D.	
Co	Conformity	Conformity				

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2+1-3+1-4, 1-5+1-6+1-7, 1-8+1-9+1-10, 1-11+1-12

Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.



- Color fastness to rubbing

**Test Method:** ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: 20.5°C, 64 %R.H., 4 hrs

The long direction of the specimen Endwise/ Crossrange The percentage of soak of wet rubbing cloth: 95%~100%

	Test 1	Conclusion	
Test point	Colour fastness to		
	Dry rubbing	Wet rubbing	-
1-1	4-5	4-5	Conformity
1-2	4-5	4-5	Conformity
1-3	4-5	4-5	Conformity
1-4	4-5	4-5	Conformity
1-5	4-5	4-5	Conformity
1-6	4-5	4-5	Conformity
1-7	4-5	4-5	Conformity
1-8	4-5	4-5	Conformity
1-9	4-5	4-5	Conformity
1-10	4-5	4-5	Conformity
1-11	4-5	4-5	Conformity
1-12	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/

#### Note:

Colour Fastness Grade:

Grade 5 = No Colour Change (Best Grade)

Grade 1 = Colour Change Seriously (Bad Grade)

9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250320-001



## Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190

#### - Overall Migration

			Conclusion		
	Test point	Ov			
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	Olive oil 70°C,2h	
	1 <sup>st</sup> migration	N.D.	N.D.	N.D.	
1-20	2 <sup>nd</sup> migration	N.D.	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	N.D.	N.D.	
	Limit	10	10	10	/
	MDL	5	5	3	/

## Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190

## - Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)					
Limit(mg/kg)	Absent					
MDL (mg/kg)	0.01					
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS					

Tost maint	Test Result (mg/kg)	Conclusion	
Test point	Bisphenol A (BPA)		
1-20	N.D.	Conformity	



## Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190

#### -Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)	
4-Aminobiphenyl	0.002	N.D.	
Benzidine	0.002	N.D.	
4-Chloro-o-Toluidine	0.002	N.D.	
2-Naphthylamine	0.002	N.D.	
4-amino-2',3-dimethylazobenzene	0.002	N.D.	
5-Nitro-o-toluidine	0.002	N.D.	
4-Chloroaniline	0.002	N.D.	
4-Methoxy-m-phenylenediamine	0.002	N.D.	
4,4'-Diaminodiphenylmethane	0.002	N.D.	
3,3'-Dichlorobenzidine	0.002	N.D.	
3,3'-Dimethoxybenzidine	0.002	N.D.	
3,3'-Dimethybenzidine	0.002	N.D.	
4,4'-Methylenedi-o-toluidine	0.002	N.D.	
6-methoxy-m-toluidine	0.002	N.D.	
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.	
4,4'-Oxydianiline	0.002	N.D.	
4,4'-Thiodianiline	0.002	N.D.	
2-Aminotoluene	0.002	N.D.	
4-methyl-m-phenylenediamine	0.002	N.D.	
2,4,5-Trimethylaniline	0.002	N.D.	
2-Methoxyaniline	0.002	N.D.	
4-Aminoazobenzene	0.002	N.D.	
1,3 phenylenediamine	0.002	N.D.	
Total of other primary aromatic amines	0.01	0.01	





	Test Result (mg/kg)					
	1-20					
Test Item(s)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration 3% Acetic acid	3 <sup>rd</sup> migration			
		70°C, 2h				
4-Aminobiphenyl	N.D.	N.D.	N.D.			
Benzidine	N.D.	N.D.	N.D.			
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.			
2-Naphthylamine	N.D.	N.D.	N.D.			
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.			
5-Nitro-o-toluidine	N.D.	N.D.	N.D.			
4-Chloroaniline	N.D.	N.D.	N.D.			
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.			
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.			
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.			
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.			
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.			
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.			
6-methoxy-m-toluidine	N.D.	N.D.	N.D.			
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.			
4,4'-Oxydianiline	N.D.	N.D.	N.D.			
4,4'-Thiodianiline	N.D.	N.D.	N.D.			
2-Aminotoluene	N.D.	N.D.	N.D.			
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.			
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.			
2-Methoxyaniline	N.D.	N.D.	N.D.			
4-Aminoazobenzene	N.D.	N.D.	N.D.			
1,3 phenylenediamine	N.D.	N.D.	N.D.			
Total of other primary aromatic amines	N.D.	N.D.	N.D.			
Conclusion		Conformity				



## Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190

#### -Specific migration of Heavy metals

-Specific migration of Heav		MDI		Limit (mg/kg)		
	Test condition/ Equipment	MDL (mg/kg)				
	_ <b>1</b>	(mg/kg)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	(mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/	Conformity			/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.180	0.118	0.034	/
Magnesium (Mg)		0.01	0.010	N.D.	N.D.	/
Potassium (K)		0.01	0.039	N.D.	N.D.	/
Sodium (Na)		0.01	0.047	N.D.	N.D.	/



# Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of

## **Europe Resolution CM/Res(2020)9**


## - Specific migration of Heavy metal

Test Method: EDQM (2024)

Item(s)	Unit	Limit		MDL	Test result(s) 1-22		
100m(s)	Cint	1 <sup>st</sup> +2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	ME	1 <sup>st</sup> +2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Simulant Used: 0.5% Citric acid; Test Condition: 70°C, 2h							
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.	
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.	
Iron (Fe)	mg/kg	280	40	0.1	N.D.	N.D.	
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.	
Chromium (Cr)	mg/kg	7	1	0.01	N.D.	N.D.	
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.	
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.	
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.	
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.	
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.	
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.	
Nickel (Ni)	mg/kg	0.98	0.14	0.01	N.D.	N.D.	
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.	
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.	
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.	
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.	
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.	
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.	
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.	
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.	
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.	
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.	
Magnesium (Mg)	mg/kg	/	/	0.01	N.D.	N.D.	
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.	
		Conclusion			Conformity	Conformity	


Note:

Results from all three migration are to be considered for compliance: Result of 3<sup>rd</sup> migration shall not exceed the SRL and Sum of result of 1<sup>st</sup> and 2<sup>nd</sup> migration shall not exceed 7 times of SRL.







## **Test Flow Chart of Heavy Metal Content**




## **Test Flow Chart of Phthalates**









# Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)







## **Test Flow Chart of AZO**





# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*