





TEST REPORT

Report No.: WTF23F09205843A1R1C

Applicant: Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer 106613

Sample Name Bike repair kit

Sample Model : MO6204

Test Requested: Refer to next page (s)

Date of Receipt sample..... : 2023-09-19 & 2023-10-18

Testing period...... 2023-09-19 to 2023-09-28 & 2023-10-18 to 2023-10-24

Date of Issue 2023-10-27

Test Result : Refer to next page (s)

Note...... : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang



Summary

Item No.	Test Requested	Test Conclusion
unigest w	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009	Pass
4- 4-	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass Text
TELS MILL	Determination of Benzene content in the submitted sample in accordance with Annex XVII Entries 5 of the REACH Regulation (EC) No. 1907/2006 and the Amendment (EU) No. 2015/1494	Pass
6.72	Determine the Organic tins content according to Annex XVII Items 20 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 276/2010 (formerly known as decision 2009/425/EC)	Pass
on 7 cet	Determination of Chloroform content in the submitted sample according to Annex XVII Items 32 of REACH Regulation (EC) No.1907/2006	Pass
8 3113	Determination of Toluene content in the submitted sample according to Annex XVII Items 48 of REACH Regulation (EC) No.1907/2006	Pass

Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool House	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.1+No.4+No.11	No.3+No.6+No.10	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	NITE STATE	Pass	Pass	et set s

Tayliam Juni	LOQ	Results (m	g/kg)	Limit
Test Item	(mg/kg)	No.5+No.8+No.12	No.2	(mg/kg)
Lead(Pb)	2	ND*	ND ND	500
Conclusion	MITE - MITE	Pass	Pass	CENT THE

Took Hom	LOQ	LOQ Results (mg/kg)			
Test Item	(mg/kg)	No.7	No.9	(mg/kg)	
Lead(Pb)	2	ND +	ND	500	
Conclusion	II he - he	Pass	Pass	STEK STIEF IN	

Took Hom	LOQ	Results (mg/kg)	Limit
Test Item	(mg/kg)	No.13	(mg/kg)
Lead(Pb)	2	THE THE ND WITH WITH	500
Conclusion	LITE SOLITE SOLITE SOLITE	Pass	TEX TEX - LIER

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.
- (6) The test results of No.10 were based on the wet weight of the raw material.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tank Kama Sight 18	LOQ	Results	(mg/kg)
Test Item	(mg/kg)	No.1+No.4+No.11	No.3+No.6+No.10
Cadmium(Cd)	2	ND*	ND*
Conclusion	A - A	Pass	Pass

Took Home of the	3,77	LOQ	Results (m	g/kg)	
Test Item		(mg/kg)	No.5+No.8+No.12	No.9	
Cadmium(Cd)	NITE.	2	ND*	AL ND ALL STATE	
Conclusion		A- A	Pass	Pass	

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

- (5) "*" = Results are calculated by the minimum weight of mixed components.
- (6) The test results of No.10 were based on the wet weight of the raw material.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%) No.1+No.4+No.11	Limit (%)
Benzyl butyl phthalate (BBP)	0.005	ND*	14, 24, 24,
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND* THE MITTER	sum of four
Dibutyl phthalate (DBP)	0.005	Mur MD*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	THE ND*	me me me
Diisodecyl phthalate (DIDP)	0.01	ND*	LIER MITER MITER
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	primatales < 0.1
Conclusion	WATER WITH	Pass	EK TEK UK

Test Items	LOQ	Results (%)	Limit	
	(%)	No.3+No.6+No.10	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND* The NOT	WILL MULL MULL	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	NITE WALTER WALTER	
Diisodecyl phthalate (DIDP)	0.01	ND*	et set set	
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	Filliance Vo.1	
Conclusion	Cat See	Pass	10 T X	



Test Items	LOQ (%)	Results (%) No.5+No.8+No.12	Limit (%)
Benzyl butyl phthalate (BBP)	0.005	ND*	Write Aury
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	White Mile Mile
Diisodecyl phthalate (DIDP)	0.01	ND*	THE THE STEE
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	primalates < 0.1
Conclusion	JEK -JTEK W	Pass	

Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate

BBP= Benzyl butyl phthalate
DIP= Bis-(2-ethylhexyl)- phthalate
DIP= Di-isodecyl phthalate

- DIBP= Diisobutyl phthalate
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation

(1) % = percentage by weight

- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.
- (7) The test results of No.10 were based on the wet weight of the raw material.



4) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Took light of the state of	Unit Results No.1+No.4+No.11		100	Limit
Test Items			LOQ	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	at at	Pass	Ve 1/4	20

Test Items	Unit	Results	LOQ	Limit
rest items	Offic	No.3+No.6+No.10	LOQ	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND* W	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	THE LEY	Pass Wash	70	70,



Test Items	Unit	Results	LOQ	Limite
	Unit	No.5+No.8+No.12		Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	- 4	Pass Company	2/1/1	-2/4

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.
- (7) The test results of No.10 were based on the wet weight of the raw material.



5) Benzene

Test Method: With reference to US EPA 3550C:2007& US EPA 8270D: 2014, analysis was performed by GC-MS

Test Item LOQ (mg/kg)	LOQ	Results (mg/kg)		
	(mg/kg)	No.10 Land Mark	(mg/kg)	
Benzene	LIE WITE WELL W	ND ND	5	
Conclusion	,	At Att Pass Will will	14, 74, 7	

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) As per Annex XVII Items 5 of the REACH Regulation (EC) No. 1907/2006 and the Amendment (EU) No. 2015/1494, benzene shall not be used in toys or parts of toys where the concentration of benzene in the free state is greater than 5 mg/kg (0,0005 %) of the weight of the toy or part of toy.
- (5) The test results of No.10 were based on the wet weight of the raw material.

6) Organic tins

Test Method: With reference to DIN EN ISO 17353:2005, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

Test Items	Unit	LOQ	Result	CITE N
			No.10	Limit
Tributyl Tin(TBT)	mg/kg	50	ND.	1000
Triphenyl Tin(TPhT)	mg/kg	50	ND ND	1000
Trioctyltin (TOT)	mg/kg	50	ND (See See	1000
Tricyclohexyltin(TCyT)	mg/kg	50	ND	1000
Tripropyltin(TPrT)	mg/kg	50	ND (1000
Trimethyltin(TMT)	mg/kg	50	ND	1000
Sum of tri-substituted organotins	mg/kg	50	WHITE MALE MALL WILL WILL	1000
Dibutyl Tin(DBT)	mg/kg	50	ND ND	1000
Dioctyl Tin(DOT)	mg/kg	50	ND ND	1000
Conclusion	They - The	72	Pass	ST. CITE

- (1) mg/kg = milligram per kilogram= ppm
- (2) LOQ = Limit of quantitation
- (3) ND = Not Detected (lower than LOQ)
- (4) The above limit was quoted from Annex XVII Items 20 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 276/2010 (formerly known as decision 2009/425/EC).
- (5) The test results of No.10 were based on the wet weight of the raw material.



7) Chloroform

Test Method: With reference to US EPA 3550C:2007, analysis was performed by GC-MS

Test Item	Unit	Results	LOQ	Limit
THE MUT AND	14, 24,	No.10		aver aver
Chloroform	mg/kg	MULTINO ND	100	1000
Conclusion	18 51th 15 ft	Pass	n 11	2 Total

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) The above limit was quoted from Annex XVII Items 32 of the REACH Regulation (EC) No.1907/2006.
- (5) The test results of No.10 were based on the wet weight of the raw material.

8) Toluene

Test Method: With reference to US EPA 3550C:2007, analysis was performed by GC-MS

Test Item Unit	Unit	Results	LOQ	Limit	
until mer mer his		No.10		VII. MUT.	
Toluene	mg/kg	ND	5	1000	
Conclusion	ALTER- ONLIE	Pass with win	Mr. Mr	+ 1 1 1	

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) The above limit was quoted from Annex XVII Items 48 of REACH Regulation (EC) No.1907/2006.
- (5) The test results of No.10 were based on the wet weight of the raw material.






Description for Specimen:

Specimen No.	Specimen Description	
at all tex set	Transparent plastic shell	
LL ME 2 ME ME	Silvery metal spanner	
et stat 3 state mile mil	White crayon	
4 4 4	Black plastic part	
white was an an	Transparent plastic film	
Alt of the state of	Black-red dry glue	
7	Silvery metal foil	
THE WILL AND THE ME	White plastic cover	
F 7 9 7 5 5 5 5 5 6	Silvery metal shell with multicolour coating	
10	Transparent glue	
nite n11et mile mi	Black plastic cover	
12	Off-white soft plastic tube	
13	Silvery metal sheet	

Photograph of parts tested:





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

