

# **Test Report**

Report No. : AGC05443240102-001S1

**SAMPLE NAME** : Magnetic Wireless charger

**MODEL NAME** : MO6266, MO6253

**APPLICANT**: MID OCEAN BRANDS B.V

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE**: May 20, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Report No.: AGC05443240102-001S1 MID OCEAN BRANDS B.V

Address 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. Test Site

6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name Magnetic Wireless charger

Model MO6266, MO6253

Vendor code 109979 Country of Origin **CHINA** Country of Destination **EUROPE** 

Sample Received Date Jan. 03, 2024(Test point:1 to 31)

May 14, 2024(Test point:32 to 37)

**Testing Period** Jan. 03, 2024 to Jan. 10, 2024(Test point:1 to 31)

May 14, 2024 to May 18, 2024(Test point:32 to 37)

Test Requested Selected test(s) as requested by client.

**Test Requested:** Conclusion

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Pass

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

Pass

**Pass** 

- Formaldehyde Release

Approved by: Leon


Suhongliang, Leon

**Technical Director** 




#### Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Jan. 10, 2024	Invalid	Initial release
S1	May 20, 2024	Valid	Add test







The photo of the sample


















The photo of AGC05443240102-001S1 is for use only with the original report.

## **Test Point Description**

Test point	Test module	Test parts	Test point description
Data cable N	Model: MO6266		
1			Wooden bamboo shell
2		Outer shell	Black foam with glue
3		Outer snell	Metallic sheet
4			Hot melt adhesive
5			Grey ceramic
6		Induction coil	Tan tape
7			Wire jacket in the coil



			Report No.: AGC05443240102-001S1	
8			Enameled wire	
9			Solder	
10		Outer shell	White plastic shell	
11			Silver screw	
12			USB metal device	
13		USB device	White plastic joint	
14			Metal pin	
15			Chip capacitor	
16			Chip resistor	
17			IC body	
18	G: :41 1		Metallic pin with solder	
19	Circuit board		Chip LED	
20		G :	Red plastic shell	
21		Capacitance	Film	
22			Chip diode	
23			Chip triode	
24			PCB	
25			Solder	
26			White outer wire jacket	
27			Translucent buckle	
28		Wire rod	Aluminum foil	
29		wire rod	Red enameled wire	
30			Brown enameled wire	
31			Transparent wire jacket	
32			Black plastic shell	
33		Outon shall	Silver magnet	
34		Outer shell	Black rubber pad	
35			Black metal ring	
36		USB plug	Black plastic shell	
37		Wire rod	Black outer wire jacket	
1-1			Wooden bamboo shell	

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



# 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

## - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method		l .	
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015/ UV-Vis	0.1μg/cm <sup>2</sup>	/
-Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)		50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)	$\dashv$	50mg/kg	1000mg/kg

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	(	Cd	BL	/	
		Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
1		PBBs	DI	/	C f : t
1	Br	PBDEs	BL	/	Conformity
	Dl	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DE	ЕНР	N/A	N.D.	
	F	Pb	BL	/	
	(	Cd	BL	/	
	I	Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
2	D	PBBs	DI	/	G 6 :
2	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	F	<b>P</b> b	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
3	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		ЕНР	N/A	/	
		Pb	BL	/	
		Cd Cd	BL	/	
		Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
		PBBs		/	
4	Br	PBDEs	BL	/	Conformity
	Dl	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	(	Cd	BL	/	
	I	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
5		PBBs	DI	/	C C :
5	Br	PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DI	EHP	N/A	N.D.	
	]	Pb	BL	/	
	(	Cd	BL	/	
	I	Нg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
		PBBs	DI	/	Conformity
6	Br	PBDEs	BL	/	
-	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
-	BBP		N/A	N.D.	
-	DEHP		N/A	N.D.	
		Pb	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
7	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	-
  -  -		Hg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
8	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		ЕНР	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	C	Cd .	BL	/	
		[g	BL	/	
	Cr(C	Cr <sup>6+</sup> )	BL	/	
9	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		HP	N/A	/	
		'b	BL	/	
		2d	BL	/	
		[g	BL	/	
		Cr <sup>6+</sup> )	BL	/	
	·	PBBs		/	
10	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Нд		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
11	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
	D)	BP	N/A	/	
		BP	N/A	/	
		HP	N/A	/	
		b	BL	/	
		Cd	BL	/	
 	Hg		BL	/	
		$\operatorname{Cr}^{6+}$ )	BL	/	
12	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
-		BP	N/A	,	
<del> </del>		BP	N/A	/	
-		HP	N/A	/	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	C	Cd Cd	BL	/	
		Ig	BL	/	
	Cr(C	Cr <sup>6+</sup> )	BL	/	
13	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		НР	N/A	N.D.	
		'b	BL	/	
		Cd	BL	/	
		Ig	BL	/	
		$\operatorname{Cr}^{6+}$ )	BL	/	
		PBBs		/	
14	Br	PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
15	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	D)	BP	N/A	N.D.	
		BP	N/A	N.D.	
		CHP	N/A	N.D.	
		b	BL	/	
		Cd	BL	/	
 	Hg		BL	/	
		Cr <sup>6+</sup> )	BL	/	
16	Br	PBBs PBDEs	BL	/	Conformity
-	DI	BP	N/A	N.D.	
<u> </u>		BP	N/A	N.D.	
<u> </u>		BP	N/A	N.D.	
		CHP	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	C	Cd Cd	BL	/	
		Ig	BL	/	
	Cr(0	Cr <sup>6+</sup> )	BL	/	
17	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		CHP	N/A	N.D.	
		'b	BL	/	
		Zd	BL	/	
		Ig	BL	/	
<u> </u>		$\operatorname{Cr}^{6+}$ )	BL	/	
<u> </u>		PBBs		/	
18	Br	PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
19	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
		BP	N/A	N.D.	
		CHP	N/A	N.D.	
		b	BL	/	
		Cd	BL	/	
-	Hg		BL	/	
		Cr <sup>6+</sup> )	BL	/	
20	Br	PBBs PBDEs	BL	/	Conformity
-	DI	BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		CHP	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Report No.: AGC0 Wet Chemistry Method mg/kg	Conclusion
	I	Pb	BL	/	
	(	Cd	BL	/	
		łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
21	Br	PBBs PBDEs	BL	/	Conformity
	Dì	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	DE	ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
22	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
_	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
23	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
-		Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
		PBBs		N.D.	
24	Kr -	PBDEs	IN	N.D.	Conformity
	Di	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
-		ЕНР	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	C	Cd .	BL	/	
		[g	BL	/	
	Cr(C	Cr <sup>6+</sup> )	BL	/	
25	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		HP	N/A	/	
		b	BL	/	
		Zd	BL	/	
		[g	BL	/	
		Cr <sup>6+</sup> )	BL	/	
	CI(C	PBBs	DL	/	
26	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	P	b	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
27	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		'b	BL	/	
		Zd	BL	/	
-		lg	BL	/	
		$\operatorname{Cr}^{6+}$ )	BL	/	
28	Br	PBBs PBDEs	N/A	/	Conformity
<del> </del>	DI	BP	N/A	/	
-		BP	N/A	/	
		BP	N/A N/A	/	
_		HP	N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cro	$(\operatorname{Cr}^{6+})$	BL	/	
29	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	Ι	)BP	N/A	N.D.	
	E	BBP	N/A	N.D.	
	D	ЕНР	N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
20	Br	PBBs	BL	/	Conformity
30		PBDEs	BL	/	
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	$(\operatorname{Cr}^{6+})$	BL	/	
31	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	Γ	)BP	N/A	N.D.	
	F	BBP	N/A	N.D.	
	DEHP		N/A	N.D.	



Test point Te		Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion	
	Pb		BL	/		
	(	Cd	BL	/		
	H	Ig	BL	/		
	$Cr(Cr^{6+})$		BL	/		
32		PBBs	DI	/	Conformity	
32	Br	PBDEs	BL	/		
	DI	BP	N/A	N.D.		
	D	BP	N/A	N.D.		
	В	BP	N/A	N.D.		
	DE	ЕНР	N/A	N.D.		
	F	Pb	BL	/		
	C	Cd	BL	/		
	Н	Ig	BL	/		
		Cr <sup>6+</sup> )	BL	/		
		PBBs		/	Conformity	
33	Br	PBDEs	N/A	/		
	DIBP		N/A	/		
_	DBP BBP		N/A	/		
_			N/A	/		
	DEHP		N/A	/		
	Pb		BL	/		
_	Cd		BL	/		
_	Hg		BL	/		
_	$Cr(Cr^{6+})$		BL	/		
34	Br PBBs PBDEs  DIBP DBP BBP DEHP		BL	/	Conformity	
			N/A	N.D.		
			N/A	N.D.		
			N/A	N.D.		
			N/A	N.D.		
			Pb BL		/	
	Cd Hg		BL	/		
-			BL	/		
	$Cr(Cr^{6+})$		IN	N.D.		
	PRRs		/			
35	Br PBDEs		N/A	/	Conformity	
	DIBP		N/A	/		
-	DBP BBP		N/A	/		
-			N/A	/		
-		EHP	N/A	/		



			V nor Elmanagaarra	Wet Chemistry	75 1 152 10102 001k	
Test point	Test Item		X-ray Fluorescence Spectrometry (XRF)	Wet Chemistry Method	Conclusion	
rest point			mg/kg	mg/kg	Conclusion	
	Pb		BL	mg/kg		
	Cd		BL	/		
	Hg		BL	/		
	Cr(Cr <sup>6+</sup> )		BL	/		
26	Br PBI	PBBs	D.	/	Conformity	
36		PBDEs	BL	/		
		BP	N/A	N.D.		
	DBP BBP		N/A	N.D.		
			N/A	N.D.		
	DEHP		N/A	N.D.		
	Pb		BL	/		
	Cd		BL	/		
	Hg Cr(Cr <sup>6+</sup> )		BL	/		
			BL	/		
27	Br PBBs PBDEs	DI	/ Confor	Conformity		
37		PBDEs	BL	/	Conformity	
	DIBP		N/A	N.D.		
	DBP		N/A	N.D.		
	BBP		N/A	N.D.		
	DEHP		N/A	N.D.		

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

#### Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) Boiling-water-extraction:(X represents the results of the tested sample)



 Report No.: AGC05443240102-001S1

 1
  $X < 0.1 \mu g/cm^2$  Negative

 2
  $0.1 \mu g/cm^2 \le X \le 0.13 \mu g/cm^2$  Uncertainty

 3
  $X > 0.13 \mu g/cm^2$  Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

(5) Disclaimers: This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

#### Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

#### - Pentachlorophenol (PCP) Content


Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)				1-1
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.
Co	Conformity			

#### - Formaldehyde Release


Test Methods and Equipment: EN 717-3:1996; UV-Vis

Tost Itam(s)	Unit	Client's	MDL	Test Result(s)
Test Item(s)		limit	MIDL	1-1
Formaldehyde Release	mg/kg	80	1	7
Co	Conformity			







## **Test Flow Chart of XRF**




## **Test Flow Chart of Phthalates**









## **Test Flow Chart of PBBs and PBDEs**









# **Test Flow Chart of Pentachlorophenol (PCP)**







# **Test Flow Chart of Formaldehyde Release**





# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*