



# **Test Report**

**Applicant**: Mid Ocean Brands B.V.

Address 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong

Report on the submitted samples said to be:

Sample Name(s) : Small wireless charger

Trade Mark : N/A

Part No. : MO6392

Sample Received Date : October 13, 2023

**Testing Period** : October 13, 2023 ~ October 17, 2023

Date of Report : October 21, 2023

Testing Location : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community,

Matian Street, Guangming District, Shenzhen, Guangdong, China

Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	上语检测股份

Signed for and on behalf of LCS

Report No.: LCSA10073189R

Terry Luo





## A. EU RoHS Directive 2011/65/EU and its amendment directives

Test method: Refer to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF).

Test result(s):

Comple	Sample	Screening Result(s)						Date of sample
Sample No.	Sample Description	Cd	Pb	Hg	Cr▼	Br♥		submission/
	<b>F</b>	Cu	10	ng	CI	PBBs	PBDEs	Resubmission
1	White soft plastic	BL	BL	BL	BL	BL	BL	2023-10-13
2	White plastic shell	BL	BL	BL	BL	BL	BL	2023-10-13
3	Silver metal screw	BL	BL	BL	BL	/	位语	2023-10-13
4	Black foam	BL	BL	BL	BL	BL	BL	2023-10-13
5	White cotton thread	BL	BL	BL	BL	BL	BL	2023-10-13
6	Copper colored metal wire	BL	BL	BL	BL	/	/	2023-10-13
7	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2023-10-13
8	Yellow tape	BL	BL	BL	BL	BL	BL	2023-10-13
9	White gel	BL	BL	BL	BL	BL	BL	2023-10-13
10	Black ceramic	BL	BL	BL	BL	BL	BL	2023-10-13
11	Chip resistor	BL	BL	BL	BL	BL	BL	2023-10-13
12 stin	Black IC	BL	BL	BL	BL	BL	BL	2023-10-13
13	Soldering tin	BL	BL	BL	BL	/	/	2023-10-13
14	Silver metal sheet	BL	BL	BL	BL	/	/	2023-10-13
15	Black plastic sheet	BL	BL	BL	BL	BL	BL	2023-10-13
16	Silver metal needle	BL	BL	BL	BL	/	/	2023-10-13
17	Brown capacitor	BL	BL	BL	BL	BL	BL	2023-10-13
18	Black IC	BL	BL	BL	BL	BL	BL	2023-10-13
19	Silver metal pins	BL	BL	BL	BL	/	/	2023-10-13
20	Brown capacitor	BL	BL	BL	BL	BL	BL	2023-10-13
21	Soldering tin	BL	BL	BL	BL	/	在讯	2023-10-13
22	Black diode	BL	BL	BL	BL	BL	BL CS	2023-10-13
23	Light-emitting diode	BL	BL	BL	BL	BL	BL	2023-10-13
24	Soldering tin	BL	BL	BL	BL	/	/	2023-10-13
25	PCB board	BL	BL	BL	BL	BL	BL	2023-10-13
26	Black soft plastic	BL	BL	BL	BL	BL	BL	2023-10-13
27	Black plastic shell	BL	BL	BL	BL	BL	BL	2023-10-13



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



#### Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

#### Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- $3\sigma$ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.







Report No.: LCSA10073189R



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



Page 4 of 11 Report No.: LCSA10073189R

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)		
Cadmium(Cd)	100		
Lead(Pb)	1000		
Mercury(Hg)	1000		
Hexavalent Chromium(Cr(VI))	1000		
Polybrominated biphenyls(PBBs)	1000		
Polybrominated diphenylethers(PBDEs)	1000		
Dibutyl Phthalate(DBP)	1000		
Butylbenzyl Phthalate(BBP)	1000 THE PARTY OF		
Di-(2-ethylhexyl) Phthalate(DEHP)	1000		
Diisobutyl phthalate(DIBP)	1000		

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



# B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

#### Test method:

### Lead(Pb) & Cadmium(Cd) Content:

Refer to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

#### Mercury(Hg) Content:

Refer to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).

#### Hexavalent Chromium(Cr(VI)) Content:

Refer to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

#### PBBs & PBDEs Content:

Refer to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

## Phthalates(DBP, BBP, DEHP &DIBP) Content:

Refer to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

Test result(s):

### 1) Phthalates(DBP, BBP, DEHP &DIBP)

Tested Item(s)	MDL	Test R (mg	Limit	
resteu tem(s)	(mg/kg)	1	2	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	1000
士讯 <sup>图</sup> ing Lab	THE WIN	g Lab	<b>拉讯</b> 阿尔	ing Lab

Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit	
	(mg/kg)	4+5+7+8+9+10	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



S
· · · · · · · · · · · · · · · · · · ·

Tested Item(s)	MDL (mg/kg)	Test Result(s) (mg/kg) 11+12+15+17+18+20	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Item(s)	MDL (mg/kg)	Test Result(s) (mg/kg) 22+23+25+26+27	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

#### Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg= milligram
- According to customer's requirement, only the appointed materials have been tested.







Report No.: LCSA10073189R




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China




#### **Test Process**


1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV



3. Hexavalent Chromium(Cr(VI))








Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China




#### 2) IEC 62321-7-1:2015



4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs): IEC 62321-6:2015



5. Phthalates(DBP, BBP, DEHP & DIBP): IEC 62321-8:2017



上CS Testing Lab





Report No.: LCSA10073189R





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



# The photo(s) of the sample








Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China













#### **Statement:**

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

\*\*\* End of Report \*\*\*

五工讯检测股份 A LCS Testing Lab











Report No.: LCSA10073189R



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity