

TEST REPORT

Report No. : WTF25F08232273C

Job No. : FSW2508291295CJ

Applicant : Mid Ocean Brands B. V.

Address Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha

Wan, Kowloon, Hong Kong.

Manufacturer : 111587

Sample Name : Cross chest bag

Sample Model : MO6717

Test Requested :: Refer to next page(s)

Test Method Refer to next page (s)

Test Conclusion Pass (Please refer to next pages for details)

Date of Receipt Sample : 2025-08-29

Testing Period : 2025-08-29 to 2025-09-04

Date of Issue : 2025-09-04

Test Result Refer to next page (s)

Note...... As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Gwing Liang

WTF25F08232273C

Report No.: WTF25F08232273C

Summary

Item No.	Test Requested	Test Conclusion
4 1 1 5 1	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
5.5+ 1000 A	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass

Job No.: FSW2508291295CJ

Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

-1. 1	LOQ	Results (m	g/kg)	Limit
Test Item	(mg/kg)	No.1+No.2+No.3	No.4	(mg/kg)
Lead(Pb)	2	ND*	26	500
Conclusion		Pass	Pass	4. 4.

- AC - SCOT	LOQ	Results (m	g/kg)	Limit	
Test Item	(mg/kg)	No.5+No.16+No.17	No.6	(mg/kg)	
Lead(Pb)	2	ND*	, ND of co	500	
Conclusion	+ A- A	Pass	Pass	- /-	

Tool Home	LOQ	100	Results	(mg/kg)	et set .	Limit
Test Item	(mg/kg)	No.7	No.8	No.9	No.10	(mg/kg)
Lead(Pb)	2	26	24	22	57	500
Conclusion		Pass	Pass	Pass	Pass	

	LOQ		Results (mg/kg)	September 1	Limit
Test Item	(mg/kg)	No.11	No.12+No.13 +No.14	No.18+No.19	Limit (mg/kg)
Lead(Pb)	2	18	ND*	ND*	500
Conclusion	4h 4h.	Pass	Pass	Pass	

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool How	LOQ	Results (mg/kg)			
Test Item	(mg/kg)	No.4	No.6+No.15	No.7	
Cadmium(Cd)	2	ND	ND*	ND	
Conclusion	A STATE OF S	Pass	Pass	Pass	

Tool Hom	LOQ	Con Service Ser	the think	
Test Item	(mg/kg)	No.8	No.9	No.10
Cadmium(Cd)	2	ND	ND	ND
Conclusion	100 100	Pass	Pass	Pass

Tool Hom	LOQ	Results (mg/kg)			
Test Item	(mg/kg)	No.11	No.12+No.13+No.14		
Cadmium(Cd)	2	ND	ND*		
Conclusion	7 F- A 1	Pass	Pass		

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Res	Limit		
rest items	(%)	No.6+No.15	No.12+No.13 +No.14	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*		
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	0.025*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	They have a	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	Set State Set	
Diisononyl phthalate (DINP)	0.01	ND*	ND*	sum of three	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	phthalates < 0.1	
Conclusion	A STATE OF THE STA	Pass	Pass	- 25- 50	

Note:

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.





4) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

- 10 10 5° 3		Res	ults	. 4	
Test Items	Unit	No.6	No.12+No.13 +No.14	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND	ND*	0.2	1.0
Conclusion	d - d	Pass	Pass		-24

Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.



5) AZOTest Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)
NO.	Ammes Substances	CAS NO.	(mg/kg)	No.1+No.2+No.3
1_	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	7*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
-11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
٠	Conclusion	A - A	A A	Pass



ot.	The state of the s	040 N	Limit	Result (mg/kg)
No.	Amines Substances	CAS No.	(mg/kg)	No.5+No.16+No.17
1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7			30	ND*
8	8 2,4-diaminoanisol 9 4,4'-Diaminodiphenylmethane		30	ND*
9	9 4,4'-Diaminodiphenylmethane 0 3,3'-Dichlorobenzidine		30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
,ď	Conclusion	- Jan	F	Pass



A+	St. St. St. Coll. St. St.	Amines Substances CAS No.	Limit	Result (mg/kg)
No.	Amines Substances	CAS No.	(mg/kg)	No.18+No.19
- 1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7 p-Chloroaniline 8 2,4-diaminoanisol 9 4,4'-Diaminodiphenylmethane 10 3,3'-Dichlorobenzidine		106-47-8	30	ND*
8 2,4-diaminoanisol 9 4,4'-Diaminodiphenylmethane 10 3,3'-Dichlorobenzidine		615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
, ²	Conclusion		, S	Pass



Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.

6) Colour Fastness to Rubbing

Colour Fast	ness to Rubbing	A STATE OF THE STA				a de L
(ISO 105-X1	2: 2016; Size of rubbin	g finger: 16mi	m diameter.)	5 5	Section Section	200
L 3	15 St 50	No.1	No.2	No.3	No.5	Client's Limit
l ad out	Dry staining	4-5	4-5	4-5	4-5	2-3
Length Wet staining	4-5	4-5	4-5	4-5	2-3	
107: -141-	Dry staining 4	4	* "	2-3		
Width	Wet staining		\$	4	- N	2-3
Conclusion	Selection of the select	Pass	Pass	Pass	Pass	

Colour Fast	ness to Rubbing	10 S.		5. Mr. 7		4
(ISO 105-X1	2: 2016; Size of rubbir	ng finger: 16m	m diameter.)	ر خدر پ	d 34	.5 ⁶⁵ .5 ⁶⁷ .
4	4	No.16	No.17	No.18	No.19	Client's Limit
A S	Dry staining	4-5	4-5	4-5	4-5	2-3
Length	Wet staining 4-5	4-5	4-5	4-5	2-3	
107: altib	Dry staining	4-5			4-5	2-3
Width	Wet staining	4-5	- 5	55	4-5	2-3
Conclusion	35 St 350	Pass	Pass	Pass	Pass	16t - 16t

Note:


(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Description for Specimen:

Specimen ID	Specimen No.	Specimen Description	
FSW2508291295CJ. 1	1 ***	Black webbing	
FSW2508291295CJ. 2	2 2	Black webbing	
FSW2508291295CJ. 3	3	Black main fabric	
FSW2508291295CJ. 4	4	Silvery metal zipper head with black surfaced	
FSW2508291295CJ. 5	5	Black zipper fabric	
FSW2508291295CJ. 6	6	Black plastic zipper tooth	
FSW2508291295CJ. 7	7 J	Silvery metal zipper handle with black surfaced	
FSW2508291295CJ. 8	8	Silvery metal buckle with black surfaced	
FSW2508291295CJ. 9	9	Silvery metal part with black surfaced	
FSW2508291295CJ. 10	10	Silvery metal rivet with black surfaced	
FSW2508291295CJ. 11	11	Silvery metal ring with black surfaced	
FSW2508291295CJ. 12	12	Black plastic buckle	
FSW2508291295CJ. 13	13	Black plastic buckle	
FSW2508291295CJ. 14	14	Black plastic buckle	
FSW2508291295CJ. 15	15	White pearl wool	
FSW2508291295CJ. 16	16	Black lining	
FSW2508291295CJ. 17	17	Black fabric rim	
FSW2508291295CJ. 18	18	Black fabric rim	
FSW2508291295CJ. 19	19	Black net fabric	

Photograph of parts tested:





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

