


TEST REPORT


Customer information	Client	Mid Ocean Brands B.V.
	Address	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong
Sample information	Name of sample	Bamboo power bank
	Test Model No.	MO6814
	Trade mark	N/A
	Lot number	----
	Manufacturer	114628
Test information	Sample received	April 16, 2025
	Testing date	April 16, 2025 to April 22, 2025
	Test sort	Commission Test
	Requested/item	RoHS directive 2011/65/EU Annex II amending Annex(EU)2015/863. (1) Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content. (2) Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate(DBP), Disobutyl phthalate(DIBP) Content.
	Standard/ Foundation	(1)With reference to IEC 62321-3-1:2013, scanning by XRF Spectroscopy Chemical test method: With reference to IEC 62321-5:2013, determination of Cadmium, lead by ICP With reference to IEC 62321-4:2013+AMD1:2017, determination of Mercury by ICP With reference to IEC 62321-7-2:2017&IEC 62321-7-1:2015, determination of Hexavalent Chromium by Colorimetric method. With reference to IEC 62321-6:2015 determination of PBBs and PBDEs by GC-MS (2)With reference to IEC 62321-8:2017, and analysis was performed by GC-MS.
	Conclusion	(1)The tested sample complied with RoHS directive (2011/65/EU). (2)The tested part of submitted sample complied with directive (EU)2015/863
Remark	----	

Tested By:



Date: 2025/04/22

Checked By:



Date: 2025/04/22

Approved By:



Date: 2025/04/22

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 http://www.sit-cert.com

Test result: 1. Structural parts

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
1	Bamboo shell	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
2	White glue	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
3	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
4	Black inductance	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
5	Copper wire	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
6	Brown inductance	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
7	Black chip	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
8	Silver metal feet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
9	Red metal wire	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
10	Black glue	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
11	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
12	Grey inductance	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
13	Black inductance	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
14	Green PCB board	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
15	Black chip resistor	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
16	Yellow LED bead	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
17	White inductance	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
18	USB feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
19	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
20	USB feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
21	USB metal port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
22	Feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
23	White plastic port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
24	Silver metal feet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
25	Feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
26	Small USB metal port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
27	Feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
28	Silver metal pin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
29	Silver metal feet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
30	Black plastic port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
31	Silver metal wire	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
32	Black plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
33	Golden plastic tape	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
34	Silver metal battery shell	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
35	Black ink	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
36	Silver metal sheet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
37	Red plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
38	White plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
39	White plastic head	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
40	White plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
41	Pink plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
42	Yellow plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
43	Copper wire	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
44	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
45	Silver metal feet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
46	White plastic port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
47	Golden metal pin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
48	Black inductance	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
49	Feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
50	Black plastic port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
51	Silver metal feet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
52	USB metal port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
53	Green PCB board	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
54	Small USB metal port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
55	USB metal port	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
56	Brown inductance	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
57	Black PCB board	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
58	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

Remark:

- 1 It is the result on total Br while test PBBs and PBDEs by EDXRF. It is the result on total Cr while test Hexavalent Chromium by EDXRF.
- 2 Results are obtained by EDXRF for primary screening, and chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (Cr(VI)) and GCMS (for PBBs, PBDEs) is recommended to be performed.
- 3.

Element	Polymer	Metal	Composite Materials
Cd	$P \leq 70 - 3\sigma < D < 130 + 3\sigma \leq F$	$P \leq 70 - 3\sigma < D < 130 + 3\sigma \leq F$	$P \leq 50 - 3\sigma < D < 150 + 3\sigma \leq F$
Pb	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 500 - 3\sigma < D < 1500 + 3\sigma \leq F$
Hg	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 500 - 3\sigma < D < 1500 + 3\sigma \leq F$
Br	$P \leq 300 - 3\sigma < D$	----	$P \leq 250 - 3\sigma < D$
Cr	$P \leq 700 - 3\sigma < D$	$P \leq 700 - 3\sigma < D$	$P \leq 500 - 3\sigma < D$

P = PASS; F = FAIL; D = DETECTED;

4. mg/kg = ppm; N.D. = NOT DETECTED (<MDL) Pb, Cd, Hg, Cr(VI): 2mg/kg; PBBs, PBDEs: 5mg/kg
5. With reference to IEC 62321:-7-1:2015, result on Cr (VI) for metal sample is shown as Positive/Negative.
Positive = Presence of Cr(VI) coating, Negative = Absence of Cr(VI) coating
- 6 *According to Annex III of European Council Directive 2011/65/EU, Lead in copper alloy containing up to 4% lead by weight.
- 7 **According to Annex III of European Council Directive 2011/65/EU, Lead in steel alloy containing up to 0.35% lead by weight.
- 8 #According to Annex III of European Council Directive 2011/65/EU, Cadmium and its compounds in electrical contacts is exempted.

(3) DEHP, BBP, DBP, DIBP

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	1	2	4	6	7		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	10	12	13	14	15		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	16	17	23	30	32		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	33	35	37	38	39		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	40	41	42	46	48		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)				MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	50	53	56	57		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	30	1000


Note: MDL = Method Detection Limit, ND=not detected (<Method Detection Limit).

Sample photo

Appearance photograph of EUT



Appearance photograph of EUT




SHENZHEN SIT TESTING TECHNOLOGY CO LTD.


Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
 Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

Sample photo

Appearance photograph of EUT




Appearance photograph of EUT




Sample photo

Appearance photograph of EUT




Appearance photograph of EUT




Sample photo

Appearance photograph of EUT



Appearance photograph of battery




SHENZHEN SIT TESTING TECHNOLOGY CO LTD.


Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
 Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

Sample photo

Appearance photograph of data wire



Appearance photograph of data wire




SHENZHEN SIT TESTING TECHNOLOGY CO LTD.


Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
 Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

Sample photo

Appearance photograph of EUT



Appearance photograph of EUT



SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
 Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

List of apparatus

No.	Name	Model	Calibration Valid Date	USE(✓)
1	ICP-OES	VISTA-MPX	2025/09/28	✓
2	GC-MS	5975i	2025/09/16	✓
3	UV-Vis	Lambda 25	2025/09/16	✓
4	XRF	EDX3000B	2025/09/22	✓

***** END OF REPORT *****

Statement:

1. The test report is considered invalidated without approval signature.
2. The result(s) shown in this report refer only to the sample(s) tested.
3. Without written approval of SIT, this report can't be reproduced except in full.
4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which SIT hasn't verified.