

Test Report Report No.: GNBZ230629135EN Issue Date: 2023-07-13 Page 1 of 11

Applicant Mid Ocean Brands B.V.

Address 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong.

Sample Name 3 port USB hub with dual input

Tested Model MO6848 Vendor code 109979 Sample Receiving date 2023-06-29

Test period 2023-06-29 - 2023-07-06

Test Requirement The Restriction of the Use of Certain Hazardous Substances in Electrical

and Electronic Equipment, RoHS Directive 2011/65/EU and its amendment

Directive (EU) 2015/863.

Test Method Please refer to next page(s). Test result Please refer to next page(s).

Conclusion **PASS**

> Based on the verification results of the submitted sample(s), the results of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(CrVI), Polybrominated biphenyls(PBBs), Polybrominated diphenyl ethers(PBDEs), Dibutyl phthalate(DBP), Butyl benzyl phthalate(BBP), Di-2-ethylhexyl phthalate(DEHP) and Di-iso-butyl phthalate(DIBP) content comply with the requirements as set by RoHS Directive 2011/65/EU and its amendment

Directive (EU) 2015/863.

Note The test results are related only to the tested items.

Authorized signature

Lab Manager: Gavin Zhou

gische

2021-07-13



Test Report Report No.: GNBZ230629135EN

Issue Date: 2023-07-13 Page 2 of 11

A. Pb, Cd, Cr(VI), Hg, PBBs&PBDEs

Test Method:

- 1. Screening Lead, mercury, cadmium, total chromium and total bromine
 - -Ref. to IEC 62321-3-1:2013, Screening for Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry.
- 2. Wet chemical test method
 - a. Total Lead, Cadmium, Chromium and Mercury content
 - -Ref. to IEC 62321-4:2013+A1:2017, determination of Mercury in polymers, metals and electronics by ICP-OES.
 - -Ref. to IEC 62321-5:2013, determination of Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by ICP-OES.
 - b. Chromium (VI) content
 - -For Colourless and coloured corrosion-protected coatings on metals, Ref. to IEC 62321-7-1:2015, determination of presence of hexavalent chromium (Cr(VI)) in colourless and coloured corrosion-protected coatings on metals by the colorimetric method.
 - -For polymers and electronics, Ref. to IEC 62321-7-2:2017, determination of hexavalent chromium (Cr(VI)) in polymers and electronics by the colorimetric method.
 - c. PBBs, PBDEs
 - -Ref. to IEC 62321-6:2015, determination of polybrominated biphenyls and polybrominated diphenyl ethers in polymers by gas chromatograhy -mass spectrometry (GC-MS).





Report No.: GNBZ230629135EN

Issue Date: 2023-07-13

Page 3 of 11

Test result(s):

Part No.	Part Description	Results of EDXRF				Chemical confirmation	Conclusion	
Fait No.	Fait Description	Pb	Cd	Hg	Cr	Br	results (mg/kg)	Consideren
1	Bamboo shell	BL	BL	BL	BL	BL		Pass
2	Bamboo board	BL	BL	BL	BL	BL		Pass
3	Glue	BL	BL	BL	BL	BL		Pass
4	Magnet ring	BL	BL	BL	BL			Pass
5-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
5-2	Black plastic support	BL	BL	BL	BL	BL		Pass
5-3	Metal (contact pins)	BL	BL	BL	BL			Pass
6-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
6-2	Black plastic support	BL	BL	BL	BL	BL		Pass
6-3	Metal (contact pins)	BL	BL	BL	BL		V	Pass
7	SMD capacitor	BL	BL	BL	BL	BL		Pass
8-1	IC	BL	BL	BL	BL	BL	/	Pass
8-2	Soldering tin (SMD)	108 (BL)	BL	BL	BL			Pass
9	SMD resistor	BL	BL	BL	BL	BL		Pass
10	Soldering tin (wiring)	117 (BL)	BL	BL	BL			Pass
11	РСВ	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
12	White plastic casing	BL	BL	BL	BL	BL		Pass
13	Golden metal wire	BL	BL	BL	BL	<i>(</i>		Pass
14	Shielding film	BL	BL	BL	BL	BL		Pass
15	Green wire sheath	BL	BL	BL	BL	BL		Pass
16	White wire sheath	BL	BL	BL	BL	BL		Pass
17	Red wire sheath	BL	BL	BL	BL	BL		Pass
18-1	Black wire sheath	BL	BL	BL	BL	BL		Pass
18-2	Silvery metal wire	BL	BL	BL	BL			Pass
19	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
20	Silvery metal	BL	BL	BL	BL			Pass
21	White plastic frame	BL	BL	BL	BL	BL		Pass
22	White plastic frame	BL	BL	BL	BL	BL		Pass
23-1	PCB	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
23-2	Black plastic	BL	BL	BL	BL	BL		Pass



Report No.: GNBZ230629135EN

Issue Date: 2023-07-13

Page 4 of 11

Part No.	Part Description	Results of EDXRF				Chemical confirmation	Conclusion	
	Fait Description	Pb	Cd	Hg	Cr	Br	results (mg/kg)	Conclusion
24-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
24-2	Black plastic support	BL	BL	BL	BL	BL		Pass
24-3	Soldering tin	114 (BL)	BL	BL	BL			Pass
25	White tape	BL	BL	BL	BL	BL		Pass
26-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
26-2	Black plastic support	BL	BL	BL	BL	BL		Pass
27	Soldering tin	106 (BL)	BL	BL	BL			Pass
28	Soldering tin	123 (BL)	BL	BL	BL	1		Pass
29	Soldering tin	126 (BL)	BL	BL	BL		7	Pass
30	РСВ	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass



Test Report Report No.: GNBZ230629135EN Issue Date: 2023-07-13 Page 5 of 11

Remark:

- $(^1)$ "---" = Not Applicable;
- (^2) (a) It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
 - (b) The XRF screening test for RoHS elements-The reading may be different to the actual content in the sample be of non-uniformity composition.
 - (c) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS (for Cr(VI)) and GC/MSD (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warming value according to IEC 62321-3-1: 2013.

Attached table 1, XRF screening limits in mg/kg for regulated elements in various matrices:

Element	Polymer Materials	Metallic Materials	Electronics
Cd	BL≤(70-3σ)< X	BL≤(70-3σ)< X	LOD< X
	< (130+3σ) ≤OL	< (130+3σ) ≤OL	< (250+3σ) ≤OL
Pb	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Hg	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Br	BL≤(300-3σ)< X	N.A.	BL≤(250-3σ)< X
Cr	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X

Note: ① BL "below limit" = the result less than the limit.

- ② OL "over limit" = the result greater than the limit.
- ③ IN = inconclusive, the region where need further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS (for Cr(VI)) and GC/MSD (for PBBs, PBDEs).
- 4 3σ = Repeability of the analyser at the action level.
- 5 LOD = Limit of detection.
- $(^3)$ (a) mg/kg = ppm = 0.0001%;
- (b) N.D. = Not detected (lower than RL);
- (c) Reporting Limit (RL) and Limit of Directive 2011/65/EU.

Parameter	Unit	Limit	Reporting Limit (RL)	
Lead (Pb)	mg/kg	1000	10	
Cadmium (Cd)	mg/kg	100	10	
Mercury (Hg)	mg/kg	1000	10	
Chromium VI (Cr VI)	mg/kg	1000	R1	
Group PBBs	mg/kg	1000	R2	
Group PBDEs	mg/kg	1000	R2	

R1: Cr(VI) for metal sample, the reporting limit (RL) = Method Detection Limit (MDL) = 0.10 ug/cm². The reporting limit (RL) of Cr(VI) for polymers and electronics is 10mg/kg.

R2: The reporting limit (RL) for single compound of PBBs & PBDEs is 50mg/kg.



Report No.: GNBZ230629135EN Issue Date: 2023-07-13 Page 6 of 11

(d) According to IEC 62321-7-1:2015, result on Cr(VI) for metal sample is shown as Negative, Inconclusive or Positive: Negative = Absence of Cr(VI), Inconclusive = Maybe exist Cr(VI), Positive = Presence of Cr(VI).

Colorimetric result (Cr(VI) concentration)	Qualitative result				
The sample solution is < the 0.10	The sample is negative for Cr(VI)-The Cr(VI) concentration is				
ug/cm ² equivalent comparison	below the limit of quantification. The coating is considered a				
standard solution	non-Cr(VI) based coating.				
The sample solution is ≥ the 0.10	The result is considered to be inconclusive – Unavoidable				
ug/cm² and ≤ the 0.13 ug/cm²	coating variations may influence the determination.				
equivalent comparison standard	Recommendation: if addition samples are available, perform a				
solutions	total of 3 trials to increase sampling surface area. Use the				
	averaged result of the 3 trials for the final determination.				
The sample solution is > the 0.13	The sample is positive for Cr(VI)-The Cr(VI) concentration is				
ug/cm ² equivalent comparison	above the limit of quantification and the statistical margin of				
standard solution	error. The sample coating is considered to contain Cr(VI).				

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part (entire copy is excepted).

Tel.: +86-574-89201291

www.gig-lab.com www.gigqc.com



B. Phthalates—DBP, BBP, DEHP & DIBP

Test Method: Ref. to IEC 62321-8: 2017

Determination of Phthalates in polymers by Gas Chromatography-Mass Spectrometry

(GC-MS)

Test result:

Test item	DBP	BBP	DEHP	DIBP
Maximum Permissible Limit (mg/kg)	1000	1000	1000	1000

Part No.	DBP	BBP	DEHP	DIBP	Conclusion
1+2	N.D.	N.D.	N.D.	N.D.	Pass
3	N.D.	N.D.	N.D.	N.D.	Pass
5-2+6-2	N.D.	N.D.	N.D.	N.D.	Pass
11+23-1+30	N.D.	N.D.	N.D.	N.D.	Pass
12+21+22	N.D.	N.D.	100	N.D.	Pass
14	N.D.	N.D.	N.D.	N.D.	Pass
15+16	N.D.	N.D.	N.D.	N.D.	Pass
17+18-1	N.D.	N.D.	N.D.	N.D.	Pass
23-2+24-2+26-2	N.D.	N.D.	N.D.	N.D.	Pass
25	N.D.	N.D.	N.D.	N.D.	Pass

Remark: 1. Reporting Limit (RL) for DBP, BBP, DEHP, DIBP = 50mg/kg.

2. N.D. = Not Detected (<RL).



Report No.: GNBZ230629135EN


Issue Date: 2023-07-13

Page 8 of 11

Sample photo(s):



Test item: 3 port USB hub with dual input
Tested Model No.: MO6848







Report No.: GNBZ230629135EN

Issue Date: 2023-07-13


Page 9 of 11









Test Report Report No.: GNBZ230629135EN Issue Date: 2023-07-13 Page 10 of 11







Test Report Report No.: GNBZ230629135EN Issue Date: 2023-07-13 Page 11 of 11



GIG authenticate the photo(s) on original report only

****End of Report****