



Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 1 of 15

Applicant: Mid Ocean Brands B.V.
Address: 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Manufacturer: 117486
Address: N/A

The following sample(s) was /were submitted and identified on behalf of the clients as:

Sample Name: Speaker
Sample Model: MO6890
Sample Received Date: Apr. 22, 2025
Testing Period: Apr. 22, 2025 to Apr. 24, 2025

Test Requested

As requested by the applicant, refer to attached page(s) for details.

Approved by:

Tony Qian/Technical Manager



Scan to view
the original file

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 2 of 15

Summary of Test Results:

Test Standard		Conclusion
RoHS Directive 2011/65/EU and its subsequent amendments Directive (EU) 2015/863		
1	To determine Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls (PBBs) and Polybrominated DiphenylEthers (PBDEs)content by screening test and chemical test.	Pass
2	To determine Phthalates (DBP, BBP, DEHP, DIBP) content by chemical test.	Pass

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 3 of 15

Test Results:

(1)XRF Test Result:

No.	XRF Result(mg/kg)					Chemical Test (mg/kg)	Conclusion
	Pb	Cd	Hg	Cr	Br		
1	BL	BL	BL	BL	BL	--	Pass
2	BL	BL	BL	BL	BL	--	Pass
3	BL	BL	BL	BL	BL	--	Pass
4	BL	BL	BL	BL	BL		Pass
5	BL	BL	BL	BL	BL	--	Pass
6	BL	BL	BL	BL	BL		Pass
7	BL	BL	BL	BL	BL	--	Pass
8	BL	BL	BL	BL	--	--	Pass
9	BL	BL	BL	BL	BL	--	Pass
10	BL	BL	BL	X	--	CrVI: Negative	Pass
11	BL	BL	BL	BL	--		Pass
12	BL	BL	BL	BL	--	--	Pass
13	BL	BL	BL	BL	--	--	Pass
14	BL	BL	BL	BL	BL	--	Pass
15	BL	BL	BL	BL	BL	--	Pass
16	BL	BL	BL	BL	--	--	Pass
17	BL	BL	BL	BL	BL	--	Pass
18	BL	BL	BL	BL	BL	--	Pass
19	BL	BL	BL	BL	BL	--	Pass
20	BL	BL	BL	BL	--	--	Pass
21	BL	BL	BL	BL	BL	--	Pass
22	BL	BL	BL	BL	--	--	Pass
23	BL	BL	BL	BL	--	--	Pass
24	BL	BL	BL	BL	X	PBBs/PBDEs: N.D.	Pass
25	BL	BL	BL	BL	BL	--	Pass

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 4 of 15

No.	XRF Result(mg/kg)					Chemical Test (mg/kg)	Conclusion
	Pb	Cd	Hg	Cr	Br		
26	BL	BL	BL	BL	BL	--	Pass
27	BL	BL	BL	BL	BL	--	Pass
28	BL	BL	BL	BL	BL	--	Pass
29	BL	BL	BL	BL	BL	--	Pass
30	BL	BL	BL	BL	--	--	Pass
31	BL	BL	BL	BL	--	--	Pass
32	BL	BL	BL	BL	BL	--	Pass
33	BL	BL	BL	BL	BL	--	Pass
34	BL	BL	BL	BL	BL	--	Pass
35	BL	BL	BL	BL	BL	--	Pass
36	BL	BL	BL	BL	BL	--	Pass
37	BL	BL	BL	BL	BL	--	Pass
38	BL	BL	BL	X	--	CrVI: Negative	Pass

Remark: 1.It is the result on total Br while test item on restricted substances in PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
2.Screening test by XRF spectroscopy. XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1: 2013Annex A.

Element	Polymer Material	Metallic Material	Composite Material
Pb	$BL \leq 700-3\sigma \leq X < 1300+3\sigma \leq OL$	$BL \leq 700-3\sigma \leq X < 1300+3\sigma \leq OL$	$BL \leq 500-3\sigma \leq X < 1500+3\sigma \leq OL$
Cd	$BL \leq 70-3\sigma \leq X < 130+3\sigma \leq OL$	$BL \leq 70-3\sigma \leq X < 130+3\sigma \leq OL$	$LOD < X < 150+3\sigma \leq OL$
Hg	$BL \leq 700-3\sigma \leq X < 1300+3\sigma \leq OL$	$BL \leq 700-3\sigma \leq X < 1300+3\sigma \leq OL$	$BL \leq 500-3\sigma \leq X < 1500+3\sigma \leq OL$
Cr	$BL \leq 700-3\sigma < X$	$BL \leq 700-3\sigma < X$	$BL \leq 500-3\sigma < X$
Br	$BL \leq 300-3\sigma < X$	--	$BL \leq 250-3\sigma < X$

XRF Detection Limits in mg/kg for Regulated Elements in Various Material

Element	Polymer Material	Metallic Material	Composite Material
---------	------------------	-------------------	--------------------

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 5 of 15

Pb	10	50	50
Cd	10	50	50
Hg	10	50	50
Cr	10	50	50
Br	10	50	50

- Note:**
- 1.BL = Under the XRF screening limit
 - 2.OL = Future chemical test will be conducted while result is above the screening limit
 - 3.X =The symbol“X”marks the region where further investigation in necessary
 - 4.3σ=The reproducibility of analytical instruments
 - 5.LOD=Detection limit

(2)Wet Chemical Test

Test Item(s)	Test Method/ Test Equipment	Unit	Limit	MDL
Cadmium(Cd)	IEC 62321-5:2013, ICP-OES	mg/kg	100	2
Lead(Pb)	IEC 62321-5:2013, ICP-OES	mg/kg	1000	2
Mercury(Hg)	IEC 62321-4:2013+AMD1:2017, ICP-OES	mg/kg	1000	2
Hexavalent Chromium(CrVI) (Metal)	IEC 62321-7-1:2015, UV-Vis	μg/cm ²	0.13	0.1
Hexavalent Chromium(CrVI) (Nonmetal)	IEC 62321-7-2:2017, UV-Vis	mg/kg	1000	8
PBBs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
PBDEs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
Dibutyl Phthalate(DBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Butyl benzyl phthalate (BBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Di-(2-ethylhexyl) Phthalate(DEHP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Diisobutyl phthalate (DIBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30

PBBs		PBDEs	
Monobromobiphenyl	Hexabromobiphenyl	Monobromodiphenyl ether	Hexabromodiphenyl ether

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 6 of 15

Dibromobiphenyl	Heptabromobiphenyl	Dibromodiphenyl ether	Heptabromodiphenyl ether
Tribromobiphenyl	Octabromobiphenyl	Tribromodiphenyl ether	Octabromodiphenyl ether
Tetrabromobiphenyl	Nonabromobiphenyl	Tetrabromodiphenyl ether	Nonabromodiphenyl ether
Pentabromobiphenyl	Decabromobiphenyl	Pentabromodiphenyl ether	Decabromodiphenyl ether

- Note:**
1. mg/kg= ppm=0.0001%
 2. N.D.= Not Detected(<MDL)
 3. MDL = Method Detection Limit
 4. -- = No Testing
 5. When Cr (VI) in a sample is detected below the 0.10 $\mu\text{g}/\text{cm}^2$ LOQ (limit of quantification), the sample is considered to be negative for Cr (VI). Since Cr (VI) may not be uniformly distributed in the coating even within the same sample batch, a "grey zone" between 0.10 $\mu\text{g}/\text{cm}^2$ and 0.13 $\mu\text{g}/\text{cm}^2$ has been established as "inconclusive" to reduce inconsistent results due to unavoidable coating variations. In this case, additional testing may be necessary to confirm the presence of Cr (VI). When Cr (VI) is detected above 0.13 $\mu\text{g}/\text{cm}^2$, the sample is considered to be positive for the presence of Cr (VI) in the coating layer. Unavoidable coating variations may influence the determination Information on storage conditions and production date of the tested sample is unavailable and thus Cr (VI) results represent status of the sample at the time of testing.

(3)Phthalate Test Result:

Test No.	Test Item(s)	Conclusion
----------	--------------	------------

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 7 of 15

	Dibutyl Phthalate (DBP)	Butyl benzyl phthalate (BBP)	Di-(2-ethylhexyl) Phthalate (DEHP)	Diisobutyl phthalate (DIBP)	
1	N.D.	N.D.	N.D.	N.D.	Pass
2	N.D.	N.D.	N.D.	N.D.	Pass
3	N.D.	N.D.	N.D.	N.D.	Pass
4	N.D.	N.D.	N.D.	N.D.	Pass
5	N.D.	N.D.	N.D.	N.D.	Pass
6	N.D.	N.D.	N.D.	N.D.	Pass
7	N.D.	N.D.	N.D.	N.D.	Pass
9	N.D.	N.D.	N.D.	N.D.	Pass
14	N.D.	N.D.	N.D.	N.D.	Pass
15	N.D.	N.D.	N.D.	N.D.	Pass
17	N.D.	N.D.	N.D.	N.D.	Pass
18	N.D.	N.D.	N.D.	N.D.	Pass
19	N.D.	N.D.	N.D.	N.D.	Pass
21	N.D.	N.D.	N.D.	N.D.	Pass
24	N.D.	N.D.	N.D.	N.D.	Pass
25	N.D.	N.D.	N.D.	N.D.	Pass
26	N.D.	N.D.	N.D.	N.D.	Pass
27	N.D.	N.D.	N.D.	N.D.	Pass
28	N.D.	N.D.	N.D.	N.D.	Pass
29	N.D.	N.D.	N.D.	N.D.	Pass
32	N.D.	N.D.	N.D.	N.D.	Pass
33	N.D.	N.D.	N.D.	N.D.	Pass
34	N.D.	N.D.	N.D.	N.D.	Pass
35	N.D.	N.D.	N.D.	N.D.	Pass
36	N.D.	N.D.	N.D.	N.D.	Pass
37	N.D.	N.D.	N.D.	N.D.	Pass

Note: 1. mg/kg= ppm=0.0001%**Guangdong KEYS Testing Technology Co., Ltd.**Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS250422051


Date: Apr. 30, 2025

Page 8 of 15


2. N.D.= Not Detected(<MDL)

Test Process:

1. Test for Cd/Pb Content



2. Test for Hg Content



Test Report


Report No.: RKEYS250422051

Date: Apr. 30, 2025


Page 9 of 15

3. Test for Chromium (VI) Content

Soluble polymers:



Insoluble/unknown polymers and electronics without Sb




Test Report

Report No.: RKEYS250422051


Date: Apr. 30, 2025

Page 10 of 15

Metal material



4. Test for DBP, BBP, DEHP, DIBP, PBB, PBDE Content



Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 11 of 15

Sample Description:

No.	Description
1	Yellow bamboo shell
2	Yellow braided rope
3	Black plastic button
4	Yellow fabric
5	Black plastic mesh cover
6	Black plastic fixation
7	Black plastic diaphragm
8	Silvery metal fixation
9	Yellow paper eardrum
10	Silvery metal screw
11	Silvery metal frame
12	Silvery metal sheet
13	Black metal magnet
14	Transparent yellow plastic adhesive tape
15	Black-printed Silvery plastic-cased battery
16	Silvery metal interface
17	Black plastic interface fixed
18	Black plastic fixation
19	Black plastic fixation
20	Silvery metal USB interface casing
21	White plastic fixation
22	Silvery metal stylus
23	Silvery metal interface
24	Green PCB
25	Black IC
26	Silvery metal button housing
27	Black resistor

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 12 of 15

No.	Description
28	Brown capacitor
29	White LED light
30	Silvery metal wire core
31	Copper-colored metal wire core
32	Red plastic wire skin
33	Black plastic wire skin
34	Red plastic wire skin
35	Pink plastic wire skin
36	Blue plastic wire skin
37	Black plastic wire skin
38	Silvery metal solder

Photograph(s) of Sample:

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com


This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 13 of 15




Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 14 of 15




Test Report

Report No.: RKEYS250422051

Date: Apr. 30, 2025

Page 15 of 15



*** End of Report ***