

Test Report

Report No. : AGC05443250725-001

SAMPLE NAME : MO6934 Double wall mug, MO6938 Double wall bottle,

MO6944 Double wall bottle

MODEL NAME : MO6934 / MO6938 / MO6944

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Jul. 28, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : MO6934 Double wall mug, MO6938 Double wall bottle, MO6944 Double wall bottle

Model : MO6934 / MO6938 / MO6944

Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal
Sample Received Date : Jul. 18, 2025

Testing Period : Jul. 18, 2025 to Jul. 28, 2025

Test Requested : Selected test(s) as requested by client.

Approved by: Su hong hang

Report No.: AGC05443250725-001

Suhongliang

Technical Director

Page 2 of 24



Conclusion

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63
- Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23
-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52
- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50
- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Mechanical dishwashing safe test Pass

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9

Pass
- Specific migration of Heavy metal

Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Council of Europe Resolution AP (2004)5

(2004)5
- Overall Migration

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Primary Aromatic Amine

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Heavy metals

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190 and Council of Europe Resolution AP (2004)5

Pass

- Bisphenol A (BPA) content

DM-4B-COM-003-v01
- Volatile Organic Components (VOC) content

Pass

DM-4B-COM-003-v01
- Peroxides
Pass

DM-4B-COM-003-v01
- Specific Migration of Organotin (measured as Tin)

Pass



Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Jul. 28, 2025	Valid	Initial release



The photo of the sample














The photo of AGC05443250725-001 is for use only with the original report.





Test point	Test point description
1-1	Black coating(MO6944)
1-2	Black rubber handle(MO6944)
1-3	Metal buckle(MO6944)
1-4	Metal outer bottle body(MO6944)
1-5	Metal inner bottle body(MO6944)
1-6	Black plastic lid(MO6944)
1-7	Black plastic suction nozzle(MO6944)
1-8	White plastic straw(MO6944)
1-9	White silicone stopper(MO6944)
1-10	White silicone ring(MO6944)
1-11	Black silicone ring(MO6944)
1-12	Transparent plastic lid(MO6934)
1-13	Black color style(MO6944)
1-14	Black color style(MO6934)
1-15	Black color style(MO6938)



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDI	7	Test Result(s)	
	Unit		MDL	1-1	1-2	1-3
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

				Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-4	1-5	1-6+1-7+1- 8	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Conclusion				Conformity	Conformity	Conformity	

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
	Omi		MDL	1-9+1-10+1-11	1-12	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	
Co	Conformity	Conformity				

Remark:

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

				Test Result(s)			
Test Item(s)	Unit	Limit	Limit MDL	1-1	1-2	1-6+1-7+1-	
						8	
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.	
Conclusion				Conformity	Conformity	Conformity	

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
			MDL	1-9+1-10+1-11	1-12	
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	
Co	Conformity	Conformity				

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-6+1-7+1-8,1-9+1-10+1-11

^{1.} As specified by client, the submitted samples were mixed to test, the test points: 1-6+1-7+1-8,1-9+1-10+1-11



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

				Т	Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-1	1-2	1-6+1-7+1- 8		
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	N.D.		
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.		
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.		
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.		
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	N.D.		
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	N.D.		
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	N.D.		
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.		
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.		
Con	clusion			Conformity	Conformity	Conformity		

Tost Itom(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit	LIIIII	MDL	1-9+1-10+1-11	1-12	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1		N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	
Con	Conformity	Conformity				

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-6+1-7+1-8,1-9+1-10+1-11

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250725-001



Limit requirements of Phthalates

Report No.: AGC05443250725-001

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

			t MDL	Test Result(s)			
Test Item(s)	Unit	Limit		1-1	1-2	1-6+1-7+1- 8	
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Con	Conclusion					Conformity	

Test Item(s)	Unit	Limit	MDL	Test Result(s)				
Test Item(s)	Unit	Liiiit	MIDL	1-9+1-10+1-11	1-12			
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.			
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.			
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.			
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.			
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.			
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.			
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.			
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.			
Con	Conclusion							

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-6+1-7+1-8,1-9+1-10+1-11



Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg	Limit req	uirements	of Polyc	vclic-aromati	ic Hydroca	arbons (PAHs) (Unit:	mg/kg)
----------------------------------------------------------------------------	-----------	-----------	----------	---------------	------------	--------------	----------	--------

	l	l			
Items	CAS No. Extender oils or used for the production of tyres or parts of tyres		Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5	
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5	
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5	
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5	
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5	
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5	
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5	
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5	
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/	

Mechanical dishwashing safe test

Test Sample: MO6944 \, 1-13

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS",

Sample No.: MO6944、1-13

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.



Test Sample: MO6934、1-14

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS".

Sample No.:MO6934、1-14

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: pc(s). Number of control sample: pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Mechanical dishwashing safe test

Test Sample: MO6938, 1-15

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS",

Sample No.: MO6938、1-15

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.



Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of

Europe Resolution CM/Res(2020)9

- Specific migration of Heavy metal

Test Method: EDQM (2024)

Tr. ()	TT *,	Limit		MDI	Test resul	t(s)
Item(s)	Unit	1st and : .:	ard : .:	MDL	1-5	ard : .:
		1 st +2 nd migration	3 rd migration		1 st +2 nd migration	3 rd migration
Simulant Used: 0.5%	6 Citric acid	; Test Condition: 70°C				
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.
Iron (Fe)	mg/kg	280	40	0.1	N.D.	N.D.
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.
Chromium (Cr)	mg/kg	7	1	0.01	N.D.	N.D.
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.
Nickel (Ni)	mg/kg	0.98	0.14	0.01	N.D.	N.D.
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.
Magnesium (Mg)	mg/kg	/	/	0.01	N.D.	N.D.
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.
		Conclusion			Conformity	Conformity

Note:

Results from all three migration are to be considered for compliance: Result of 3^{rd} migration shall not exceed the SRL and Sum of result of 1^{st} and 2^{nd} migration shall not exceed 7 times of SRL.



Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Council of Europe Resolution AP (2004)5

- Overall Migration

Test Method: EN 1186-3:2022

				-	Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-6		
					1 st migration	2 nd migration	3 rd migration	
3% Acetic acid	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.	
50% Ethanol	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.	
	Conformity							

				Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-8	
					1 st migration	2 nd migration	3 rd migration
3% Acetic acid	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.
50% Ethanol	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.
	Conformity						

				Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-12	
					1 st migration	2 nd migration	3 rd migration
3% Acetic acid	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.
50% Ethanol	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.
		Conformity					

					Test result(s)
Simulant Used	Test Condition	Unit	Limit	MDL	1-10
					3 rd migration
3% Acetic acid	70℃, 2h	mg/dm ²	10	5	N.D.
50% Ethanol	70℃, 2h	mg/dm ²	10	5	N.D.
	Conclus	Conformity			

C:14 II 4	T4 C 1'4'	I Init I imit		MDL	Test result(s)
Simulant Used	Test Condition	Unit	Limit	MDL	1-11 3 rd migration
					J illigiation
3% Acetic acid	70℃, 2h	mg/dm ²	10	5	N.D.
50% Ethanol	70℃, 2h	mg/dm ²	10	5	N.D.
	Conclus	Conformity			



Regulation 1935/2004/EC, Regulation (EU) No 10/2011


- Specific migration of Primary Aromatic Amine

Test Method: EUR 24815 EN 2011

					Test result(s)		
Test Item(s)	Unit	Limit	MDL		1-6		
				1 st migration	2 nd migration	3 rd migration	
Simulant Used: 3% Acetic acid; Test	Condition	: 70°C, 2h					
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.	
Conclu	sion				Conformity		


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250725-001





	1			I							
					Test result(s)						
Test Item(s)	Unit	Limit	MDL		1-8						
				1 st migration	2 nd migration	3 rd migration					
Simulant Used: 3% Acetic acid; Test	Simulant Used: 3% Acetic acid; Test Condition: 70°C, 2h										
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.					
Conclu	sion				Conformity						





				T							
					Test result(s)						
Test Item(s)	Unit	Limit	MDL		1-12						
				1 st migration	2 nd migration	3 rd migration					
Simulant Used: 3% Acetic acid; Test	Simulant Used: 3% Acetic acid; Test Condition: 70°C, 2h										
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.					
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.					
Conclu	sion		-		Conformity	-					



Regulation 1935/2004/EC, Regulation (EU) No 10/2011


- Specific migration of Heavy metals

Test Method: EN 13130-1:2004

					Test result(s)	
Test Item(s)	Unit	Limit	MDL		1-6	
				1 st migration	2 nd migration	3 rd migration
Simulant Used: 3% Acetic acid; Test	Condition	: 70°C, 2h				
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.
Ammonium (NH ₄ ⁺)	mg/kg	/	0.10	N.D.	N.D.	N.D.
Calcium (Ca)	mg/kg	/	0.01	0.048	N.D.	N.D.
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Potassium (K)	mg/kg	/	0.01	0.020	N.D.	N.D.
Sodium (Na)	mg/kg	/	0.01	0.022	N.D.	N.D.
Conclu	ısion				Conformity	


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250725-001





					T 11/1	
T . T . ()	TT 1.	T) (D)	Test result(s)		
Test Item(s)	Unit	Limit	MDL	d at	1-8	and , ,
				1 st migration	2 nd migration	3 rd migration
Simulant Used: 3% Acetic acid; Tes	st Condition	: 70°C, 2h				
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.
Ammonium (NH ₄ ⁺)	mg/kg	/	0.10	N.D.	N.D.	N.D.
Calcium (Ca)	mg/kg	/	0.01	0.016	0.023	N.D.
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Potassium (K)	mg/kg	/	0.01	0.049	0.016	N.D.
Sodium (Na)	mg/kg	/	0.01	0.053	0.018	N.D.
Conc	lusion				Conformity	





					T 1.()	
T ()	TT 1	T	Limit MDL		Test result(s)	
Test Item(s)	Unit	Limit		1 et	1-12	ard : .:
				1 st migration	2 nd migration	3 rd migration
Simulant Used: 3% Acetic acid; Tes	t Condition	: 70℃, 2h	T		T	
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.
Ammonium (NH ₄ ⁺)	mg/kg	/	0.10	N.D.	N.D.	N.D.
Calcium (Ca)	mg/kg	/	0.01	0.075	N.D.	N.D.
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Potassium (K)	mg/kg	/	0.01	0.069	0.012	N.D.
Sodium (Na)	mg/kg	/	0.01	0.048	N.D.	N.D.
Concl	usion				Conformity	



Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190 and Council of Europe

Resolution AP (2004)5

- Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:2007 & EPA 8321B:2007; LC-MS-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)
rest ttem(s)	Omi	Lillit	MDL	1-6
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Со	Conformity			

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-8
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Co	Conformity			

Test Item(s)	Unit	Limit	MDL	Test Result(s)
			MDL	1-10
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Co	Conformity			

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Tost Item(s)	Cint	Ziiiiv	111111111111111111111111111111111111111	1-11
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Со	Conformity			

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Oilit	Lillit	MDL	1-12
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Со	Conformity			



- Volatile Organic Components (VOC) content

Test Methods: DGCCRF 2044-64

Temperature and Time: Bake at 100°C for 1h and then at 200°C for 4h

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)			MIDL	1-10
Volatile Organic Components	%	0.5	0.1	0.11
Conclusion				Conformity

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)			MDL	1-11
Volatile Organic Components	%	0.5	0.1	N.D.
Cond	Conformity			

DM-4B-COM-003-v01

- Peroxides

Test Methods: European Pharmacopoeia 9.0 Method 2.5.5

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Onit	LIIIII	MDL	1-10
Peroxides	%	Absent	0.2	N.D.
	Conformity			

Test Item(s)	Unit	Limit	MDL	Test Result(s)
	Onit		MDL	1-11
Peroxides	%	Absent	0.2	N.D.
	Conformity			


DM-4B-COM-003-v01

- Specific Migration of Organotin (measured as Tin)

Test Methods: EN 13130-1:2004


Simulant Used	Test Condition	Unit	Limit	MDL	Test Result(s) 1-10
3% Acetic acid	70°C, 2h	mg/kg	0.1	0.01	N.D.
	Conformity				

Simulant Used	Test Condition	Unit	Limit	MDL	Test Result(s)
					1-11
3% Acetic acid	70°C, 2h	mg/kg	0.1	0.01	N.D.
	Conformity				







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***