



# TEST REPORT

Report No. : WTF25F07184512A1C

Job No. :: FSW2507241242CJ

Applicant ..... : Mid Ocean Brands B.V.

Address ...... Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha

Wan, Kowloon, Hong Kong.

Manufacturer.....: 114768

Sample Name..... : TWS earbuds

Sample Model ...... MO6946

Test Requested :: Refer to next page(s)

Test Method ...... Refer to next page (s)

Test Conclusion ...... Refer to next page (s)

Date of Receipt Sample ...... : 2025-07-24 & 2025-08-13

**Testing Period** ...... : 2025-07-24 to 2025-08-04 & 2025-08-13 to 2025-08-22

Date of Issue ..... 2025-08-22

Test Result ...... Refer to next page (s)

Note...... As specified by client, only test the designated sample.

## Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China Fax:+86-757-23811381 Tel:+86-757-23811398 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.





WTF25F07184512A1C



#### **Summary**

Item No.	Test Requested	Test Conclusion
WALTE WALTE	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass P
2	Nickel content requirement in Annex XVII Item 27 of the REACH Regulation (EC) No. 1907/2006 & amendment No.552/2009 (formerly known as Directive 94/27/EC and 2004/96/EC)	Pass

### Sample photo:







#### **Test Results:**

#### 1) Nickel release

Test method: With reference EN1811:2023, Nickel content was determined by Inductively Coupled Argon Plasma Spectrometry

Item No.	Sample Area (cm²)	Volume of Test Solution(ml)	Nickel release (μg/cm²/week)				Conclusion
			Trial 1	Trial 2	Trial 3	Average	J+ J*
No.35(R1)	22.61	23	0.11	0.15	0.08	0.11	Pass

#### Note:

- (1)  $\mu g/cm^2/week = microgram per square centimetre per week$
- (2) Method Detection limit =  $0.05 \mu g/cm^2/week$
- (3) Interpretation of test results:

LEK TEK STEK WITER WITER WITER WATER	Nickel Release(μg/cm²/week)		
Type of sample	Pass	Fail	
Other components in direct and prolonged contact with the skin	<0.88	≥0.88	
Post assemblies and body piercings	INLIE SLIFE	2 July My My	
(Post assemblies which are inserted into pierced	<0.35	≥0.35	
parts of the human body)		Vice Aug Mus Aug	



#### 2) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

- Maria Maria	Hait	Results	100 W	100	
Test Items	Unit	No.34+No.37+No.39	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	TEX -JEX	Pass	mer mer.	11. 11.	

#### Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "\*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.





## **Description for Specimen:**

Specimen ID	Specimen No.	Specimen Description
FSW2507241242CJ. 34	34	White plastic shell
FSW2507241242CJ. 35(R1)	35(R1)	Golden metal pin
FSW2507241242CJ. 37	37	White plastic shell
FSW2507241242CJ. 39	39	White plastic shell

## Photograph of parts tested:





#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

