

Test Report

Report No. : AGC05443250835-001

SAMPLE NAME : Tritan Renew[™] bottle

MODEL NAME : MO6962

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Sep. 01, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Tritan Renew[™] bottle

Model : MO6962
Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal

Sample Received Date : Aug. 25, 2025

Testing Period : Aug. 25, 2025 to Sep. 01, 2025

Test Requested : Selected test(s) as requested by client.

Approved by: Suhong living

Report No.: AGC05443250835-001

Suhongliang

Technical Director



Conclusion

Mechanical dishwashing safe test Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63
- Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23
-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52
- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50
- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Overall Migration

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Primary Aromatic Amine

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Heavy metals

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190
- Bisphenol A (BPA) content

Pass



Report Revise Record

| | Report N | No.: AGC | 05443250 | 835-001 |
|--|----------|----------|----------|---------|
|--|----------|----------|----------|---------|

| Report Version | Issued Date | Valid Version | Notes | | |
|----------------|---------------|---------------|-----------------|--|--|
| / | Sep. 01, 2025 | Valid | Initial release | | |



The photo of the sample





The photo of AGC05443250835-001 is for use only with the original report.

Test Point Description

| Test point | Test point description |
|------------|---------------------------|
| 1-1 | Black plastic bottle body |
| 1-2 | Black plastic inner lid |
| 1-3 | White silicone ring |
| 1-4 | Silver metal outer lid |
| 1-5 | Silver metal handle |



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS",

Sample No.:MO6962、1-1、1-2、1-3、1-4、1-5

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s)

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

| Test Item(s) | Unit Limit | MDL | Test Result(s) | | | |
|--------------|------------|------------|----------------|---------|------|------|
| | | Lillit | MDL | 1-1+1-2 | 1-4 | 1-5 |
| Lead(Pb) | mg/kg | 500 | 10 | N.D. | N.D. | N.D. |
| Con | Conformity | Conformity | Conformity | | | |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

| Test Item(s) | Unit | Limit | MDL | Test Result(s) |
|--------------|------------|--------|------|----------------|
| Test Item(s) | Oilit | Lillit | MIDL | 1-1+1-2 |
| Cadmium(Cd) | mg/kg | 100 | 10 | N.D. |
| Co | Conformity | | | |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

| Test Item(s) | Unit | Limit | MDL | Test Result(s) 1-1+1-2 |
|--|----------|-------|----------|------------------------|
| Diisobutyl phthalate (DIBP) CAS:84-69-5 | % | 0.1 | 0.005 | N.D. |
| Dibutyl phthalate (DBP) CAS:84-74-2 | % | 0.1 | 0.005 | N.D. |
| Butylbenzyl phthalate (BBP) CAS:85-68-7 | % | 0.1 | 0.005 | N.D. |
| Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7 | % | 0.1 | 0.005 | N.D. |
| Di-n-octyl phthalate (DNOP) CAS:117-84-0 | % | / | 0.005 | N.D. |
| Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0 | % | / | 0.005 | 0.022 |
| Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1 | % | / | 0.005 | N.D. |
| Sum of DIBP +DBP+BBP+DEHP | % | 0.1 | / | N.D. |
| Sum of DNOP+DINP+DIDP | % | 0.1 | / | 0.022 |
| Co | nclusion | · | <u>-</u> | Conformity |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2

Limit requirements of Phthalates

| Toys and childcare articles | Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1% |
|--|--|
| Toys and childcare articles which can be placed in the mouth by children | The sum of DINP+DIDP+DNOP is less than 0.1% |



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

| Test Item(s) | Unit | Limit | MDL | Test Result(s) 1-1+1-2 |
|-----------------------------|----------|-------|-----|------------------------|
| Benzo[a]pyrene(BaP) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[e]pyrene(BeP) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[a]anthracene(BaA) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[b]fluoranthene(BbF) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[j]fluoranthene(BjFA) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[k]fluoranthene(BkF) | mg/kg | 1 | 0.1 | N.D. |
| Chrysene(CHR) | mg/kg | 1 | 0.1 | N.D. |
| Dibenzo[a,h]anthracene(DBA) | mg/kg | 1 | 0.1 | N.D. |
| Co | nclusion | | | Conformity |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

| Items | CAS No. | Extender oils or used for the production of tyres or parts of tyres | Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity | Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity |
|---|----------|---|--|---|
| Benzo[a]pyrene(BaP) | 50-32-8 | ≤1 | ≤ 1 | ≤ 0.5 |
| Benzo[e]pyrene(BeP) | 192-97-2 | / | ≤ 1 | ≤ 0.5 |
| Benzo[a]anthracene(BaA) | 56-55-3 | / | ≤ 1 | ≤ 0.5 |
| Benzo[b]fluoranthene(BbF) | 205-99-2 | / | ≤ 1 | ≤ 0.5 |
| Benzo[j]fluoranthene(BjFA) | 205-82-3 | / | ≤ 1 | ≤ 0.5 |
| Benzo[k]fluoranthene(BkF) | 207-08-9 | / | ≤ 1 | ≤ 0.5 |
| Chrysene(CHR) | 218-01-9 | / | ≤ 1 | ≤ 0.5 |
| Dibenzo[a,h]anthracene(DBA) | 53-70-3 | / | ≤ 1 | ≤ 0.5 |
| Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA | / | ≤ 10 | / | / |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250835-001



Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Overall Migration

Test Method: EN 1186-3:2022

| | | | | | Test result(s) | | | |
|----------------|----------------|--------------------|-------|-----|---------------------------|---------------------------|---------------------------|--|
| Simulant Used | Test Condition | Unit | Limit | MDL | | 1-1 | | |
| | | | | | 1 st migration | 2 nd migration | 3 rd migration | |
| 3% Acetic acid | 70℃, 2h | mg/dm ² | 10 | 5 | N.D. | N.D. | N.D. | |
| 50% Ethanol | 70℃, 2h | mg/dm ² | 10 | 5 | N.D. | N.D. | N.D. | |
| | | Conformity | | | | | | |

| | | | | | Test result(s) | | | |
|----------------|----------------|--------------------|-------|-----|---------------------------|---------------------------|---------------------------|--|
| Simulant Used | Test Condition | Unit | Limit | MDL | | 1-2 | | |
| | | | | | 1 st migration | 2 nd migration | 3 rd migration | |
| 3% Acetic acid | 70℃, 2h | mg/dm ² | 10 | 5 | N.D. | N.D. | N.D. | |
| 50% Ethanol | 70℃, 2h | mg/dm ² | 10 | 5 | N.D. | N.D. | N.D. | |
| | | Conformity | | | | | | |

Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Specific migration of Primary Aromatic Amine

Test Method: EUR 24815 EN 2011

| | | | MDL | Test result(s) | | |
|-------------------------------------|-----------|-----------|-------|---------------------------|---------------------------|---------------------------|
| Test Item(s) | Unit | Limit | | 1-1 | | |
| | | | | 1 st migration | 2 nd migration | 3 rd migration |
| Simulant Used: 3% Acetic acid; Test | Condition | : 70℃, 2h | | | | |
| 4-Aminobiphenyl | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| Benzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Chloro-o-Toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2-Naphthylamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-amino-2',3-dimethylazobenzene | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 5-Nitro-o-toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Chloroaniline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Methoxy-m-phenylenediamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Diaminodiphenylmethane | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 3,3'-Dichlorobenzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 3,3'-Dimethoxybenzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 3,3'-Dimethybenzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Methylenedi-o-toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 6-methoxy-m-toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-methylenebis[2-chloroaniline] | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Oxydianiline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Thiodianiline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2-Aminotoluene | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-methyl-m-phenylenediamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2,4,5-Trimethylaniline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2-Methoxyaniline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Aminoazobenzene | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 1,3 phenylenediamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |



| 1600110011000113220033 001 | | | | | | | |
|--|-------|-------|------|---------------------------|---------------------------|---------------------------|--|
| | | | | Test result(s) | | | |
| Test Item(s) | Unit | Limit | MDL | 1-1 | | | |
| | | | | 1 st migration | 2 nd migration | 3 rd migration | |
| Total of other primary aromatic amines | mg/kg | 0.01 | 0.01 | N.D. | N.D. | N.D. | |
| Conclusion | | | | | Conformity | | |

| | | | | Test result(s) | | |
|--|-----------|------------|-------|---------------------------|---------------------------|---------------------------|
| Test Item(s) | Unit | Limit | MDL | 1-2 | | |
| | | | | 1 st migration | 2 nd migration | 3 rd migration |
| Simulant Used: 3% Acetic acid; Test | Condition | : 70°C, 2h | | | | |
| 4-Aminobiphenyl | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| Benzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Chloro-o-Toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2-Naphthylamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-amino-2',3-dimethylazobenzene | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 5-Nitro-o-toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Chloroaniline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Methoxy-m-phenylenediamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Diaminodiphenylmethane | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 3,3'-Dichlorobenzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 3,3'-Dimethoxybenzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 3,3'-Dimethybenzidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Methylenedi-o-toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 6-methoxy-m-toluidine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-methylenebis[2-chloroaniline] | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Oxydianiline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4,4'-Thiodianiline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2-Aminotoluene | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-methyl-m-phenylenediamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2,4,5-Trimethylaniline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 2-Methoxyaniline | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 4-Aminoazobenzene | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| 1,3 phenylenediamine | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| Total of other primary aromatic amines | mg/kg | 0.01 | 0.01 | N.D. | N.D. | N.D. |
| Conclu | sion | | | | Conformity | |



Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Specific migration of Heavy metals

Test Method: EN 13130-1:2004

| | | | | | Test result(s) | |
|--|-----------|-----------|-------|---------------------------|---------------------------|---------------------------|
| Test Item(s) | Unit | Limit | MDL | | 1-1 | |
| | | | | 1 st migration | 2 nd migration | 3 rd migration |
| Simulant Used: 3% Acetic acid; Test | Condition | : 70℃, 2h | | | | |
| Barium (Ba) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Cobalt (Co) | mg/kg | 0.05 | 0.01 | N.D. | N.D. | N.D. |
| Copper (Cu) | mg/kg | 5 | 0.25 | N.D. | N.D. | N.D. |
| Iron (Fe) | mg/kg | 48 | 0.25 | N.D. | N.D. | N.D. |
| Lithium (Li) | mg/kg | 0.6 | 0.1 | N.D. | N.D. | N.D. |
| Manganese (Mn) | mg/kg | 0.6 | 0.1 | N.D. | N.D. | N.D. |
| Zinc (Zn) | mg/kg | 5 | 0.25 | N.D. | N.D. | N.D. |
| Aluminum (Al) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Europium (Eu) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. |
| Gadolinium (Gd) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. |
| Lanthanum (La) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. |
| Terbium (Tb) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. |
| Sum(Eu+Gd+La+Tb) | mg/kg | 0.05 | / | N.D. | N.D. | N.D. |
| Antimony (Sb) | mg/kg | 0.04 | 0.01 | N.D. | N.D. | N.D. |
| Arsenic (As) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. |
| Cadmium (Cd) | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. |
| Chromium (Cr) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. |
| Lead (Pb) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. |
| Mercury (Hg) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. |
| Nickel (Ni) | mg/kg | 0.02 | 0.01 | N.D. | N.D. | N.D. |
| Ammonium (NH ₄ ⁺) | mg/kg | / | 0.10 | N.D. | N.D. | N.D. |
| Calcium (Ca) | mg/kg | / | 0.01 | 0.599 | 0.144 | 0.105 |
| Magnesium (Mg) | mg/kg | / | 0.01 | 0.060 | N.D. | N.D. |
| Potassium (K) | mg/kg | / | 0.01 | 0.022 | N.D. | N.D. |
| Sodium (Na) | mg/kg | / | 0.01 | 0.015 | N.D. | N.D. |
| Concl | usion | | | | Conformity | |

Report No.: AGC05443250835-001

| | | | | Test result(s) | | | |
|---|-------|-------|------|---------------------------|---------------------------|---------------------------|--|
| Test Item(s) | Unit | Limit | MDL | | 1-2 | | |
| | | | | 1 st migration | 2 nd migration | 3 rd migration | |
| Simulant Used: 3% Acetic acid; Test Condition: 70°C, 2h | | | | | | | |
| Barium (Ba) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. | |
| Cobalt (Co) | mg/kg | 0.05 | 0.01 | N.D. | N.D. | N.D. | |
| Copper (Cu) | mg/kg | 5 | 0.25 | N.D. | N.D. | N.D. | |
| Iron (Fe) | mg/kg | 48 | 0.25 | N.D. | N.D. | N.D. | |
| Lithium (Li) | mg/kg | 0.6 | 0.1 | N.D. | N.D. | N.D. | |
| Manganese (Mn) | mg/kg | 0.6 | 0.1 | N.D. | N.D. | N.D. | |
| Zinc (Zn) | mg/kg | 5 | 0.25 | N.D. | N.D. | N.D. | |
| Aluminum (Al) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. | |
| Europium (Eu) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. | |
| Gadolinium (Gd) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. | |
| Lanthanum (La) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. | |
| Terbium (Tb) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. | |



| | | | | Test result(s) | | | |
|--|-------|-------|-------|---------------------------|---------------------------|---------------------------|--|
| Test Item(s) | Unit | Limit | MDL | | 1-2 | | |
| | | | | 1 st migration | 2 nd migration | 3 rd migration | |
| Sum(Eu+Gd+La+Tb) | mg/kg | 0.05 | / | N.D. | N.D. | N.D. | |
| Antimony (Sb) | mg/kg | 0.04 | 0.01 | N.D. | N.D. | N.D. | |
| Arsenic (As) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. | |
| Cadmium (Cd) | mg/kg | N.D. | 0.002 | N.D. | N.D. | N.D. | |
| Chromium (Cr) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. | |
| Lead (Pb) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. | |
| Mercury (Hg) | mg/kg | N.D. | 0.01 | N.D. | N.D. | N.D. | |
| Nickel (Ni) | mg/kg | 0.02 | 0.01 | N.D. | N.D. | N.D. | |
| Ammonium (NH ₄ ⁺) | mg/kg | / | 0.10 | N.D. | N.D. | N.D. | |
| Calcium (Ca) | mg/kg | / | 0.01 | 0.218 | 0.087 | 0.140 | |
| Magnesium (Mg) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. | |
| Potassium (K) | mg/kg | / | 0.01 | N.D. | N.D. | N.D. | |
| Sodium (Na) | mg/kg | / | 0.01 | 0.019 | N.D. | N.D. | |
| Conclu | sion | | | Conformity | | | |


Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190

- Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:1996 & EPA 8321B:2007; LC-MS-MS


| Tost Itom(s) | I Init | Limit | MDI | Test Result(s) |
|-------------------|------------|-------------|------|----------------|
| Test Item(s) | Unit | Limit | MDL | 1-1 |
| Bisphenol A (BPA) | mg/kg | Prohibition | 0.01 | N.D. |
| Со | Conformity | | | |

| Tost Itam(s) | Unit | Limit | MDL | Test Result(s) |
|-------------------|------------|-------------|------|----------------|
| Test Item(s) | Omi | Lillit | MDL | 1-2 |
| Bisphenol A (BPA) | mg/kg | Prohibition | 0.01 | N.D. |
| Со | Conformity | | | |







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***



Test Report

Report No. : AGC05443250835-002

SAMPLE NAME : Please refer to the following page(s).

MODEL NAME : Please refer to the following page(s).

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Sep. 01, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample Received Date : Aug. 25, 2025

Testing Period : Aug. 25, 2025 to Sep. 01, 2025

Test Requested : Selected test(s) as requested by client.

| Sample Name | Model |
|----------------------------------|--------|
| Tritan Renew [™] bottle | MO6962 |
| Tritan Renew [™] bottle | MO6960 |

Approved by: Suhong living

Report No.: AGC05443250835-002

Suhongliang

Technical Director



Conclusion

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Overall Migration

Pass

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5 and Regulation (EU)

2024/3190

Pass

- Bisphenol A (BPA) content

DM-4B-COM-003-v01 for:

- Specific Migration of Organotin (measured as Tin)

Pass

DM-4B-COM-003-v01 for:

- Peroxides

Pass

DM-4B-COM-003-v01 for:

- Volatile Organic Components (VOC) content

Pass



Report Revise Record

| Report No.: AGC05443250835-002 | |
|--------------------------------|--|
|--------------------------------|--|

| Report Version | Issued Date | Valid Version | Notes |
|----------------|---------------|---------------|-----------------|
| / | Sep. 01, 2025 | Valid | Initial release |



The photo of the sample





The photo of AGC05443250835-002 is for use only with the original report.

Test Point Description

| Test point | Test point description |
|------------|------------------------|
| 1-3 | White silicone ring |



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

| Test Item(s) | Unit L | Limit | MDL | Test Result(s) |
|--------------|------------|--------|-----|----------------|
| Test tiem(s) | | LIIIII | | 1-3 |
| Lead(Pb) | mg/kg | 500 | 10 | N.D. |
| Со | Conformity | | | |

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

| Test Item(s) | Unit | Limit | MDL | Test Result(s) |
|--------------|------------|--------|-----|----------------|
| rest ttem(s) | Ollit | Lillit | MDL | 1-3 |
| Cadmium(Cd) | mg/kg | 100 | 10 | N.D. |
| Co | Conformity | | | |

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

| Test Item(s) | Unit | Limit | MDL | Test Result(s) 1-3 |
|--|------|-------|-------|--------------------|
| Diisobutyl phthalate (DIBP) CAS:84-69-5 | % | 0.1 | 0.005 | N.D. |
| Dibutyl phthalate (DBP) CAS:84-74-2 | % | 0.1 | 0.005 | N.D. |
| Butylbenzyl phthalate (BBP) CAS:85-68-7 | % | 0.1 | 0.005 | N.D. |
| Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7 | % | 0.1 | 0.005 | N.D. |
| Di-n-octyl phthalate (DNOP) CAS:117-84-0 | % | / | 0.005 | N.D. |
| Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0 | % | / | 0.005 | N.D. |



| Test Item(s) | Unit | Limit | MDL | Test Result(s) |
|---|------------|-------|-------|----------------|
| Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1 | % | / | 0.005 | N.D. |
| Sum of DIBP +DBP+BBP+DEHP | % | 0.1 | / | N.D. |
| Sum of DNOP+DINP+DIDP | % | 0.1 | / | N.D. |
| Со | Conformity | | | |

Limit requirements of Phthalates

| Toys and childcare articles | Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1% |
|--|--|
| Toys and childcare articles which can be placed in the mouth by children | The sum of DINP+DIDP+DNOP is less than 0.1% |

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

| Test Item(s) | Unit | Limit | MDL | Test Result(s) 1-3 |
|-----------------------------|----------|-------|-----|--------------------|
| Benzo[a]pyrene(BaP) | mg/kg | 1 | 0.1 | N.D. |
| | mg/kg | 1 | 0.1 | N.D. |
| Benzo[e]pyrene(BeP) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[a]anthracene(BaA) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[b]fluoranthene(BbF) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[j]fluoranthene(BjFA) | mg/kg | 1 | 0.1 | N.D. |
| Benzo[k]fluoranthene(BkF) | mg/kg | 1 | 0.1 | N.D. |
| Chrysene(CHR) | mg/kg | 1 | 0.1 | N.D. |
| Dibenzo[a,h]anthracene(DBA) | mg/kg | 1 | 0.1 | N.D. |
| Co | nclusion | | | Conformity |

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

| Items | CAS No. | Extender oils or used for the production of tyres or parts of tyres | Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity | Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity |
|---------------------|----------|---|--|---|
| | | | | , |
| Benzo[a]pyrene(BaP) | 50-32-8 | ≤ 1 | ≤1 | ≤ 0.5 |
| Benzo[e]pyrene(BeP) | 192-97-2 | / | ≤ 1 | ≤ 0.5 |



| Items | CAS No. | Extender oils or used for the production of tyres or parts of tyres | Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity | Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity |
|---|----------|---|--|---|
| Benzo[a]anthracene(BaA) | 56-55-3 | / | ≤ 1 | ≤ 0.5 |
| Benzo[b]fluoranthene(BbF) | 205-99-2 | / | ≤ 1 | ≤ 0.5 |
| Benzo[j]fluoranthene(BjFA) | 205-82-3 | / | ≤ 1 | ≤ 0.5 |
| Benzo[k]fluoranthene(BkF) | 207-08-9 | / | ≤ 1 | ≤ 0.5 |
| Chrysene(CHR) | 218-01-9 | / | ≤ 1 | ≤ 0.5 |
| Dibenzo[a,h]anthracene(DBA) | 53-70-3 | / | ≤ 1 | ≤ 0.5 |
| Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA | / | ≤ 10 | / | / |

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Overall Migration

Test Method: EN 1186-3:2022

| | | | | | Test result(s) |
|----------------|----------------|--------------------|-------|-----|---------------------------|
| Simulant Used | Test Condition | Unit | Limit | MDL | 1-3 |
| | | | | | 3 rd migration |
| 3% Acetic acid | 70℃, 2h | mg/dm ² | 10 | 5 | N.D. |
| 50% Ethanol | 70℃, 2h | mg/dm ² | 10 | 5 | N.D. |
| Conclusion | | | | | Conformity |

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5 and Regulation (EU) 2024/3190

- Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:1996 & EPA 8321B:2007; LC-MS-MS

| Test Item(s) | Unit | Limit | MDL | Test Result(s) |
|-------------------|------------|-------------|------|----------------|
| rest ttem(s) | Onit | LIIIII | MDL | 1-3 |
| Bisphenol A (BPA) | mg/kg | Prohibition | 0.01 | N.D. |
| Со | Conformity | | | |



- Specific Migration of Organotin (measured as Tin)

Test Methods and Equipment: EN 13130-1:2004; ICP-OES

| Simulant Used | Test Condition | Unit | Limit | Limit | Limit | Limit | Limit MDL | Test result(s) |
|-----------------|-----------------|-------|--------|-------|------------|-------|-----------|----------------|
| Silliulani Oseu | Test Collaition | Oilit | Lillit | MDL | 1-3 | | | |
| 3% Acetic acid | 70℃, 2h | mg/kg | 0.1 | 0.01 | N.D. | | | |
| Conclusion | | | | | Conformity | | | |

DM-4B-COM-003-v01 for:

- Peroxides

Test Methods: European Pharmacopoeia 9.0 Method 2.5.5

| Test Item(s) | Unit | Limit | MDL | Test Result(s) |
|--------------|------------|--------|------|----------------|
| rest item(s) | Onit | LIIIII | MIDL | 1-3 |
| Peroxides | % | Absent | 0.2 | N.D. |
| | Conformity | | | |

DM-4B-COM-003-v01 for:


- Volatile Organic Components (VOC) content

Test Methods: DEGCCRF2004-64

Temperature and Time: Bake at 100°C for 1h and then at 200°C for 4h

| Test Item(s) | Unit Lim | Limit MDL | | Test Result(s) |
|-----------------------------|------------|-----------|------|----------------|
| Test Item(s) | Omi | LIIIII | MIDL | 1-3 |
| Volatile Organic Components | % | 0.5 | 0.1 | 0.40 |
| Conc | Conformity | | | |


Test Flow Chart of Heavy Metal Content









Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***