



Item number MO8048-03

#### Item description

Luggage scale in ABS casing. Maximum capacity measure: 40 kg. Unit measure in kilogram or pounds. Powered by 1 cell battery included. Individual packaging in silver carton box.

Part	Component description	Position	Material	Weight Percentage
1	White plastic	Body	Polyvinyl Chloride (PVC)	54,33%
2	Black cloth	Body	Polyester (PET)	10,91%
3	Black plastic	External	Acrylonitrile Butadiene Styene (ABS)	9,10%
4	Metal plate	In the body	Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	5,45%
5	Display	External	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickle 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	5,45%
6 7	White plastic Contact plates	Body External	Polyvinyl Chloride (PVC) Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03%	3,63% 3,63%



			- Manganese 0.65%	
		In the body	- Carbon 0.17% - Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035% - Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25% - Copper 0.25%	
			- Iron 98.19%	
10 Scr	rew	In the body	Carbon Steel	1,81%
			- Carbon 0.17%	
			- Silicone 0.17% - Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
11 Her	mp rope	External	- Iron 98.19% linen fabric	0,91%
12 Spr		In the body	Carbon Steel	0,79%
	Ü	,	- Carbon 0.17%	, .,.
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Sulfur 0.035% - Nickle 0.25%	
			- Sulfur 0.035% - Nickle 0.25% - Chromium 0.25%	
			- Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25%	
			- Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	
	ansparent plastic	Body	- Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19% BROMINATED POLYSTYRENE (PS)	0,36%
	ansparent plastic ttery	Body -	- Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19% BROMINATED	0,36% <b>100,00%</b>



Part II	Component description	Position	Material	Weight Percentage
1	Stainless Steel	Battery	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	45,80%
2	Manganese dioxide	Battery	Manganese dioxide	40,00%
3	Glass fiber	Battery	Glass fiber	6,50%
4	1,2-dimethoxyethane	Battery	1,2-dimethoxyethane	2,30%
5	Lithium	Battery	Lithium	2,10%
6	Glass, oxide, chemicals	Battery	Glass, oxide, chemicals	1,30%
7	Propylene carbonate	Battery	Propylene carbonate	1,20%
8	Lithium perchlorate	Battery	Lithium perchlorate	0,80%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, <u>PET</u> , RPET, <u>PS</u> , PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, <u>PVC</u> , TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material   ⊠Yes	□No
----------------------------------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

#### End of life suggestion

















#### Trademarks of material

\_

#### Fulfilled technical standard



-

**Packaging and Transport** 

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	50	Υ	-	Each in bubble bag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO8048-05

#### Item description

Luggage scale in ABS casing. Maximum capacity measure: 40 kg. Unit measure in kilogram or pounds. Powered by 1 cell battery included. Individual packaging in silver carton box.

Part	Component description	Position	Material	Weight Percentage
1	White plastic	Body	Polyvinyl Chloride (PVC)	54,33%
2	Black cloth	Body	Polyester (PET)	10,91%
3	Black plastic	External	Acrylonitrile Butadiene Styene (ABS)	9,10%
4	Metal plate	In the body	Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	5,45%
5	Display	External	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickle 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	5,45%
6	White plastic	Body	Polyvinyl Chloride (PVC)	3,63%
7	Contact plates	External	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03%	3,63%



- Chromium 16% - Nitrogen 0,25% - Iron 73.51%  8 Spring In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0,25% - Cropper 0,25% - Iron 98.19%  9 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Sulfur 0.035% - Sulfur 0.035% - Iron 98.19% - Chromium 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19% - Carbon 0.17% - Silicone 0.17%
- Iron 73.51%  Spring  In the body  Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  Screw  In the body  Carbon Steel - Carbon 0.17% - Silicone 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  Screw  In the body  Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Phosphorus 0.035%
8 Spring In the body Carbon Steel . 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Suffur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Suffur 0.035% - Nickle 0.25% - Chromium 0.25% - Chromium 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Suffur 0.035% - Nickle 0.25% - Chromium 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19% - Carbon 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  9 Screw In the body Carbon Steel - Carbon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Phosphorus 0.035% - Sulfur 0.035% - Phosphorus 0.035% - Phosphorus 0.035%
- Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Sulfur 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  9 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  9 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Nickle 0.25% - Chromium 0.255% - Copper 0.25% - Iron 98.19%  Screw  In the body  Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  Screw  In the body  Carbon Steel - Carbon O.17% - Silicone 0.17% - Silicone 0.17% - Iron 98.19%  Carbon O.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Manganese 0.65% - Phosphorus 0.035%
- Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  9 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  9 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Chromium 0.25% - Copper 0.25% - Iron 98.19%  9
- Copper 0.25% - Iron 98.19%  9
- Iron 98.19%  9
9 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw  In the body  Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Chromium 0.25% - Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Copper 0.25% - Iron 98.19%  10 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Iron 98.19%  10 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
10 Screw In the body Carbon Steel 1,8 - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035%
- Manganese 0.65% - Phosphorus 0.035%
- Phosphorus 0.035%
- Nickle 0.25%
- Chromium 0.25%
- Copper 0.25%
- Iron 98.19%
11 Hemp rope External linen fabric 0,9
12 Spring In the body Carbon Steel 0,7
- Carbon 0.17%
- Silicone 0.17%
- Manganese 0.65%
- Phosphorus 0.035%
- Sulfur 0.035%
- Nickle 0.25%
- Chromium 0.25%
- Copper 0.25%
- Iron 98.19%
13 Transparent plastic Body BROMINATED 0,3 POLYSTYRENE
Transparent plastic Body BROMINATED 0,3



Part II	Component description	Position	Material	Weight Percentage
1	Stainless Steel	Battery	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	45,80%
2	Manganese dioxide	Battery	Manganese dioxide	40,00%
3	Glass fiber	Battery	Glass fiber	6,50%
4	1,2-dimethoxyethane	Battery	1,2-dimethoxyethane	2,30%
5	Lithium	Battery	Lithium	2,10%
6	Glass, oxide, chemicals	Battery	Glass, oxide, chemicals	1,30%
7	Propylene carbonate	Battery	Propylene carbonate	1,20%
8	Lithium perchlorate	Battery	Lithium perchlorate	0,80%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	⊠Yes	□No
---------------------------	------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

## End of life suggestion

















#### Trademarks of material

-

### Fulfilled technical standard



-

**Packaging and Transport** 

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	50	Υ	-	Each in bubble bag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO8048-06

#### Item description

Luggage scale in ABS casing. Maximum capacity measure: 40 kg. Unit measure in kilogram or pounds. Powered by 1 cell battery included. Individual packaging in silver carton box.

Part	Component description	Position	Material	Weight Percentage
1	White plastic	Body	Polyvinyl Chloride (PVC)	54,33%
2	Black cloth	Body	Polyester (PET)	10,91%
3	Black plastic	External	Acrylonitrile Butadiene Styene (ABS)	9,10%
4	Metal plate	In the body	Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	5,45%
5	Display	External	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickle 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	5,45%
6 7	White plastic Contact plates	Body External	Polyvinyl Chloride (PVC) Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03%	3,63% 3,63%



			- Nickle 3.5%	
			- Chromium 16%	
			- Nitrogen 0.25%	
0	Consing	la tha hadu	- Iron 73.51%	4.000/
8	Spring	In the body	Carbon Steel	1,82%
			- Carbon 0.17%	
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
0	0	La da a la ada	- Iron 98.19%	4.040/
9	Screw	In the body	Carbon Steel - Carbon 0.17%	1,81%
			- Silicone 0.17%	
			- Manganese 0.65% - Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Sulful 0.035% - Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
			- Iron 98.19%	
10	Screw	In the body	Carbon Steel	1,81%
10	OCIEW	III the body	- Carbon 0.17%	1,0170
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
			- Iron 98.19%	
11	Hemp rope	External	linen fabric	0,91%
12	Spring	In the body	Carbon Steel	0,79%
			- Carbon 0.17%	
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
			- Iron 98.19%	
13	Transparent plastic	Body	BROMINATED POLYSTYRENE	0,36%
14	Battery	-	See Part II	!Unexpected End of Formula
			Total	100,00%



Part II	Component description	Position	Material	Weight Percentage
1	Stainless Steel	Battery	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	45,80%
2	Manganese dioxide	Battery	Manganese dioxide	40,00%
3	Glass fiber	Battery	Glass fiber	6,50%
4	1,2-dimethoxyethane	Battery	1,2-dimethoxyethane	2,30%
5	Lithium	Battery	Lithium	2,10%
6	Glass, oxide, chemicals	Battery	Glass, oxide, chemicals	1,30%
7	Propylene carbonate	Battery	Propylene carbonate	1,20%
8	Lithium perchlorate	Battery	Lithium perchlorate	0,80%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

#### End of life suggestion

















#### Trademarks of material

•

### Fulfilled technical standard



-

**Packaging and Transport** 

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	50	Υ	-	Each in bubble bag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO8048-16

#### Item description

Luggage scale in ABS casing. Maximum capacity measure: 40 kg. Unit measure in kilogram or pounds. Powered by 1 cell battery included. Individual packaging in silver carton box.

Part	Component description	Position	Material	Weight Percentage
1	White plastic	Body	Polyvinyl Chloride (PVC)	54,33%
2	Black cloth	Body	Polyester (PET)	10,91%
3	Black plastic	External	Acrylonitrile Butadiene Styene (ABS)	9,10%
4	Metal plate	In the body	Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	5,45%
5	Display	External	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickle 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	5,45%
6 7	White plastic Contact plates	Body External	Polyvinyl Chloride (PVC) Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03%	3,63% 3,63%



			- Nickle 3.5%	
			- Chromium 16%	
			- Nitrogen 0.25%	
0	Consing	la tha hadu	- Iron 73.51%	4.000/
8	Spring	In the body	Carbon Steel	1,82%
			- Carbon 0.17%	
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
0	0	La da a la ada	- Iron 98.19%	4.040/
9	Screw	In the body	Carbon Steel - Carbon 0.17%	1,81%
			- Silicone 0.17%	
			- Manganese 0.65% - Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Sulful 0.035% - Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
			- Iron 98.19%	
10	Screw	In the body	Carbon Steel	1,81%
10	OCIEW	III the body	- Carbon 0.17%	1,0170
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
			- Iron 98.19%	
11	Hemp rope	External	linen fabric	0,91%
12	Spring	In the body	Carbon Steel	0,79%
			- Carbon 0.17%	
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
			- Iron 98.19%	
13	Transparent plastic	Body	BROMINATED POLYSTYRENE	0,36%
14	Battery	-	See Part II	!Unexpected End of Formula
			Total	100,00%



Part II	Component description	Position	Material	Weight Percentage
1	Stainless Steel	Battery	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	45,80%
2	Manganese dioxide	Battery	Manganese dioxide	40,00%
3	Glass fiber	Battery	Glass fiber	6,50%
4	1,2-dimethoxyethane	Battery	1,2-dimethoxyethane	2,30%
5	Lithium	Battery	Lithium	2,10%
6	Glass, oxide, chemicals	Battery	Glass, oxide, chemicals	1,30%
7	Propylene carbonate	Battery	Propylene carbonate	1,20%
8	Lithium perchlorate	Battery	Lithium perchlorate	0,80%
			Total	100,00%

Material information	Petrochemical	Petrochemical Partly Biobased	
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recycled material	Recycled material Natural material	
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

#### End of life suggestion

















#### Trademarks of material

•

### Fulfilled technical standard



-

**Packaging and Transport** 

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	50	Υ	-	Each in bubble bag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela





Item number MO8048-37

#### Item description

Luggage scale in ABS casing. Maximum capacity measure: 40 kg. Unit measure in kilogram or pounds. Powered by 1 cell battery included. Individual packaging in silver carton box.

Part	Component description	Position	Material	Weight Percentage
1	White plastic	Body	Polyvinyl Chloride (PVC)	54,33%
2	Black cloth	Body	Polyester (PET)	10,91%
3	Black plastic	External	Acrylonitrile Butadiene Styene (ABS)	9,10%
4	Metal plate	In the body	Carbon Steel - Carbon 0.17% - Silicone 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickle 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	5,45%
5	Display	External	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickle 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	5,45%
6 7	White plastic Contact plates	Body External	Polyvinyl Chloride (PVC) Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03%	3,63% 3,63%



			NI 11 0 504	
			- Nickle 3.5%	
			- Chromium 16%	
			- Nitrogen 0.25% - Iron 73.51%	
8	Caring	In the body	Carbon Steel	1,82%
0	Spring	in the body	- Carbon 0.17%	1,0270
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035% - Sulfur 0.035%	
			- Sullul 0.035% - Nickle 0.25%	
			- Nickie 0.25% - Chromium 0.25%	
			- Copper 0.25%	
0			- Iron 98.19%	4.040/
9	Screw	In the body	Carbon Steel	1,81%
			- Carbon 0.17%	
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
4.0			- Iron 98.19%	4.040/
10	Screw	In the body	Carbon Steel	1,81%
			- Carbon 0.17%	
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
4.4		- · ·	- Iron 98.19%	0.0404
11	Hemp rope	External	linen fabric	0,91%
12	Spring	In the body	Carbon Steel	0,79%
			- Carbon 0.17%	
			- Silicone 0.17%	
			- Manganese 0.65%	
			- Phosphorus 0.035%	
			- Sulfur 0.035%	
			- Nickle 0.25%	
			- Chromium 0.25%	
			- Copper 0.25%	
12	Transparent plantin	Dodu	- Iron 98.19%	0.000/
13	Transparent plastic	Body	BROMINATED POLYSTYRENE	0,36%
14	Battery	-	See Part II	!Unexpected End
	,			of Formula
			Total	100,00%



Part II	Component description	Position	Material	Weight Percentage
1	Stainless Steel	Battery	Stainless Steel 201 - Carbon 0.15% - Silicone 1% - Manganese 5.5% - Phosphorus 0.06% - Sulfur 0.03% - Nickel 3.5% - Chromium 16% - Nitrogen 0.25% - Iron 73.51%	45,80%
2	Manganese dioxide	Battery	Manganese dioxide	40,00%
3	Glass fiber	Battery	Glass fiber	6,50%
4	1,2-dimethoxyethane	Battery	1,2-dimethoxyethane	2,30%
5	Lithium	Battery	Lithium	2,10%
6	Glass, oxide, chemicals	Battery	Glass, oxide, chemicals	1,30%
7	Propylene carbonate	Battery	Propylene carbonate	1,20%
8	Lithium perchlorate	Battery	Lithium perchlorate	0,80%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material ⊠Yes	□No
--------------------------------	-----

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

## End of life suggestion

















#### **Trademarks of material**

-

### Fulfilled technical standard



-

**Packaging and Transport** 

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	25	50	Υ	-	Each in bubble bag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela