

TEST REPORT

 Report No.
 :
 WTF22F09190480C

 Applicant
 :
 Mid Ocean Brands B.V.

Kowloon, Hong Kong

Manufacturer.....: 111587

Sample Name: Neoprene laptop pouch

Sample Model : MO8331

Test Requested : 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries

63 (EC) No. 1907/2006 and the amendment No.

836/2012 and (EU) 2015/628

2) Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU)

2016/217

 Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No.

2018/2005

4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).

5) As requested by the applicant, to test Colour Fastness to

Rubbing in the submitted sample.

Test Conclusion : Refer to next page (s)

Date of Receipt sample : 2022-09-20

Testing period.....: 2022-09-20 to 2022-09-27

Date of Issue : 2022-09-28

Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of

Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd.

http://www.waltek.com.cn

1/8

WT-F-510-3003-05-A





Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item | LOQ | Results (mg/kg) | | | | Limit |
|------------|---------|-----------------|------|------|------|---------|
| | (mg/kg) | No.1 | No.2 | No.3 | No.4 | (mg/kg) |
| Lead(Pb) | 2 11 | ND | ND | ND | ND | 500 |
| Conclusion | A - A | Pass | Pass | Pass | Pass | |

| Test Item | LOQ | in with the | Results (mg/kg) | + 2+ 26 | Limit |
|------------|---------|-------------|-----------------|---------|---------|
| | (mg/kg) | No.5 | No.6 | No.7 | (mg/kg) |
| Lead(Pb) | 2 | ND | ND | 41 | 500 |
| Conclusion | £ 14-14 | Pass | Pass | Pass | 14. 14. |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item | LOQ | Results (mg/kg) | | | |
|-------------|----------|-----------------|-------|------|--|
| | (mg/kg) | No.1 | No.2 | No.3 | |
| Cadmium(Cd) | 2 | ND ST | MD MD | ND | |
| Conclusion | Thr Thr. | Pass | Pass | Pass | |

| Test Item | LOQ | | Results (mg/kg) | |
|-------------|---------|---------------|-----------------|------|
| | (mg/kg) | No.4 | No.5 | No.6 |
| Cadmium(Cd) | 2 | ND CONTRACTOR | ND V | ND |
| Conclusion | - m m | Pass | Pass | Pass |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

| Category | Limit (mg/kg) |
|-----------------------------------------------|---------------|
| Wet paint | 100 |
| Surface coating | 1000 |
| Plastic | 100 |
| Metal parts of jewellery and hair accessories | 100 |



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

| Test Items | LOQ (%) | Results (%) No.4 | Limit (%) |
|--------------------------------------|--------------|------------------------|-------------------------------|
| Benzyl butyl phthalate (BBP) | 0.005 | ND | SLITER WITER WITER W |
| Di (2-ethyl hexyl)- phthalate (DEHP) | 0.005 | un ND | sum of four |
| Dibutyl phthalate (DBP) | 0.005 | ND ND | phthalates < 0.1 |
| Diisobutyl phthalate (DIBP) | 0.005 | ND | H WITH WITH WITH |
| Diisodecyl phthalate (DIDP) | 0.01 | ND | A SH SH |
| Diisononyl phthalate (DINP) | 0.01 | ND ND | sum of three phthalates < 0.1 |
| Di-n-octyl phthalate (DNOP) | 0.005 | ND | primalates < 0.1 |
| Conclusion | et with diff | Pass | ing the the |

Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DBP= Benzyl butyl phthalate
DIDP= Di-isodecyl phthalate
DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

| No. | Amines Substances | CAS No. | Limit | Result (mg/kg) | |
|-----|-------------------------------------------|----------|---------|----------------|-------|
| NO. | Ammes Substances | | (mg/kg) | No.1 | No.3 |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND | ND |
| 2 | Benzidine | 92-87-5 | 30 | ND | ND |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND | ND |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND | ND |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND | ND |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND | ₩D ND |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND | ND ND |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND | ND |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND | ND |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND ND | ND |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND | ND |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND | ND |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND | ND |
| 14 | p-cresinin | 120-71-8 | 30 | ND | ND |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND | ND |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND (III | ND |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND | ND |
| 18 | o-Toluidine | 95-53-4 | 30 | MD M | ND |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND A | ND |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND | ND |
| 21 | o-anisidine | 90-04-0 | 30 | ND O | ND |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND | ND |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | - ND | ND |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | MD M | ND |
| E | Conclusion | - | * - * | Pass | Pass |

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006



5) Colour Fastness to Rubbing

| Colour Fastness to Rubbing | | | | | |
|----------------------------|-----------------------------|-----------------------|------|----------------|--|
| (ISO 105-X1 | 2: 2016; Size of rubbing fi | nger: 16mm diameter.) | | at let | |
| are an | 21/2 21/2 21 | No.1 | No.3 | Client's Limit | |
| Length | Dry staining | 4 | 4-5 | 2-3 | |
| | Wet staining | 4 | 4-5 | 2-3 | |
| Width | Dry staining | A 40 50 | 4-5 | 2-3 | |
| | Wet staining | m 4 m | 4-5 | 2-3 | |
| Conclusion | 1/1 /2, 2, | Pass | Pass | "hr "hr. | |


Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:

| Specimen No. | Specimen Description | | |
|----------------------------|----------------------------|--|--|
| 1 1 1 | Black main fabric | | |
| anti anti 2 anti anti anti | Black fabric rim | | |
| the the 3 the of the | Black webbing | | |
| 4 | Black plastic buckle | | |
| Life unit of the off | Black zipper fabric | | |
| A 64 11 11 11 | Black plastic zipper tooth | | |
| 7 | Silvery metal zipper head | | |

Photograph of parts tested:





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

