

# **RoHS Test Report**

Report No. : AGC05443240721-001S1

**SAMPLE NAME** : Flat power bank

MODEL NAME : MO8735

**APPLICANT**: MID OCEAN BRANDS B.V.

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Nov. 15, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Report No.: AGC05443240721-001S1 MID OCEAN BRANDS B.V.

Address 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. Test Site

6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

## Report on the submitted sample(s) said to be:

Sample Name Flat power bank

Model MO8735 Vendor code: 114538 Country of Origin **CHINA** Country of Destination **EUROPE** 

Sample Received Date Jul. 19, 2024(Test point:1 to 38)

Nov. 12, 2024 (Test point:39 to 43)

**Testing Period** Jul. 19, 2024 to Jul. 25, 2024(Test point:1 to 38)

Nov. 12, 2024 to Nov. 13, 2024(Test point:39 to 43)

Test Requested Selected test(s) as requested by client.

**Test Requested:** Conclusion

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Pass

Approved by: Len


Suhongliang, Leon

**Technical Director** 




## Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Jul. 26, 2024	Invalid	Initial release
S1	Nov. 15, 2024	Valid	Add test







The photo of the sample





AGC®

Report No.: AGC05443240721-001S1

























The photo of AGC05443240721-001S1 is for use only with the original report.

## **Test Point Description**

Test point	Test module	Test parts	Test point description
Power Bank	Model: MO8735		
1			Black coating
2		Outer shell	Silver metal shell
3		_	White plastic strip
4		Tl	Black thermistor
5		Thermistor	Enameled wire
6			IC body
7		IC	Metal pin
8			Solder at the pins
9		V avy avvitale	Black plastic button
10		Key switch	White plastic button holder
11	Circuit board		Micro metal interface
12		Micro USB interface	Black plastic socket
13			Metal pin
14		USB interface	USB metal interface
15			White plastic socket
16			Metal pin
17			Solder
18			Green PCB board
19			White plastic stand
20		Dottomy	Black adhesive foam
21		Battery	Tan tape
Wire rod			
22			USB metal plug
23			White plastic plug
24		USB plug	Metal pin
25			Solder
26			White handle
27		Micro USB interface	Micro Metal plug



		1te port 110.: 110 0 02 1132 10721 00121			
		Black plastic plug			
		Metal pin			
		Solder			
		White handle			
		Red wire jacket			
	Wire rod	Black wire jacket			
		White outer wire jacket			
Difference					
		Metal casing with blue plating			
		Metal casing with red plating			
		Metal casing with silver plating			
		Metal casing with gray plating			
		Metal casing with blue plating			
		Metal casing with red plating			
		Metal casing with silver plating			
		Metal casing with black plating			
		Metal casing with gray plating			

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

## 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

# - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method	-		
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015/ UV-Vis	0.1 μg/cm <sup>2</sup>	/
-Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)		50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)		50mg/kg	1000mg/kg



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Report No.: AGC0 Wet Chemistry Method mg/kg	Conclusion
	I	Pb	BL	/	
	(	Cd	BL	/	
		Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
1	Br	PBBs PBDEs	BL	/	Conformity
	Dl	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	DE	EHP	N/A	N.D.	
	I	<b>P</b> b	BL	/	
		Cd	BL	/	
	ŀ	Ig	BL	/	
		Cr <sup>6+</sup> )	BL	/	
2	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
3	Br	PBBs PBDEs	BL	/	Conformity
	DIBP DBP		N/A	N.D.	
			N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd Cd	BL	/	
	Hg		BL	/	
<u> </u>		Cr <sup>6+</sup> )	IN	N.D.	
4	Br	PBBs PBDEs	BL	/	Conformity
-	Di	BP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
<u> </u>		EHP	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	P	'b	BL	/	
	(	Cd	BL	/	
	H	lg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
5	Br	PBBs	BL	/	Conformity
_	DI	PBDEs BP	N/A	N.D.	
_		BP	N/A	N.D.	
_		BP	N/A	N.D.	
_		HP	N/A N/A	N.D.	
_		<u>b</u>	BL	/	
-		Zd Lo	BL	/	
_		<u>Ig</u>	BL	/	
_	Cr(C	Cr <sup>6+</sup> )	BL	/	
6	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
7	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
		BP	N/A	/	
_		BP	N/A	/	
		HP	N/A	/	
		'b	BL	/	
		Cd	BL	/	
_	Hg		BL	/	
		$\operatorname{Cr}^{6+}$ )	BL	/	
8	Br	PBBs PBDEs	N/A	/	Conformity
-	DI	BP PBDES	N/A	/	
-		BP	N/A	/	
-		BP	N/A N/A	/	
		CHP	N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Report No.: AGC0 Wet Chemistry Method mg/kg	Conclusion
	I	Pb	BL	/	
	(	Cd	BL	/	
		łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
9	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	DI	ЕНР	N/A	N.D.	
	J	Pb	BL	/	
		Cd	BL	/	
	I	łg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
10		PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
11	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
	DBP		N/A	/	
		BP	N/A	/	
	DEHP		N/A	/	
		Pb	BL	,	
		Cd	BL	/	
		<del>I</del> g	BL	/	
		Cr <sup>6+</sup> )	BL	/	
12	Br	PBBs PBDEs	BL	/	Conformity
<del> -</del>	D)	l.	NT/A	*	
<u> </u>		IBP DD	N/A	N.D.	
<u> </u>		BP	N/A	N.D.	
_		BP EHP	N/A N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	P	b	IN	N.D.	
	C	Cd Cd	BL	/	
		Ig	BL	/	
	Cr(C	Cr <sup>6+</sup> )	BL	/	
13	Br	PBBs PBDEs	N/A	/	Conformity
	DI	BP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		НР	N/A	/	
	P	b	BL	/	
	(	Cd	BL	/	
	E	lg	BL	/	
		$Cr^{6+}$ )	BL	/	
1.4		PBBs	27/4	/	
14	Br	PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DE	НР	N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Нд		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
15	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	DBP		N/A	N.D.	
	Bl	BP	N/A	N.D.	
	DEHP		N/A	N.D.	
	P	b	BL	/	
	C	Cd	BL	/	
	I.	[g	BL	/	
	Cr(C	Cr <sup>6+</sup> )	BL	/	
16	Br PBBs PBDEs		N/A	/	Conformity
	DI	BP	N/A	/	
		BP	N/A	/	
<u> </u>		BP	N/A	/	
		CHP	N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry  Method  mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cro	$(Cr^{6+})$	BL	/	
17	Br	PBBs PBDEs	N/A	/	Conformity
	D	OIBP	N/A	/	
		)BP	N/A	/	
		BBP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		<u>са</u> Нg	BL	/	
-		(Cr <sup>6+</sup> )	BL	/	
-	CI	PBBs	DL	/	
18	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
19	Br	PBBs PBDEs	BL	/	Conformity
	D	DIBP	N/A	N.D.	
		DBP	N/A	N.D.	
		BBP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
-		$(\operatorname{Cr}^{6+})$	BL	/	
20	Br PBBs PBDEs		BL	/	Conformity
				/	Comorning
<u> </u>		IBP	N/A	N.D.	
		OBP	N/A	N.D.	
Ĺ		BBP	N/A	N.D.	
	D	EHP	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Report No.: AGC0 Wet Chemistry Method mg/kg	Conclusion
	I	Pb	BL	/	
	(	Cd	BL	/	
		Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	IN	N.D.	
21	Br	PBBs PBDEs	BL	/	Conformity
_	Dl	BP	N/A	N.D.	
		BP	N/A	N.D.	
_		BP	N/A	N.D.	
_		ЕНР	N/A	N.D.	
		Pb	BL	/	
		Cd Cd	BL	/	
		Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
22	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
-	DBP		N/A	/	
-	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
23	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
-		Cd Cd	BL	/	
	Hg		BL	/	
		Cr <sup>6+</sup> )	BL	/	
24	Br	PBBs PBDEs	N/A	/	Conformity
-	ות	l.	NI/A	/	
-		BP	N/A	/	
-		BP DD	N/A	/	
-		BP EHP	N/A N/A	/	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	]	Pb	BL	/	
	(	Cd	BL	/	
		Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
25		PBBs	NT/A	/	C :
25	Br	PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
	D	BP	N/A	/	
	В	BP	N/A	/	
	DI	ЕНР	N/A	/	
	]	Pb	BL	/	
	(	Cd	BL	/	
	I	Нg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
26	ъ	PBBs	DI	/	Conformity
26	Br	PBDEs	BL	/	
	DIBP		N/A	N.D.	
-	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
-	$Cr(Cr^{6+})$		IN	N.D.	
27	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
-		Hg	BL	/	
		Cr <sup>6+</sup> )	IN	N.D.	
28	Br	PBBs PBDEs	BL	/	Conformity
-	D	IBP	N/A	N.D.	
-		BP	N/A	N.D.	
-		BP	N/A	N.D.	
		EHP	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	P	b	BL	/	
	C	Cd Cd	BL	/	
		Ig	BL	/	
	Cr(0	Cr <sup>6+</sup> )	BL	/	
29	Br	PBBs	N/A	/	Conformity
		PBDEs		/	
		BP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		CHP	N/A	/	
		b	BL	/	
	C	Cd Cd	BL	/	
		[g	BL	/	
	Cr(C	$Cr^{6+}$ )	BL	/	
30	Br	PBBs PBDEs	N/A	/	Conformity
-	DIBP		N/A	/	
-	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
			BL	/	
-	Pb Cd		BL	/	
-			BL	/	
-	Hg Cr(Cr <sup>6+</sup> )		BL	/	-
31	Br	PBBs	BL	/	Conformity
_	PBDEs DIBP		N/A	N.D.	
_					
_		BP	N/A	N.D.	
-	BBP DEHP		N/A	N.D.	
			N/A	N.D.	
		<u>'b</u>	BL	/	
_		Cd .	BL	/	
	Hg		BL	/	
_	Cr(C	$Cr^{6+}$	BL	/	
32	$ Br \qquad \frac{PBBs}{PBDEs} $	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
		BP	N/A	N.D.	
		СНР	N/A	N.D.	



Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry  Method  mg/kg	Conclusion
Pb		BL	/	
Cd Hg		BL	/	
		BL	/	
		BL	/	
Br	PBBs	BL	/	Conformity
	l .	N/A	,	
			/	-
			/	1
			/	-
Cr(	`	BL	/	
Br	PBBs	BL	/	Conformity
DIBP		N/A	N.D.	
DBP		N/A	N.D.	
BBP		N/A	N.D.	
D.	ЕНР	N/A	N.D.	
	Pb	BL	/	
(	Cd	BL	/	
		BL	/	
Cr(	$(Cr^{6+})$	BL	/	
Br	PBBs	N/A	/	Conformity
		N/A	/	•
			/	
			/	-
			/	
			/	
				1
			/	1
			/	1
PRRs			/	4
Kr —		- N/A	/	Conformity
		N/A	/	
			/	
			/	1
DEHP		N/A		-
	Cr( Br  D  Cr( Br	$ \begin{array}{c c} & \qquad $	Test Item         Spectrometry (XRF) mg/kg           Pb         BL           Cd         BL           BL         BL           Cr(Cr <sup>6+</sup> )         BL           Br         PBBs PBBs PBL           PBDEs         PN/A           DBP         N/A           BBP         N/A           DEHP         N/A           Pb         BL           Cd         BL           Hg         BL           Cr(Cr <sup>6+</sup> )         BL           BBP         N/A           DBP         N/A           DBP         N/A           DBP         N/A           BBP         N/A           DEHP         N/A           BBP         N/A           BL         BL           Cd         BL           BBP         N/A           DBP         N/A           DBP	Note



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	Cd		BL	/	
	H		BL	/	
	Cr(0	Cr <sup>6+</sup> )	BL	/	
27	PRRs			/	
37	Br	PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
20	Br -	PBBs	N/A	/	G 6 :
38		PBDEs		/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Report No.: AGC0 Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	(	Cd	BL	/	
		Hg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
39	Br	PBBs // PBDEs //	/	Conformity	
	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		ЕНР	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
		Cr <sup>6+</sup> )	BL	/	
40	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
41	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP DBP BBP		N/A	/	
			N/A	/	
			N/A	/	
	DEHP		N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
42	Cr(Cr <sup>6+</sup> )		BL	/	
	Br	PBBs	N/A	/	Conformity
<u> </u>	PBDEs		NT/A	/	
_	DIBP		N/A	/	
	DBP		N/A	/	
_	BBP DEHP		N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	]	Pb	BL	/	
	(	Cd	BL	/	
	I	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
43	D.,	PBBs	N/A	/	Conformity
43	Br PBDEs	PBDEs	IV/A	/	Conformity
	DIBP DBP BBP DEHP		N/A	/	
			N/A	/	
			N/A	/	
			N/A	/	

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

### Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) Boiling-water-extraction:(X represents the results of the tested sample)

Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X < 0.1 \mu g/cm^2$	Negative
2	$0.1 \mu \text{g/cm}^2 \leq X \leq 0.13 \mu \text{g/cm}^2$	Uncertainty
3	$X > 0.13 \mu g/cm^2$	Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status




of the sample at the time of testing.


(5) This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.


#### **Test Flow Chart of XRF**



## **Test Flow Chart of Phthalates**





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






# Test Flow Chart of Hexavalent Chromium (Cr6+)









# Test Flow Chart of Hexavalent Chromium (Cr6+)







# Test Flow Chart of Lead, Cadmium and Mercury



These sample were dissolved totally by pre-conditioning method according to above flow chart



# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*