Report No.: SIT250314161303

Applicant : Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Manufacturer's name : 114628

Report on the submitted samples said to be:

Sample Name : Wireless USB Mouse

Trade Mark : N/A

Tested Style No. : MO8827

Series models : N/A

Sample reception time : March 14, 2025

Testing Period : March 14, 2025 ~ March 25, 2025

Test request : Polycyclic Aromatic Hydrocarbons (PAHs) Content

Test method : Please refer to next page(s).

SUMMARY

Test Item	Test conclusion
1. Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) contentin submitted	
sample in accordance with Entries 50 of Annex XVII Of REACH Regulation (EC) No 1907/2006	PASS
and its amendment Regulation (EU) No1272/2013.	*)

Tested By

Date:

Checked By

Date:

2025/03/25

2025/03/25

Date:

Approved By



Report No.: SIT250314161303

1. Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) contentin submitted sample in accordance with Entries 50 of Annex XVII Of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No1272/2013.

Test method: AFPS GS 2019:01PAK-Testing and Validation of Polycyclic Aromatic Hydrocarbons (PAHs) in the course of GS-Mark Certification.

Specimen Description

Test Item	Sample Description			C.
01	Black plastic shell	(6)	6	(5)
02	Balck plastic wheel			
03	Black plastic base shell			
04	Transparent plastic part		(3)	(3)

Note: Only rubber and plastic parts that come into direct and repeated contact with the human body for long or short periods of time are tested.



Report No.: SIT250314161303

						15
Test Item	CAS No.	Result (mg/kg)			MDL	
		1	2	3	4	
Naphthalene	91-20-3	N.D.	N.D.	N.D.	N.D.	0.5
Acenaphthylene	208-96-8	N.D.	N.D.	N.D.	N.D.	0.5
Acenaphthene	83-32-9	N.D.	N.D.	N.D.	N.D.	0.5
Fluorene	86-73-7	N.D.	N.D.	N.D.	N.D.	0.5
Phenanthrene	85-01-8	N.D.	N.D.	N.D.	N.D.	0.5
Anthracene	120-12-7	N.D.	N.D.	N.D.	N.D.	0.5
Fluoranthene	206-44-0	N.D.	N.D.	N.D.	N.D.	0.5
Pyrene	129-00-0	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[a]anthracene	56-55-3	N.D	N.D	N.D	N.D	0.5
Chrysene	218-01-9	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[b]fluoranthene	205-99-2	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[k]fluoranthene	207-08-9	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[a]pyrene	50-32-8	N.D.	N.D.	N.D.	N.D.	0.5
Indeno[1,2,3-cd]pyrene	193-39-5	N.D.	N.D.	N.D.	N.D.	0.5
Dibenz[a,h]anthracene	53-70-3	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[g,h,i]perylene	191-24-2	N.D.	N.D.	N.D.	N.D.	0.5
Benzo(jfluoranthene(BjF)	205-82-3	N.D.	N.D.	N.D.	N.D.	0.5
Benzolejpyrene(BeP)	192-97-2	N.D.	N.D.	N.D.	N.D.	0.5
Sum of 18 PAHs		N.D.	N.D.	N.D.	N.D.	-

Remark: mg/kg = ppm.


"N.D." = Not Detected (Below method detection limit)

Report No.: SIT250314161303

Limit:

	Category 1	Category 2	Category 3	
Parameter	Material in direct contact with food, or materials indented to be put in the mouth and toys for children aged < 36 months	Material with foreseeable contact to skin for longer than 30 seconds (long-term skin contact) and toys not covered by category 1	Material with foreseeable contact to skin up to 30 seconds (short term skin contact) or without skin contact	
Benzo[a]pyrene Not detectable (mg/kg) (< 0.2)		<0.5	<1	
Sum 18 PAH (EPA) (mg/kg)	Not detectable (< 1)	<10	<50	

Test Process for PAHs.





Report No.: SIT250314161303

TEST REPORT

The photo of the sample





*** End of Report ***



Report No.: SIT250314161303

Statement:

- 1. The test report is considered invalidated without approval signature.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of SIT, this report can't be reproduced except in full.
- The sample(s) and sample information was/were provided by the client who should be responsible for the 4. authenticity which SIT hasn't verified.





Customer	Client	Mid Ocean Brands B.V.
information	Address	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong
	Name of sample	POUCH
Sample	Test Model No.	MO8827
information Trade mark Manufacturer	Trade mark	N/A
	Manufacturer	114628
	Sample received	3
Test information	Testing date	March 14, 2025 to March 24, 2025
	Test sort	Commission Test

Summary:

Determination of Azo contentin submitted sample in accordance with Entries 43 of Annex XVII Of REACH Regulation (EC) No 1907/2006

PASS*

Tested By:

Checked By:

Approved By

Date:

2025/03/24

Date:

2025/03/24

Date:

2025/03/24



Test Report No. SIT250314160305

Page: 2 of 5

Material list

Test Item	Sample Description
01	Black cloth with waterproof layer
02	Black elastic cloth tape
03	Black selvedge cloth
04	Black velvet lining
05	Black wire net
06	Black cloth strap







Page: 3 of 5

Determination of Azo contentin submitted sample in accordance with Entries 43 of Annex XVII Of REACH Regulation (EC) No 1907/2006

Test Method I : EN ISO 14362-1:2017 **Test Method II** : ISO 17234-1:2015

Test Method III : EN ISO 14362-3:2017 (For textile)/ ISO 17234-2:2011 (For leather)

Quantification analysis by GC-MS and confirmation by LC-DAD.

Maximum Limit:	30 mg/kg	
	8 8	

	Test							
Tested Item(s)	Metho d	Detected Analyte(s)	Conc.	Unit	Limit	Conclusion		
01+02+03	I	/	ND	mg/kg	30	PASS		
04+05+06	I	/	ND	mg/kg	30	PASS		

Note.

1. ND = Not detected, ">" = Greater than, Conc. = Concentration

2. mg/kg = milligram(s) per kilogram, mg/kg = ppm = part(s) per million

3. $10\,000\,\text{mg/kg} = 1\,\%$, % = percent, Detection Limit (mg/kg)-5 each



PHOTOS OF TEST SAMPLES:










Test Report No. SIT250314160305

Page: 5 of 5







***** END OF REPORT *****





Customer	Client	Mid Ocean Brands B.V.
information	Address	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong
	Name of sample	POUCH
Sample	Test Model No.	MO8827
	Trade mark	N/A
	Manufacturer	114628
	Sample received	3
Test information	Testing date	March 14, 2025 to March 24, 2025
	Test sort	Commission Test
	(si ¹)	Summary:
Color Fastnes	s to Rubbing	PASS

Tested By:

Checked By:

Date:

2025/03/24

Date:

2025/03/24

Approved By

Date:

2025/03/24



Test Report No. SIT250314160308

Page: 2 of 4

1. MATERIAL LIST

Test Item	Sample Description
01	Black cloth with waterproof layer
02	Black selvedge cloth







2. TEST RESULT:

Color Fastness to Rubbing (ISO 105-X12: 2016)

Tostad Itam(s)	Test Result (G	Grey Scale Rating)	Client's
Tested Item(s)	1	2	requirement
Dry Rubbing (Grade)	4~5	4~5	2~3
Wet Rubbing (Grade)	4~5	4~5	2~3
Conclusion	P	-	

Remark:

Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good



3. PHOTOS OF TEST SAMPLES:







***** END OF REPORT *****



Test Report No.: SIT250314160304 Page: 1 of 8

TEST REPORT

Applicant: Mid Ocean Brands B.V.

Address: 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong

Manufacturer: 114628

Report on the submitted sample(s) said to be:

Sample Name : POUCH

Trade Mark : N/A

Tested Style No. : MO8827

Series models : N/A

Sample reception : March 14, 2025

Testing Period : March 14, 2025 ~ March 24, 2025

Test request : Polycyclic Aromatic Hydrocarbons (PAHs) Content

Test method : Please refer to next page(s).

SUMMARY

Test Item	Test conclusion
1. Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) contentin submitted sample in accordance with Entries 50 of Annex XVII Of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No1272/2013.	PASS

Tested By:

Date: 2025/03/24

Checked By:

Date: 2025/03/24

Approved By:

Date:





Page: 2 of 8

1. Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) contentin submitted sample in accordance with Entries 50 of Annex XVII Of REACHRegulation (EC) No 1907/2006 and its amendment Regulation (EU) No1272/2013.

Test method: AFPS GS 2019:01PAK-Testing and Validation of Polycyclic Aromatic Hydrocarbons (PAHs) in the course of GS-Mark Certification.

Specimen Description

Code	Specimen Name		
1	Black hard foam pad		(.3)
2	Black cloth with waterproof layer	(3)	9
3	Black elastic cloth tape		
4	Black selvedge cloth		
5	Black velvet lining	(2)	
6	Black wire net		
7	Black cloth strap		
8	Black plastic zipper		
9	Black zipper coating	(51)	(61)

Note: Only rubber and plastic parts that come into direct and repeated contact with the human body for long or short periods of time are tested.





Test Report No.: SIT250314160304

Page: 3 of 8

Test Item	CAS No.	Result (mg/kg)						MDL
		1	2	3	4	5	6	
Naphthalene	91-20-3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Acenaphthylene	208-96-8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Acenaphthene	83-32-9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Fluorene	86-73-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Phenanthrene	85-01-8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Anthracene	120-12-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Fluoranthene	206-44-0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Pyrene	129-00-0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[a]anthracene	56-55-3	N.D	N.D	N.D	N.D	N.D	N.D	0.5
Chrysene	218-01-9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[b]fluoranthene	205-99-2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[k]fluoranthene	207-08-9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[a]pyrene	50-32-8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Indeno[1,2,3- cd]pyrene	193-39-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Dibenz[a,h]anthracen e	53-70-3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Benzo[g,h,i]perylene	191-24-2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Benzo(jfluoranthene(BjF)	205-82-3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Benzolejpyrene(BeP)	192-97-2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5
Sum of 18 PAHs	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-



Test Report No.: SIT250314160304 Page: 4 of 8

Test Item	CAS No.	Result (mg/kg)				
		7	8	9	MDL	
Naphthalene	91-20-3	N.D.	N.D.	N.D.	0.5	
Acenaphthylene	208-96-8	N.D.	N.D.	N.D.	0.5	
Acenaphthene	83-32-9	N.D.	N.D.	N.D.	0.5	
Fluorene	86-73-7	N.D.	N.D.	N.D.	0.5	
Phenanthrene	85-01-8	N.D.	N.D.	N.D.	0.5	
Anthracene	120-12-7	N.D.	N.D.	N.D.	0.5	
Fluoranthene	206-44-0	N.D.	N.D.	N.D.	0.5	
Pyrene	129-00-0	N.D.	N.D.	N.D.	0.5	
Benzo[a]anthracene	56-55-3	N.D	N.D	N.D	0.5	
Chrysene	218-01-9	N.D.	N.D.	N.D.	0.5	
Benzo[b]fluoranthene	205-99-2	N.D.	N.D.	N.D.	0.5	
Benzo[k]fluoranthene	207-08-9	N.D.	N.D.	N.D.	0.5	
Benzo[a]pyrene	50-32-8	N.D.	N.D.	N.D.	0.5	
Indeno[1,2,3- cd]pyrene	193-39-5	N.D.	N.D.	N.D.	0.5	
Dibenz[a,h]anthracen e	53-70-3	N.D.	N.D.	N.D.	0.5	
Benzo[g,h,i]perylene	191-24-2	N.D.	N.D.	N.D.	0.5	
Benzo(jfluoranthene(BjF)	205-82-3	N.D.	N.D.	N.D.	0.5	
Benzolejpyrene(BeP)	192-97-2	N.D.	N.D.	N.D.	0.5	
Sum of 18 PAHs	19	N.D.	N.D.	N.D.	-	

Remark: 1) mg/kg = ppm.

2) "N.D." = Not Detected (Below method detection limit)




Test Report No.: SIT250314160304

Page: 5 of 8

Limit:

6	Category 1	Category 2	Category 3		
Parameter	Material in direct contact with food, or materials indented to be put in the mouth and toys for children aged < 36 months	Material with foreseeable contact to skin for longer than 30 seconds (long-term skin contact) and toys not covered by category 1	Material with foreseeable contact to skin up to 30 seconds (short term skin contact) or without skin contact		
Benzo[a]pyrene (mg/kg)	Not detectable (< 0.2)	<0.5	<1		
Sum 18 PAH (EPA) (mg/kg)	Not detectable (< 1)	<10	<50		

Test Process for PAHs.





Test Report No.: SIT250314160304 Page: 6 of 8

Photo of EUT








Test Report No.: SIT250314160304 Page: 7 of 8

Photo of EUT








Test Report No.: SIT250314160304

Page: 8 of 8



--End of Report-----

Statement:

- 1. The test report is considered invalidated without approval signature.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of SIT, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which SIT hasn't verified.



Report No.: SIT250314160303 Date: 2025.03.24 Page 1 of 6

Applicant : Mid Ocean Brands B.V.

7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Address : Hong Kong

Manufacturer : 114628

Report on the submitted samples said to be:

Sample Name : POUCH

Trade Mark : N/A

Style No. : MO8827

Testing Period : March 14, 2025 ~ March 24, 2025

Test sort : Please refer to next page(s).

Requested/item : Commission Test

Please see the detecting data.

TEST REQUEST	Conclusion
1. Determination of Cadmium content in the submitted sample in accordancewith REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and theamendment No.552/2009, No.494/2011, No.835/2012 and (EU) 2016/217	PASS
2. Determination of Lead content in the submitted sample in accordance withREACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and theamendment No.836/2012 and (EU) 2015/628	PASS
3. Determination of specified Phthalates content according to Annex XVII Items51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No.552/2009 & No.2018/2005	PASS

Tested By:

Checked By:

Approved By:

Date:

2025/03/24

Date:

2025/03/24

Date:



Report No.: SIT250314160303 Date: 2025.03.24 Page 2 of 6

Tested part(s):

- (1) Black hard foam pad
- (2) Black cloth with waterproof layer
- (3) Black elastic cloth tape
- (4) Black selvedge cloth
- (5) Black velvet lining
- (6) Black wire net

- (7) Black cloth strap
- (8) Black plastic zipper
- (9) Black metal zipper



Report No.: SIT250314160303 Date: 2025.03.24 Page 3 of 6

1. Determination of Cadmium content in the submitted sample in accordancewith REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and theamendment No.552/2009, No.494/2011, No.835/2012 and (EU) 2016/217.

Test Method: EN 1122:2001

Elements	Requirement	Reporting	Sample, mg/kg				
Elements	(Max.), mg/kg	Limit, mg/kg	1+2+3	4+5+6	7+8+9		
Cadmium (Cd)	100	5	<5	<5	<5		
Rating		PASS	PASS	PASS			

Remark:

- -All concentrations expressed in milligrams per kilogram of Tested Parts means less than
- -Method for determination of Cadmium (Cd) is determined by Inducti ely Coupled Plasma Spectroscopy.
- -The test results only apply to the items tested.
- 2. Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and theamendment No.836/2012 and (EU) 2015/628.

Test Method: CPSC-CH-E1001-08.3 (Metal Substrates) / CPSC-CH-E1002-08.3 Section IA & IIA (Non-Metal Substrates)

Elements	Requirement	Reporting	Sample, mg/kg					
	(Max.), mg/kg	Limit, mg/kg	1+2+3	4+5+6	7+8+9			
Lead (Pb)	500	5	<5	<5	<5			
Rating			PASS	PASS	PASS			

Remark:

- -All concentrations expressed in milligrams per kilogram of Tested Parts means less than
- -Method for determination of lead is determined by ICP-OES
- -The test results only apply to the items tested.



Report No.: SIT250314160303 Date: 2025.03.24 Page 3 of 6

3. Determination of specified Phthalates content according to Annex XVII Items51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No.552/2009 & No.2018/2005

Test method: CPSC testing method CPSC-CH-C1001-09.4, analyzed by Gas Chromatography with Mass Selective Detector.

Test No.			Phthalates		s	
Material No.		MDL (mg/kg)				
Parameter	CAS No.	Unit	1+2+3	4+5+6	7+8	(9,119)
Di ice penul phthelete(DINID)	28553-12-0	0/	N.D.	N.D.	N.D.	1000
Di-iso-nonyl phthalate(DINP)	68515-48-0	5-48-0				1000
Di-n-octyl phthalate(DNOP)	117-84-0	%	N.D.	N.D.	N.D.	1000
Di(2-ethylhexyl) phthalate(DEHP)	117-81-7	%	N.D.	N.D.	N.D.	1000
Di ica dand phthalata(DIDD)	26761-40-0	%	N.D.	N.D.	N.D.	1000
Di-iso-decyl phthalate(DIDP)	68515-49-1					1000
Benzyl butyl phthalate(BBP)	85-68-7	%	N.D.	N.D.	N.D.	1000
Dibutyl phthalate(DBP)	84-74-2	%	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate(DIBP)	84-69-5	%	N.D.	N.D.	N.D.	1000
Conclusion			PASS	PASS	PASS	

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, Building A2, The 2nd Industrial Zone of Zhu'ao, Gushu, Xixiang, Bao'an District, Shenzhen Hotline:400-6633-940 Tel: (86)-0755-29173399 Fax: (86)-0755-29179933 Http://www.sit-cert.com



Report No.: SIT250314160303 Date: 2025.03.24 Page 4 of 6

Photograph of Sample





SHENZHEN SIT TESTING TECHNOLOGY CO LTD.


Room 401, Building A2, The 2nd Industrial Zone of Zhu'ao, Gushu, Xixiang, Bao'an District, Shenzhen Hotline:400-6633-940 Tel: (86)-0755-29173399 Fax: (86)-0755-29179933 Http://www.sit-cert.com



Report No.: SIT250314160303 Date: 2025.03.24 Page 5 of 6

Photograph of Sample








Report No.: SIT250314160303 Date: 2025.03.24 Page 6 of 6

Photograph of Sample



****** End of Report *********

Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of SIT, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which SIT hasn't verified.
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.