



# **TEST REPORT**

Report No. ..... : WTF24F07179207C

Applicant .....: Mid Ocean Brands B.V.

Address ...... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha

Wan, Kowloon, Hong Kong

Manufacturer ..... 112213

Sample Name ...... Fragrance candle, Scented candle in glass

Sample Model ..... IT2873, MO9030

Test Requested..... : Refer to next page (s)

Test Method .....: Refer to next page (s)

Test Conclusion ...... : Pass (Please refer to next pages for details)

Date of Receipt sample ..... 2024-07-30

Date of Issue ...... 2024-08-07

Test Result ..... : Refer to next page (s)

#### **Prepared By:**

## Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang




WTF24F07179207C



Summary

Item No.	Test Requested	Test Conclusion
JUNIJEK JU	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass Number
2 W.C	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
uni 4 <sup>k</sup> nn	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass

# Sample photo:



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



# **Test Results:**

# 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool Ham	LOQ	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.1	No.2+No.3	(mg/kg)
Lead(Pb)	2	ND OF	ND*	500
Conclusion	ALTE MILTERAL	Pass	Pass	Jet Jet

Table Home	LOQ	Resu	ılts (mg/kg)	Limit
Test Item	(mg/kg)	No.4	No.5+No.6+No.7	(mg/kg)
Lead(Pb)	2	ND ND	ND*	500
Conclusion	incres - units un	Pass	Pass	JEK STER

Took Hom	LOQ	Results (m	Limit	
Test Item	(mg/kg)	No.8+No.9+No.13	No.10	(mg/kg)
Lead(Pb)	2	ND*	ND ND	500
Conclusion	II JULY - JULY	Pass	Pass	A TIER WITER

Tank Ham	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.11+No.12+No.15	No.14+No.16+No.17	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	LITE WILL WILL	Pass	Pass	. J. E

### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.



## 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tankliam a Liet Mill	LOQ	Results (mg/kg)		
Test Item	(mg/kg)	No.2+No.3	No.5+No.6+No.7	No.11+No.12+No.15
Cadmium(Cd)	2	ND*	ND*	ND*
Conclusion	J J.	Pass	Pass	Pass

## Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "\*" = Results are calculated by the minimum weight of mixed components.



## 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)		Limit
	(%)	No.2+No.3	No.5+No.6+No.7	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	14 14 24
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND*	sum of four phthalates < 0.1
Dibutyl phthalate (DBP)	0.005	ND*	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	me me
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	WILLER WILLER
Diisononyl phthalate (DINP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	primalates < 0.1
Conclusion	10 20	Pass	Pass	et set of

Test Items	LOQ	(%)	
	(%)	No.11+No.12+No.15	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	At The I
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	unite un ND* unit unit	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	LET TEX
Diisodecyl phthalate (DIDP)	0.01	THE NOT WITH M	The This I
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	MD* MD*	printialates < 0.1
Conclusion	- A	Pass	" nu



Note:

DINP= Di-isononyl phthalate DNOP= Di-n-octyl phthalate DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "\*" = Results are calculated by the minimum weight of mixed components.





# 4) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Table Hamail	Hait	Res	sults	100	J1 1
Test Items	Unit	No.2+No.3	No.5+No.6+No.7	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	ND*	0.2	1.0
Conclusion	write wil	Pass	Pass	d 18	

Test Items	Unit	Results No.11+No.12+No.15	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND* STEEL SELLE	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	while min	Pass	.et1	* -JE*



#### Note:


- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "\*" = Results are calculated by the minimum weight of mixed components.

## **Description for Specimen:**

Specimen No.	Specimen Description			
1	Transparent glass cup without black coating			
mile will will w	Black coating			
THE 3 THE NUMBER OF	White coating			
4	White candle wick			
Et 5.1E W	White candle			
64 54	Black candle			
m 7 m m	Orange candle			
LIFE MITEL WALTER WA	Brown paper wire			
9	Orange paper wire			
10	Silvery metal cap			
+ 11ch Ster Ster	Green candle			
12	Brown candle			
un 13 parti anti a	Green paper wire			
14	Brown paper wire			
15	Yellow candle			
16	Yellow paper wire			
17	White paper wire			



Photograph of parts tested:





## Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

