

SUSTAINABILITY DECLARATION



Item number
MO9075-03

Item description

Power bank 4000 mAh in aluminium and solar charging panel. Capacity for smartphone use, output current DC5V/1A. Includes indicating light and USB cable with micro usb plug.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Metal shell	Case	Aluminium	35,00%
2	Battery	Inside	Battery	35,00%
3	Solar panel	Inside	Solar panel	15,00%
4	PCB	Inside	PCB	10,00%
5	Plastic frame	Case	Acrylonitrile Butadiene Styrene (ABS)	5,00%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS	Glass, Basalt Stone
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble

Recyclability of material	☐ Yes	☒ No
---------------------------	------------------------------	--

Renewable source

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

-

Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	-	50	Y	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean
Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO9075-16

Item description

Power bank 4000 mAh in aluminium and solar charging panel. Capacity for smartphone use, output current DC5V/1A. Includes indicating light and USB cable with micro usb plug.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Metal shell	Case	Aluminium	35,00%
2	Battery	Inside	Battery	35,00%
3	Solar panel	Inside	Solar panel	15,00%
4	PCB	Inside	PCB	10,00%
5	Plastic frame	Case	Acrylonitrile Butadiene Styrene (ABS)	5,00%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS	Glass, Basalt Stone
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble

Recyclability of material	☐ Yes	☒ No
---------------------------	------------------------------	--

Renewable source

Recycled material	Natural material	Reused waste material
☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

-

Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	-	50	Y	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean
Mrs. P. Varela



Buying & Portfolio Director