

Test Report Report No.: GNBZ230210135EN Issue Date: 2023-02-21 Page 1 of 11

Applicant Mid Ocean Brands B.V.

Address 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong.

CHARGING CABLE Sample Name

Tested Model MO9292 Sample Receiving date 2023-02-10

Test period 2023-02-10 - 2023-02-15

Test Requirement The Restriction of the Use of Certain Hazardous Substances in Electrical

and Electronic Equipment, RoHS Directive 2011/65/EU and its amendment

Directive (EU) 2015/863.

Test Method Please refer to next page(s). Test result Please refer to next page(s).

Conclusion Based on the verification results of the submitted sample(s), the results

> of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(CrVI), Polybrominated biphenyls(PBBs), Polybrominated diphenyl ethers(PBDEs),

Dibutyl phthalate(DBP), Butyl benzyl phthalate(BBP), Di-2-ethylhexyl

phthalate(DEHP) and Di-iso-butyl phthalate(DIBP) content comply with the requirements as set by RoHS Directive 2011/65/EU and its amendment

Directive (EU) 2015/863.

The test results are related only to the tested items. Note

Authorized signature

Lab Manager: Gavin Zhou

2023-02-21



Test Report Report No.: GNBZ230210135EN

Issue Date: 2023-02-21 Page 2 of 11

A. Pb, Cd, Cr(VI), Hg, PBBs&PBDEs

Test Method:

- (1) Screening Lead, mercury, cadmium, total chromium and total bromine
 - -Ref. to IEC 62321-3-1:2013, Screening for Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry.
- (2) Wet chemical test method
 - a. Total Lead, Cadmium, Chromium and Mercury content
 - -Ref. to IEC 62321-4:2013+A1:2017, determination of Mercury in polymers, metals and electronics by ICP-OES.
 - -Ref. to IEC 62321-5:2013, determination of Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by ICP-OES.
 - b. Chromium (VI) content
 - -For Colourless and coloured corrosion-protected coatings on metals, Ref. to IEC 62321-7-1:2015, determination of presence of hexavalent chromium (Cr(VI)) in colourless and coloured corrosion-protected coatings on metals by the colorimetric method.
 - -For polymers and electronics, Ref. to IEC 62321-7-2:2017, determination of hexavalent chromium (Cr(VI)) in polymers and electronics by the colorimetric method.
 - c. PBBs, PBDEs
 - -Ref. to IEC 62321-6:2015, determination of polybrominated biphenyls and polybrominated diphenyl ethers in polymers by gas chromatograhy -mass spectrometry (GC-MS).





Report No.: GNBZ230210135EN

Issue Date: 2023-02-21 Page 3 of 11

Test result(s):

Part No.	Part Description	Results of EDXRF				Chemical confirmation	Conclusion	
rait No.	r art Description	Pb	Cd	Hg	Cr	Br	results (mg/kg)	Corrolacion
1	Silvery metal ring	BL	BL	BL	IN		Cr(VI): Negative	Pass
2-1	Transparent plastic	BL	BL	BL	BL	BL		Pass
2-2	Soldering tin	114 (BL)	BL	BL	BL			Pass
3	Black textile	BL	BL	BL	BL	BL		Pass
4	White plastic casing	BL	BL	BL	BL	BL		Pass
5	Red varnished wire	BL	BL	BL	BL			Pass
6	Golden varnished wire	BL	BL	BL	BL	1		Pass
7-1	Black coating	BL	BL	BL	BL	BL		Pass
7-2	Metal (substrate)	BL	BL	BL	BL	/		Pass
8	Silvery metal (USB)	BL	BL	BL	IN		Cr(VI): Negative	Pass
9-1	White plastic support	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
9-2	Metal (pins)	BL	BL	BL	BL			Pass
10	Soldering tin	108 (BL)	BL	BL	BL			Pass
11	Transparent plastic	BL	BL	BL	BL	BL		Pass
12	Metal (substrate)	BL	BL	BL	BL			Pass
13	Transparent plastic	BL	BL	BL	BL	BL		Pass
14	Silvery metal	BL	BL	BL	IN	4-1	Cr(VI): Negative	Pass
15	White plastic	BL	BL	BL	BL	BL		Pass
16	Silvery metal	BL	BL	BL	BL			Pass
17	Black plastic	BL	BL	BL	BL	BL		Pass
18	Soldering tin (SMD)	116 (BL)	BL	BL	BL			Pass
19	Soldering tin (wiring)	100 (BL)	BL	BL	BL			Pass
20	PCB	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
21-1	Silvery metal	BL	BL	BL	BL			Pass
21-2	White plastic support	BL	BL	BL	BL	BL		Pass
22	SMD audion	BL	BL	BL	BL	BL		Pass
23	SMD resistor	BL	BL	BL	BL	BL		Pass



Report No.: GNBZ230210135EN Issue Date: 2023-02-21 Page 4 of 11

Part No.	Part Description	Results of EDXRF				Chemical confirmation	Conclusion	
		Pb	Cd	Hg	Cr	Br	results (mg/kg)	Conclusion
24	SMD capacitor	BL	BL	BL	BL	BL		Pass
25	SMD IC	BL	BL	BL	BL	BL		Pass
26	Soldering tin (SMD)	230 (BL)	BL	BL	BL			Pass
27	Soldering tin (wiring)	170 (BL)	BL	BL	BL			Pass
28	РСВ	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
29	Silvery coating	BL	BL	BL	BL	BL		Pass
30	Silvery textile	BL	BL	BL	BL	BL		Pass
31	Blue coating	BL	BL	BL	BL	BL		Pass
32	Blue textile	BL	BL	BL	BL	BL		Pass

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part (entire copy is excepted).

> Tel.: +86-574-89201291 www.gig-lab.com www.gigqc.com



Test Report Report No.: GNBZ230210135EN Issue Date: 2023-02-21 Page 5 of 11

Remark:

- $(^1)$ "---" = Not Applicable;
- (^2) (a) It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
 - (b) The XRF screening test for RoHS elements-The reading may be different to the actual content in the sample be of non-uniformity composition.
 - (c) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS (for Cr(VI)) and GC/MSD (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warming value according to IEC 62321-3-1: 2013.

Attached table 1, XRF screening limits in mg/kg for regulated elements in various matrices:

Element	Polymer Materials	Metallic Materials	Electronics
Cd	BL≤(70-3σ)< X	BL≤(70-3σ)< X	LOD< X
	< (130+3σ) ≤OL	< (130+3σ) ≤OL	< (250+3σ) ≤OL
Pb	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Hg	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Br	BL≤(300-3σ)< X	N.A.	BL≤(250-3σ)< X
Cr	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X

Note: ① BL "below limit" = the result less than the limit.

- ② OL "over limit" = the result greater than the limit.
- ③ IN = inconclusive, the region where need further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS (for Cr(VI)) and GC/MSD (for PBBs, PBDEs).
- 4 3σ = Repeability of the analyser at the action level.
- 5 LOD = Limit of detection.
- $(^3)$ (a) mg/kg = ppm = 0.0001%;
- (b) N.D. = Not detected (lower than RL);
- (c) Reporting Limit (RL) and Limit of Directive 2011/65/EU.

Parameter	Unit	Limit	Reporting Limit (RL)	
Lead (Pb)	mg/kg	1000	10	
Cadmium (Cd)	mg/kg	100	10	
Mercury (Hg)	mg/kg	1000	10	
Chromium VI (Cr VI)	mg/kg	1000	R1	
Group PBBs	mg/kg	1000	R2	
Group PBDEs	mg/kg	1000	R2	

R1: Cr(VI) for metal sample, the reporting limit (RL) = Method Detection Limit (MDL) = 0.10 ug/cm². The reporting limit (RL) of Cr(VI) for polymers and electronics is 10mg/kg.

R2: The reporting limit (RL) for single compound of PBBs & PBDEs is 50mg/kg.



Report No.: GNBZ230210135EN Issue Date: 2023-02-21 Page 6 of 11

(d) According to IEC 62321-7-1:2015, result on Cr(VI) for metal sample is shown as Negative, Inconclusive or Positive: Negative = Absence of Cr(VI), Inconclusive = Maybe exist Cr(VI), Positive = Presence of Cr(VI).

Colorimetric result (Cr(VI) concentration)	Qualitative result			
The sample solution is < the 0.10	The sample is negative for Cr(VI)-The Cr(VI) concentration is			
ug/cm ² equivalent comparison	below the limit of quantification. The coating is considered a			
standard solution	non-Cr(VI) based coating.			
The sample solution is ≥ the 0.10	The result is considered to be inconclusive – Unavoidable			
ug/cm² and ≤ the 0.13 ug/cm²	coating variations may influence the determination.			
equivalent comparison standard	Recommendation: if addition samples are available, perform a			
solutions	total of 3 trials to increase sampling surface area. Use the			
	averaged result of the 3 trials for the final determination.			
The sample solution is > the 0.13	The sample is positive for Cr(VI)-The Cr(VI) concentration is			
ug/cm ² equivalent comparison	above the limit of quantification and the statistical margin of			
standard solution	error. The sample coating is considered to contain Cr(VI).			

This report is only responsible for the tested sample(s) from the client, the testing result(s) is used for scientific research, teaching or internal quality control. Without the writing agreement of the company, the client is not allowed to copy the report in part (entire copy is excepted).

Tel.: +86-574-89201291

www.gig-lab.com www.gigqc.com



Report No.: GNBZ230210135EN Page 7 of 11 Issue Date: 2023-02-21

B. Phthalates—DBP, BBP, DEHP & DIBP

Test Method: Ref. to IEC 62321-8: 2017

Determination of Phthalates in polymers by Gas Chromatography-Mass Spectrometry

(GC-MS)

Test result:

Test item	DBP	BBP	DEHP	DIBP
Maximum Permissible Limit (mg/kg)	1000	1000	1000	1000

Part No.		Conclusion			
	DBP	ВВР	DEHP	DIBP	Conclusion
2-1+11+13	N.D.	N.D.	N.D.	N.D.	Pass
3+30+32	N.D.	N.D.	110	N.D.	Pass
4	N.D.	N.D.	N.D.	N.D.	Pass
7-1+29+31	N.D.	N.D.	N.D.	N.D.	Pass
9-1+15+17	N.D.	N.D.	N.D.	N.D.	Pass
20+28	N.D.	N.D.	N.D.	N.D.	Pass
21-2	N.D.	N.D.	N.D.	N.D.	Pass

Remark: 1. Reporting Limit (RL) for DBP, BBP, DEHP, DIBP = 50mg/kg.


2. N.D. = Not Detected (<RL).

Sample photo(s):



Report No.: GNBZ230210135EN

Issue Date: 2023-02-21 Page 8 of 11




Test item: CHARGING CABLE
Tested Model No.: MO9292





Test Report No.: GNBZ230210135EN Issue Date: 2023-02-21 Page 9 of 11









Report No.: GNBZ230210135EN

Issue Date: 2023-02-21

Page 10 of 11









Report No.: GNBZ230210135EN

Issue Date: 2023-02-21

Page 11 of 11





GIG authenticate the photo(s) on original report only

****End of Report****