

EU Declaration of Compliance (DOC)

For materials intended to come into contact with food (EU No. 10/2011)

Company name: Mid Ocean Brands BV (MOB)


Postal address: PO BOX 644

Postcode and City: 6710 BP Ede (NL)
Telephone number: 0031 (0)342 426992
E-mail address: DOC@reclamond.com

We declare that DOC issued under our sole responsibility and belongs to the following product:

| Item number | MO9356-22, -23, -25, -27, -29, -31, -37, -51, -52 | |
|-------------------|---|--|
| Description | Drinking bottle in Tritan™. Capacity: 500 ml | |
| Country of origin | China | |
| Batch | PO 41-115778 | |

Object of the declaration (identification of food contact product allowing traceability; it may include a colour image of sufficient clarity where necessary for the identification of the product):



2, 3, 4, 8: direct food contact

The following substances subject to restrictions and/or specification are used in the abovementioned product. The materials and raw materials used comply with Regulation (EU) No 10/2011.

| Chemical Name | CAS | EINECS | Percent |
|------------------------|-----------|-----------|---------|
| 8. Tritan | - | - | 76,08% |
| 1. Stainless Steel 201 | | | |
| - Iron 74.01% | 7439-89-6 | 231-096-4 | |
| - Chromium 16% | 7440-47-3 | 231-157-5 | |
| - Manganese 5.5% | 7439-96-5 | 231-105-1 | |
| - Nickel 3.5% | 7440-02-0 | 231-111-4 | 9,65% |
| - Silicone 0.75% | 7440-21-3 | 231-130-8 | |
| - Carbon 0.15% | 7440-44-0 | 231-153-3 | |
| - Phosphorus 0.06% | 7723-14-0 | 231-768-7 | |
| - Sulfur 0.03% | 7704-34-9 | 231-722-6 | |
| 2. Stainless Steel 304 | | | |
| - Iron 71.095% | 7439-89-6 | 231-096-4 | 6 20% |
| - Chromium 18% | 7440-47-3 | 231-157-5 | 6,30% |
| - Nickel 8% | 7440-02-0 | 231-111-4 | |

| - Manganese 2% | 7439-96-5 | 231-105-1 | |
|--|------------|-----------|-------|
| - Silicone 0.75% | 7440-21-3 | 231-130-8 | |
| - Carbon 0.08% | 7440-44-0 | 231-153-3 | |
| - Phosphorus 0.045% | 7723-14-0 | 231-768-7 | |
| - Sulfur 0.03% | 7704-34-9 | 231-722-6 | |
| 3. Polypropylene (PP) | 9003-07-0 | 618-352-4 | 4,43% |
| 4. Silicone | 7440-21-3 | 231-130-8 | 1,48% |
| 5. Acrylonitrile 1,3-Butadiene Styrene (ABS) | 9003-56-9 | 920-401-2 | 1,16% |
| 6. Polyester (PET) | 25037-45-0 | 607-501-9 | 0,72% |
| 7. Polyester (PET) | 25037-45-0 | 607-501-9 | 0,18% |

The following substances and materials are intended to come into contact with food.

| Chemical Name | CAS | EINECS |
|---------------------|-----------|-----------|
| Tritan | - | - |
| Stainless Steel 304 | | |
| - Iron 71.095% | 7439-89-6 | 231-096-4 |
| - Chromium 18% | 7440-47-3 | 231-157-5 |
| - Nickel 8% | 7440-02-0 | 231-111-4 |
| - Manganese 2% | 7439-96-5 | 231-105-1 |
| - Silicone 0.75% | 7440-21-3 | 231-130-8 |
| - Carbon 0.08% | 7440-44-0 | 231-153-3 |
| - Phosphorus 0.045% | 7723-14-0 | 231-768-7 |
| - Sulfur 0.03% | 7704-34-9 | 231-722-6 |
| Polypropylene (PP) | 9003-07-0 | 618-352-4 |
| Silicone | 7440-21-3 | 231-130-8 |



COMPLIANCE

The manufacturer declares that the mentioned product complies with all relevant provisions of

Regulation (EC) No 1935/2004 - Materials and articles intended to come into contact with food* Regulation (EU) No 10/2011 - Plastic materials and articles intended to come into contact with food* Regulation (EC) No 2023/2006 - GMP for materials and articles intended to come into contact with food* * Inclusive subsequent amendments

In conjunction with following harmonized standards

EN 1186-1:2002; EN 1186-3:2002; EN 1122:2001; EN 13130-1:2004; EN14372:2004

Conditions of use:

- Type(s) of food intended to come into contact with the material:

Suitable for hot and cold drinks

- Time and temperature and storage while in contact with food:

Time: maximum 2 hours

Temperature: 0oC - 70oC

- Ratio of food contact surface area to volume used: 7dm2/I

Substances, which are subject to "DUAL-USE" additives in materials or "PURITY CRITERIA".

- No dual use additives were used in the manufacture of this product
- There are no substances subject to purity criteria

Information about the compliance of substances used are subject to any restriction or specification

- This product is in compliance with overall and Specific Migration Limits (SML's) standard testing conditions laid down in Regulation (EU) 10/2011. Additional information including test reports can be provided on request.

Functional barrier

There is no function barrier present.

Signed for and on behalf of:

Ede (NL) 01-01-2025
Place of issue Date of issue

R.M. Sillessen General Manager solo midocean