



TEST REPORT

Report No. : WTF24F04088944A2C

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha

Wan, Kowloon, Hong Kong

Manufacturer 111652

Sample Name : Backpack with USB

Sample Model : MO9439

Test Requested: Refer to next page (s)

Test Method: Refer to next page (s)

Date of Receipt sample 2024-04-19 & 2024-05-17

Date of Issue : 2024-05-22

Test Result : Refer to next page (s)

Note...... As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

WTF24F04088944A2C



Summary

Item No.	Test Requested	Test Conclusion
W. TEK W	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2 11/11	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3 TEX	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass LIE
5 WALTER	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass

Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tariff Street	LOQ	Results	Limit	
Test Item	(mg/kg)	No.1+No.2	No.3(R2)	(mg/kg)
Lead(Pb)	2	ND*	308	500
Conclusion		Pass	Pass	1, 1,

Tank Ham a Till	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.4	No.5	(mg/kg)
Lead(Pb)	2 0	ND	33	500
Conclusion	e d - d+ .	Pass	Pass	$n = \overline{a_n}$

Ct will a still	LOQ	Result	Limit (mg/kg)	
Test Item	(mg/kg) No.6			
Lead(Pb)	2 2	ND	ND*	500
Conclusion		Pass	Pass	211. 20

Francisco Silver	LOQ	Results	Limit	
Test Item	(mg/kg)	No.8+No.21	No.9	(mg/kg)
Lead(Pb)	2	ND*	34	500
Conclusion		Pass	Pass	1/11 -1/1

Till Hamilton	LOQ	Results (mg/kg)		Limit	
Test Item	(mg/kg)	(mg/kg) No.10		No.12+No.14+No.20	(mg/kg)
Lead(Pb)	2	32	ND*	500	
Conclusion	A 12	Pass	Pass	70, -	

- Tex Tex N	LOQ	Results (mg/kg)		LOQ Results (mg/kg)		Limit
Test Item	(mg/kg)	No.13+No.16+No.17	No.18+No.19	(mg/kg)		
Lead(Pb)	2	ND*	ND*	500		
Conclusion	at the	Pass	Pass	-		



Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Task kam little out	LOQ	Results (m	ng/kg)
Test Item	(mg/kg)	No.3(R2)	No.8+No.21
Cadmium(Cd)	2	ND	ND*
Conclusion	Jt - Jt Jd	Pass	Pass

Tank Ham a Little Mill	LOQ	Results (mg/kg)			
Test Item	(mg/kg)	No.11	No.13+No.16+No.17		
Cadmium(Cd)	2	M ND	ND*		
Conclusion	, y - y / §	Pass	Pass		

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)		Limit
me my my ex	(%)	No.3(R2)	No.8+No.21	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	ND*	OLITER WALTER WA
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND W	ND*	sum of four phthalates < 0.1
Dibutyl phthalate (DBP)	0.005	ND NO	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND	ND*	THE MITER WALTER
Diisodecyl phthalate (DIDP)	0.01	ND	ND*	L at at
Diisononyl phthalate (DINP)	0.01	ND (ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	ND*	
Conclusion	t zet	Pass	Pass	4 20 -

Test Items	LOQ	Results (%)		Limit
Notice of the Mark Mark	(%)	No.11	No.13+No.16+ No.17	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	ND*	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	0.011*	sum of four phthalates < 0.1
Dibutyl phthalate (DBP)	0.005	ND	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND on the	ND*	10, 20
Diisodecyl phthalate (DIDP)	0.01	ND ND	ND*	MALTE WALL
Diisononyl phthalate (DINP)	0.01	MD ND	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND ND	ND*	
Conclusion	10, 1	Pass	Pass	JEK STEEL WILL



Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DIDP= Di-isodecyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

(6) "*" = Results are calculated by the minimum weight of mixed components.







4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed

by Gas Chromatographic Mass Spectrometry (GC-MS)

No. Amines Substances		CAS No.	Limit	Result (mg/kg)	
140.	Ammes Substances	CAS NO.	(mg/kg)	No.1+No.2	
1	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	WELL WIND* WELL	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin	120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
ET	Conclusion		J J.	Pass	



No.	Amines Substances	CAS No.	Limit	Result (mg/kg)	
NO.	Ammes Substances	CAS NO.	(mg/kg)	No.12+No.14+No.20	
1 3	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin	120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
+	Conclusion	771		Pass	



No.	Aminos Substances	CAS No.	Limit	Result (mg/kg)
NO.	Amines Substances	CAS NO.	(mg/kg)	No.15
1 0	4-Aminobiphenyl	92-67-1	30	ND
2	Benzidine	92-87-5	30	MD ND
3	4-chloro-o-Toluidine	95-69-2	30	ND
4	2-Naphthylamine	91-59-8	30	ND
5	o-Aminoazotoluene	97-56-3	30	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	THE ND STEE
7	p-Chloroaniline	106-47-8	30	ND
8	2,4-diaminoanisol	615-05-4	- 30	ND CO
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND
14	p-cresinin	120-71-8	30	ND ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND
16	4,4'-Oxydianiline	101-80-4	30	ND
17	4,4'-Thiodianiline	139-65-1	30	ND
18	o-Toluidine	95-53-4	30	ND
19	2,4-Toluylendiamine	95-80-7	30	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND ND
21	o-anisidine	90-04-0	30	ND
22	4-aminoazobenzene	60-09-3	30	ND ND
23	2,4-Xylidin	95-68-1	30	ND
24	2,6-Xylidin	87-62-7	30	ND W
24	Conclusion	$\sqrt{a_n}$		Pass

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	Unit	Results No.3(R2)	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND ND	0.2	1.0
Chrysene (CHR)	mg/kg	- ND	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND ND	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND W	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	A CAD TO	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND	0.2	1.0
Conclusion	18t 18th	Pass	Mur - Mur	1/11 - 1/11

Take Holman of the State of the State of	1104	Unit		at I milit	
Test Items	No.8+No.21		LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	,et- ,et	Pass	MULT - MULT	14 14.	



Test Items	Unit	Results	LOQ	Limit	
Cot Kenis	O.III	No.13+No.16+No.17	ALL SELECTION	-LIFE ZHINGTE	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	7	Pass	er in lie int	in min	

Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.



6) Colour Fastness to Rubbing

Colour Fastness to Rubbing						
(ISO 105-X12:	2016; Size of rubbin	g finger: 16mr	m diameter.)			at let
Were The	14 14 1	No.1	No.2	No.12	No.14	Client's Limit
Longth	Dry staining	4-5	4-5	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	2-3
\\\(\); altha	Dry staining	4-5	4-5	with white	4-5	2-3
Width	Wet staining	4-5	4-5		4-5	2-3
Conclusion		Pass	Pass	Pass	Pass	The - The

Colour Fastne	ess to Rubbing	TEX TEX LIER WALL	were the in	20 2
(ISO 105-X12:	2016; Size of rubbing	g finger: 16mm diameter.)	1 1 1 1	of the the
me m	20. 11.	No.20	No.15	Client's Limit
Al anath	Dry staining	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	2-3
NAC 141	Dry staining	THE LAND WITH	14 - 14 - 14	2-3
Width	Wet staining	Mr. M M.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2-3
Conclusion		Pass	Pass	10 20 - 20

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Description for Specimen:

Specimen No.	Specimen Description
THE OUT MILE WALT	Black-grey main fabric
2	Light grey main fabric
3(R2)	Black synthetic leather
THE ALTER STREET	Dark grey metal buckle
5	Dark grey metal needle
rite me mil	Dark grey magnetic buckle
Et 7 TEX NITE	Black zipper fabric
8	Black plastic zipper tooth
mitter 9 mitter mitter un	Silvery metal zipper head with black coating
10	Silvery metal zipper puller with black coating
un 11 un un	White pearl wool
(d) 12 Jan 12	Black webbing
13	Black plastic buckle



Specimen No.	Specimen Description
w 14 w w	Black lining
TEX 11 15 MITE WALTE WALTE	Black drawstring
16	Black plastic buckle
nute until 17 LL vint vint	Black plastic puller
at the 18 of the state of the s	Black plastic hook(VELCRO)
19	Black plastic loop(VELCRO)
20 (1)	Black elastic band
21 11 11	Black plastic shell

Photograph of parts tested:









Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

