

Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 1 of 14

**Applicant:** Mid Ocean Brands B.V.

Address: Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Manufacturer: 117486

Address:

The following sample(s) was /were submitted and identified on behalf of the clients as:

Sample Name: Wireless Speaker

Sample Model: MO8726

Series Model: MO9608

**Sample Received Date:** May 29, 2025

**Testing Period:** May 29, 2025 to Jun. 06, 2025

#### **Test Requested**

As requested by the applicant, refer to attached page(s) for details.

\*

Approved by:

Tony glan

Tony Qian/Technical Manager



Scan to view the original fil-

Guangdong KEYS Testing Technology Co., Ltd.



Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 2 of 14

**Summary of Test Results:** 

Test S	Standard	Conclusion
RoHS	Directive 2011/65/EU and its subsequent amendments Directive (EU) 2015/863	19
1	To determine Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls (PBBs) and Polybrominated DiphenylEthers (PBDEs)content by screening test and chemical test.	Pass
2	To determine Phthalates (DBP, BBP, DEHP, DIBP) content by chemical test.	Pass



Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 3 of 14

#### **Test Results:**

### (1)XRF Test Result:

8	9	XR	F Result(mg/	(kg)	(4)	Chemical Test	Conclusio
No.	Pb	Cd	Hg	Cr	Br	(mg/kg)	n
1	BL	BL	BL	BL	BL	4	Pass
2	BL	BL	BL	X	9	CrVI: Negative	Pass
3	BL	BL	BL	BL	BL	05	Pass
4	BL	BL	BL	BL	BL	E ,	Pass
5	BL	BL	BL	BL		(4)	Pass
6	BL	BL	BL	BL	152		Pass
7	BL	BL	BL	BL	W		Pass
8	BL	BL	BL	BL	V	102-	Pass
9	BL	BL	BL	BL	BL	Œ	Pass
10	BL	BL	BL	BL	BL		Pass
11	BL	BL	BL	BL	A 64		Pass
12	BL	BL	BL	BL	BL		Pass
13	BL	BL	BL	BL	A	(CE)	Pass
14	BL	BL	BL	BL	BL	Ø-	Pass
15	BL	BL	BL	BL	BL		Pass
16	BL	BL	BL	BL	BL		Pass
17	BL	BL	BL	BL	BL		Pass
18	BL	BL	BL	BL	-7	( <del>C</del> )	Pass
19	BL	BL	BL	BL		Ġ.	Pass
20	BL	BL	BL	BL			Pass
21	BL	BL	BL	BL	BL		Pass
22	BL	BL	BL	BL	(E	(0	Pass
23	BL	BL	BL	BL	X	PBBs/PBDEs: N.D.	Pass
24	BL	BL	BL	BL			Pass
25	BL	BL	BL	BL	BL		Pass

 ${\bf Guang dong\ KEYS\ Testing\ Technology\ Co.,\ Ltd.}$ 



Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 4 of 14

		VD	DE D 14//	1-16			
No.	D)		RF Result(mg/	-	D /	Chemical Test (mg/kg)	Conclusio
E	Pb	Cd	Hg	Cr	Br	(mg/kg)	n
26	BL	BL	BL	BL	BL	- 108	Pass
27	BL	BL	BL	BL	BL	6	Pass
28	BL	BL	BL	BL	BL		Pass
29	BL	BL	BL	BL	BL	a 6a	Pass
30	BL	BL	BL	BL		(E)	Pass
31	BL	BL	BL	BL		A 1	Pass
32	BL	BL	BL	BL	BL	6	Pass
33	BL	BL	BL	BL	BL		Pass
34	BL	BL	BL	BL	BL	A 59	Pass
35	BL	BL	BL	BL	BL	(C	Pass
36	BL	BL	BL	BL	BL	<u> </u>	Pass
37	BL	BL	BL	BL	BL		Pass
38	BL	BL	BL	BL	112		Pass
39	BL	BL	BL	BL	@_	A-10	Pass

Remark:

- 1.It is the result on total Br while test item on restricted substances in PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
- 2. Screening test by XRF spectroscopy. XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1: 2013Annex A.



Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 5 of 14

Element	Polymer Material	Metallic Material	Composite Material	
Pb	$BL \le 700-3\sigma \le X < 1300+3\sigma \le OL$ $BL \le 700-3\sigma \le X < 1300+3\sigma \le OL$		BL $\leq$ 500-3 $\sigma$ $\leq$ X $<$ 1500+3 $\sigma$ $\leq$ OL	
Cd BL≤70-3σ≤X<130+3σ≤OL		BL≤70-3σ≤X<130+3σ≤OL	LOD < X < 150+3σ≤OL	
Hg	BL $\leq$ 700-3 $\sigma$ $\leq$ X $<$ 1300+3 $\sigma$ $\leq$ OL	BL $\leq$ 700-3 $\sigma$ $\leq$ X $<$ 1300+3 $\sigma$ $\leq$ OL	BL $\leq$ 500-3 $\sigma$ $\leq$ X $<$ 1500+3 $\sigma$ $\leq$ OL	
Cr BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>		BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>	
Br	BL≤300-3σ <x< td=""><td>4</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	4	BL≤250-3σ <x< td=""></x<>	

### XRF Detection Limits in mg/kg for Regulated Elements in Various Material

Element Polymer Material		Metallic Material	Composite Material	
Pb	10	50	50	
Cd	10	50	50	
Hg	10	50	50	
Cr	10	50	50	
Br	10	50	50	

**Note:** 1.BL = Under the XRF screening limit

2.OL = Future chemical test will be conducted while result is above the screening limit

3.X = The symbol "X" marks the region where further investigation in necessary

4.3σ=The reproducibility of analytical instruments

5.LOD=Detection limit

### (2)Wet Chemical Test

Test Item(s)	Test Method/ Test Equipment	Unit	Limit	MDL
Cadmium(Cd)	IEC 62321-5:2013, ICP-OES	mg/kg	100	2
Lead(Pb)	IEC 62321-5:2013, ICP-OES	mg/kg	1000	2
Mercury(Hg)	IEC 62321-4:2013+AMD1:2017, ICP-OES	mg/kg	1000	2
Hexavalent Chromium(CrVI) (Metal)	IEC 62321-7-1:2015, UV-Vis	μg/cm <sup>2</sup>	0.13	0.1
Hexavalent Chromium(CrVI) (Nonmetal)	IEC 62321-7-2:2017, UV-Vis	mg/kg	1000	8

Guangdong KEYS Testing Technology Co., Ltd.



Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 6 of 14

PBBs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
PBDEs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
Dibutyl Phthalate(DBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Butyl benzyl phthalate (BBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Di-(2-ethylhexyl) Phthalate(DEHP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Diisobutyl phthalate (DIBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30

PB	BBs	PBDEs		
Monobromobiphenyl	Hexabromobiphenyl	Monobromodiphenyl ether	Hexabromodiphenyl ether	
Dibromobiphenyl	Heptabromobiphenyl	Dibromodiphenyl ether	Heptabromodiphenyl ether	
Tribromobiphenyl	Octabromobiphenyl	Tribromodiphenyl ether	Octabromodiphenyl ether	
Tetrabromobiphenyl	Nonabromobiphenyl	Tetrabromodiphenyl ether	Nonabromodiphenyl ether	
Pentabromobiphenyl	Decabromobiphenyl	Pentabromodiphenyl ether	Decabromodiphenyl ether	

Note:

- 1. mg/kg= ppm=0.0001%
- 2. N.D.= Not Detected(<MDL)
- 3. MDL = Method Detection Limit
- 4. --= No Testing
- 5. When Cr (VI) in a sample is detected below the 0.10 μg/cm² LOQ (limit of quantification), the sample is considered to be negative for Cr (VI). Since Cr (VI) may not be uniformly distributed in the coating even within the same sample batch, a "grey zone" between 0.10 μg/cm² and 0.13 μg/cm² has been established as "inconclusive" to reduce inconsistent results due to unavoidable coating variations. In this case, additional testing may be necessary to confirm the presence of Cr (VI). When Cr (VI) is detected above 0.13 μg/cm², the sample is considered to be positive for the presence of Cr (VI) in the coating layer. Unavoidable coating variations may influence the determination Information on storage conditions and production date of the tested sample is unavailable and thus Cr (VI) results represent status of the sample at the time of testing.



Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 7 of 14

(3)Phthalate Test Result:

120	Test Item(s)					
Test No.	Dibutyl Phthalate (DBP)	Butyl benzyl phthalate (BBP)	Di-(2-ethylhexyl) Phthalate (DEHP)	Diisobutyl phthalate (DIBP)	Conclusion	
1	N.D.	N.D.	N.D.	N.D.	Pass	
3	N.D.	N.D.	N.D.	N.D.	Pass	
4	N.D.	N.D.	N.D.	N.D.	Pass	
9	N.D.	N.D.	N.D.	N.D.	Pass	
10	N.D.	N.D.	N.D.	N.D.	Pass	
12	N.D.	N.D.	N.D.	N.D.	Pass	
14	N.D.	N.D.	N.D.	N.D.	Pass	
15	N.D.	N.D.	N.D.	N.D.	Pass	
16	N.D.	N.D.	N.D.	N.D.	Pass	
17	N.D.	N.D.	N.D.	N.D.	Pass	
21	N.D.	N.D.	N.D.	N.D.	Pass	
23	N.D.	N.D.	N.D.	N.D.	Pass	
25	N.D.	N.D.	N.D.	N.D.	Pass	
26	N.D.	N.D.	N.D.	N.D.	Pass	
27	N.D.	N.D.	N.D.	N.D.	Pass	
28	N.D.	N.D.	N.D.	N.D.	Pass	
29	N.D.	N.D.	N.D.	N.D.	Pass	
32	N.D.	N.D.	N.D.	N.D.	Pass	
33	N.D.	N.D.	N.D.	N.D.	Pass	
34	N.D.	N.D.	N.D.	N.D.	Pass	
35	N.D.	N.D.	N.D.	N.D.	Pass	
36	N.D.	N.D.	N.D.	N.D.	Pass	
37	N.D.	N.D.	N.D.	N.D.	Pass	

**Note:** 1. mg/kg= ppm=0.0001%


2. N.D.= Not Detected(<MDL)

Guangdong KEYS Testing Technology Co., Ltd.



Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 8 of 14


#### **Test Process:**






Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 9 of 14

3. Test for Chromium (VI) Content Soluble polymers:



Insoluble/unknown polymers and electronics without Sb




Analyze the mixture by using UV-VIS Spectrophotometer with wavelength set at 540 nm




Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 10 of 14

#### Metal material



#### 4. Test for DBP, BBP, DEHP, DIBP, PBB, PBDE Content





Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 11 of 14

**Sample Description:** 

Description
White printing black plastic lid
Silvery metal screw
Black plastic shell
Black plastic sheet
Red metal casing
Black metal mesh
Silvery metal base
Black metal frame
Black rubber outer skin
Black eardrum paper
Copper-colored metal coil
Beige periosteal paper
Grey magnet
Black printing with Silvery plastic outer skin
Yellow tape
Black plastic fasteners
White plastic fasteners
Silvery metal stylus
Silvery metal outer skin
Silvery metal outer skin
White plastic fasteners
Silvery metal stylus
Blue PCB
Silvery metal mouth
Semi-transparent LED lamp
Black plastic switch
Black resistor


Guangdong KEYS Testing Technology Co., Ltd.




Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 12 of 14

No.	Description
28	Silvery crystal oscillator
29	Black IC
30	Copper-colored metal wire core
31	Silvery metal wire core
32	Red plastic wire skin
33	Red plastic wire skin
34	Black plastic wire skin
35	Black plastic wire skin
36	Pink plastic wire skin
37	White plastic wire skin
38	Silvery metal solder
39	Silvery metal solder

#### Photograph(s) of Sample:








Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 13 of 14





Report No.: RKEYS250529118 Date: Jun. 16, 2025 Page 14 of 14



\*\*\* End of Report \*\*\*

