

Test Report

Report No. : AGC05443240945-001

SAMPLE NAME : Double wall travel cup

MODEL NAME : MO9618

APPLICANT : MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Sep. 29, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Double wall travel cup

Model : MO9618

Vendor code : 115253

Country of Origin : CHINA

Country of Destination : EUROPE

Sample Received Date : Sep. 20, 2024

Testing Period : Sep. 20, 2024 to Sep. 27, 2024

Test Requested : Selected test(s) as requested by client.

Approved by: Len

Suhongliang, Leon

Report No.: AGC05443240945-001

Technical Director



-Cadmium(Cd) Content

Report No.: AGC05443240945-001

conclusion

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63
- Lead(Pb) Content

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52
- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50
- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5

Overall migration
 Specific migration of Bisphenol A(BPA)
 Bisphenol A(BPA) content
 Specific migration of Acrylonitrile
 Specific migration of Primary aromatic amines
 Specific migration of Heavy metals

DM-4B-COM-003-v01 for:

Volatile Organic Matter
 Peroxide value
 Specific Migration of Organotin (measured as Tin)

Pass
Pass

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9 Pass

- Specific migration of Heavy metal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Pass



Report Revise Record

Report No.: AGC05443240	0945-001
-------------------------	----------

Report Version	Issued Date	Valid Version	Notes
/	Sep. 29, 2024	Valid	Initial release



The photo of the sample



The photo of AGC05443240945-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Black sponge bottom
1-2	Red coating
1-3	Black plastic cover(PP)
1-4	Black plastic slider(ABS)
1-3+1-4	Black plastic cover(PP)+ Black plastic slider(ABS)
1-5	Transparent silicone ring
1-6	Inside metal bottle body
1-7	Outer metal lid



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Toot Itom(s)	Unit Limit	MDL	Test Result(s)			
Test Item(s)	Unit	Limit	MIDL	1-1	1-2	1-3+1-4
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Con	Conformity	Conformity	Conformity			

Test Item(s)	Linit	Unit Limit	MDL	Test Result(s)			
Test Item(s)	Unit	Limit	MIDL	1-5	1-6	1-7	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Co	Conformity	Conformity	Conformity				

Remark:

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	I Init	Unit Limit		Test Result(s)	
Test Item(s)	Omi	LIIIII	MDL	1-1	1-2
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co	Conformity	Conformity			

Tost Itom(s)	Unit Limit	MDI	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-3+1-4	1-5
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3+1-4

^{1.} As specified by client, the submitted samples were mixed to test, the test points: 1-3+1-4



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit	LIIIII	MDL	1-1	1-2	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	
Con	Conclusion					

Test Items(s)	Unit Limit	MDI	Test Result(s)		
Test Item(s)	Unit	Lillit	MDL	1-3+1-4	1-5
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.
Con	nclusion			Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3+1-4

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443240945-001



Limit requirements of Phthalates

Report No.: AGC05443240945-001

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)	
rest item(s)	Unit	Lillit	MIDL	1-1	1-2
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Co	nclusion			Conformity	Conformity

Test Item(s)	Unit	Limit	MDL	Test Result(s)	
rest ttem(s)	Unit	Liiiii	MIDL	1-3+1-4	1-5
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Co.	nclusion			Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3+1-4



Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Overall Migration

		Test	result	
Test point		Overall migration/ (mg/dm²)		Conclusion
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
	1 st migration	N.D.	N.D.	
1-3	2 nd migration	N.D.	N.D.	Conformity
	3 rd migration	N.D.	N.D.	
	1 st migration	N.D.	N.D.	
1-4	2 nd migration	N.D.	N.D.	Conformity
	3 rd migration	N.D.	N.D.	
I	Limit	10	10	/
N	MDL	5	5	/



	Test l		
Test point	Overall migra	Conclusion	
-	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-5	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

Specific migration of Bisphenol A(BPA)

- Specific inigration of Dispitchol A()		T
	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-5	N.D.	Conformity
Limit(Client's Requirement)	0.05	/
MDL	0.02	/

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

-Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)		
Limit (mg/kg)	Prohibited		
MDL(mg/kg)	0.1		
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS		

Tost point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-3	N.D.	Conformity
1-4	N.D.	Conformity



Test Item	Bisphenol A (BPA)		
Limit(Client's Requirement) (mg/kg)	Prohibited		
MDL(mg/kg)	0.1		
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS		

Tost point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-5	N.D.	Conformity

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245:

- Specific migration of Acrylonitrile


Test point		Test Result	Conclusion
		Specific migration of Acrylonitrile/ (mg/kg)	
		3% Acetic acid, 70°C,2h	
	1 st migration	N.D.	
1-4	2 nd migration	N.D.	Conformity
	3 rd migration	N.D.	
	Limit	Absent	/
	MDL	0.01	/



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:


- Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01





		Test Result (mg/kg)	
		1-3	
Test Item(s)	1 st migration	2 nd migration	3 rd migration
		3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	N.D.	N.D.
Benzidine	N.D.	N.D.	N.D.
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.
2-Naphthylamine	N.D.	N.D.	N.D.
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.
5-Nitro-o-toluidine	N.D.	N.D.	N.D.
4-Chloroaniline	N.D.	N.D.	N.D.
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.
6-methoxy-m-toluidine	N.D.	N.D.	N.D.
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.
4,4'-Oxydianiline	N.D.	N.D.	N.D.
4,4'-Thiodianiline	N.D.	N.D.	N.D.
2-Aminotoluene	N.D.	N.D.	N.D.
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.
2-Methoxyaniline	N.D.	N.D.	N.D.
4-Aminoazobenzene	N.D.	N.D.	N.D.
1,3 phenylenediamine	N.D.	N.D.	N.D.
Total of other primary aromatic amines	N.D.	N.D.	N.D.
Conclusion	Conformity		






		Test Result (mg/kg)	
		1-4	
Test Item(s)	1 st migration	2 nd migration 3% Acetic acid 70°C, 2h	3 rd migration
4-Aminobiphenyl	N.D.	N.D.	N.D.
Benzidine	N.D.	N.D.	N.D.
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.
2-Naphthylamine	N.D.	N.D.	N.D.
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.
5-Nitro-o-toluidine	N.D.	N.D.	N.D.
4-Chloroaniline	N.D.	N.D.	N.D.
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.
6-methoxy-m-toluidine	N.D.	N.D.	N.D.
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.
4,4'-Oxydianiline	N.D.	N.D.	N.D.
4,4'-Thiodianiline	N.D.	N.D.	N.D.
2-Aminotoluene	N.D.	N.D.	N.D.
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.
2-Methoxyaniline	N.D.	N.D.	N.D.
4-Aminoazobenzene	N.D.	N.D.	N.D.
1,3 phenylenediamine	N.D.	N.D.	N.D.
Total of other primary aromatic amines	N.D.	N.D.	N.D.
Conclusion	Conformity		



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Heavy metals

- Specific migration of Head	Test condition/	MDL		Limit (mg/kg)		
	Equipment	(mg/kg)				
	Equipment	(g/g)	1 st migration	2 nd migration	3 rd migration	- (mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/	Conformity			/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.897	0.581	0.337	/
Magnesium (Mg)		0.01	0.035	0.012	N.D.	/
Potassium (K)		0.01	0.081	0.019	0.018	/
Sodium (Na)		0.01	0.090	0.023	0.014	/





	Test condition/ Equipment	MDL (mg/kg)		Limit (mg/kg)		
Test Item(s)						
		(g/g/	1 st	2 nd	3 rd	(g/g/
Barium (Ba)		0.1	migration N.D.	migration N.D.	migration N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/	Conformity			/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.540	0.283	0.120	/
Magnesium (Mg)		0.01	0.031	N.D.	0.012	/
Potassium (K)		0.01	0.053	0.015	N.D.	/
Sodium (Na)		0.01	0.207	0.078	0.032	/



Report No.: AGC05443240945-001
M-4R-COM-003-v01 for:

Unit: %

Toot itam(s)	Test Condition	MDL	Result(s)	Limit	
Test item(s)	Test Condition	MIDL	1-5	Limit	
Volatile Organic Matter		0.1	0.45	0.5	
Conclusion	200°C, 4h	/	Conformity	/	

DM-4B-COM-003-v01 for:

- Peroxide value

Unit: %

Test Item	MDL	Result(s) 1-5	Limit	
Peroxide value	0.2	N.D.	Absent	
Conclusion	/	Conformity	/	

DM-4B-COM-003-v01 for:

- Specific Migration of Organotin (measured as Tin)

	Test Result		
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion	
	3% Acetic acid, 70°C,2h		
1-5	N.D.	Conformity	
Limit	0.1	/	
MDL	0.01	/	



Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of

Europe Resolution CM/Res(2020)9


- Specific migration of Heavy metal

Test Method: EDQM (2024)

	, ,	Limit		MDL	Test result(s)		
Item(s)	Unit				1-6		
		1 st +2 nd migration	3 rd migration		1 st +2 nd migration	3 rd migration	
Simulant Used: 0.5% Citric acid; Test Condition: 70℃, 2h							
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.	
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.	
Iron (Fe)	mg/kg	280	40	0.1	1.846	0.125	
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.	
Chromium (Cr)	mg/kg	7	1	0.01	0.062	N.D.	
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.	
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.	
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.	
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.	
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.	
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.	
Nickel (Ni)	mg/kg	0.98	0.14	0.01	0.058	N.D.	
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.	
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.	
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.	
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.	
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.	
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.	
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.	
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.	
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.	
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.	
Magnesium (Mg)	mg/kg	/	/	0.01	0.005	N.D.	
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.	
	Conclusion				Conformity	Conformity	


Note:

Results from all three migration are to be considered for compliance: Result of 3^{rd} migration shall not exceed the SRL and Sum of result of 1^{st} and 2^{nd} migration shall not exceed 7 times of SRL.







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***