

Test Report

Report No. : AGC05443250213-001S1

SAMPLE NAME : Set of 2 double wall espresso

MODEL NAME : MO9709

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Mar. 14, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Set of 2 double wall espresso

Model : MO9709
Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal

Sample Received Date : Feb. 26, 2025(test point: 1-1,1-2)

Mar. 11, 2025(test point: 1-3,1-4)

Testing Period : Feb. 26, 2025 to Mar. 10, 2025(test point: 1-1,1-2)

Mar. 11, 2025 to Mar. 12, 2025(test point: 1-3,1-4)

Test Requested : Selected test(s) as requested by client.

Approved by:

Suhongliang, Leon

Report No.: AGC05443250213-001S1

Technical Director



Conclusion

Microwave heating resistance test

Pass

Mechanical dishwashing safe test

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77 - Formaldehyde Release

Pass

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

_

- Pentachlorophenol (PCP) Content

Pass

Regulation 1935/2004/EC, Council Directive 84/500/EEC and Commission Directive 2005/31/EC, DIN 51032 for:

- Leachable Lead and Cadmium

- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

Pass

-Cadmium(Cd) Content

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass



Report Revise Record

Report No.:	AGC05443250213-001S1
-------------	----------------------

Report Version	Issued Date	Valid Version	Notes
/	Mar. 10, 2025	Invalid	Initial release
S1	Mar. 14, 2025	Valid	Modification of sample name, test point description; Add test



The photo of the sample







The photo of AGC05443250213-001S1 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Bamboo saucer
1-2	Glass cup
1-3	Brown carton
1-4	Transparent plastic



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Microwave heating resistance test

Test Result of microwave test

Sample No.:MO9709 (Glass cup) Test method: Refer BS EN 15284:007

Microwave power out: 800 W

Short period: 90 s Long period: 585 s

Number of tested sample: 2 pc(s) Number of control sample: 1 pc(s)

Specimen(s)	Maximum handle temperature after short period of heating	Maximum surface temperature after long period of heating
1	31.2°C	87.3°C
2	32.5°C	88.1°C

For all tested glass, glass-ceramic articles:

No visible change of color was found on the tested samples after test.

No visible cracking, crazing, scaling was found on the tested samples after test.

Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO9709 (Glass cup)

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested glass articles:

No visible change of color and gloss was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No cloud texture was found on the tested samples after wash.

No decoration was detached after wash.



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)				1-1
Lead(Pb)	mg/kg	500	10	N.D.
Со	Conformity			

Report No.: AGC05443250213-001S1

Tost Itam(s)	Item(s) Unit Limit MDL		Test Result(s)		
Test Item(s)	Onit	Lillit	MIDL	1-3	1-4
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conformity	Conformity			

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77

- Formaldehyde Release

Test Methods and Equipment: EN 717-1:2004; UV-Vis

Test Item(s)	Unit Limit	Limit	Limit MDL	Test Result(s)
1000 110111(0)		Ziiiii		1-1
Formaldehyde Release	mg/m³	0.062	0.006	N.D. (240h)
Со	Conformity			

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Test Item(s)	Unit Li	Limit	MDL	Test Result(s)
Test Item(s)		LIIIII		1-1
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.
Co	Conformity			

Regulation 1935/2004/EC, Council Directive 84/500/EEC and Commission Directive 2005/31/EC, DIN 51032 for:

- Leachable Lead and Cadmium

Test Methods and Equipment: EN 1388-2:1996; ICP-OES

	Tes		
Test point	Extractable Lead(Pb)/(mg/L) Extractable Cadmium(Cd)/(mg/L)		Conclusion
	4% Acetic		
1-2	N.D.	N.D.	Conformity
Limit	4.0	0.3	/
MDL	0.1	0.01	/



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test tiem(s)				1-4
Cadmium(Cd)	mg/kg	100	10	N.D.
Со	Conformity			

Report No.: AGC05443250213-001S1

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.
Со	Conformity			

Limit requirements of Phthalates

Ī		
	Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
	Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content


Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.
Co	Conformity			

Report No.: AGC05443250213-001S1


Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)


	J J		/ /	8 8)
Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/






Test Flow Chart of Heavy Metal Content









Test Flow Chart of Formaldehyde Release









Test Flow Chart of Pentachlorophenol (PCP)









Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***