

# **TEST REPORT**

Report No. .....: WTF24F08182889A1C

Applicant .....: Mid Ocean Brands B.V.

Address .....: 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer..... 111587

Sample Name ..... : Travel accessories bag

Sample Model ..... : MO9874

Test Requested.....: Refer to next page (s)

Test Method .....: Refer to next page (s)

Test Conclusion ...... Pass (Please refer to next pages for details)

**Date of Receipt sample**...... 2024-08-02 & 2024-08-15

**Testing period**...... 2024-08-02 to 2024-08-22

Date of Issue ...... 2024-08-22

Test Result ...... : Refer to next page (s)

Note...... : As specified by client, only test the designated sample.

#### **Prepared By:**

## Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

WTF24F08182889A1C



# **Summary**

Item No.	Test Requested	Test Conclusion
UNITEK W	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	ATEL MAN Passan Liter
2 1111	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4 4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
5 Mill	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass

# Sample photo:





# **Test Results:**

# 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

That Have	LOQ	Resul	ts (mg/kg)	Limit
Test Item	(mg/kg)	No.1+No.4	No.2+No.3+No.5	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	RLIE STATE OF	Pass	Pass	et jet

Table Man	LOQ		Results (mg/kg)	WITE WALTE	Limit
Test Item	(mg/kg)	No.6	No.7(R1)	No.8(R1)	(mg/kg)
Lead(Pb)	2	ND	49	20	500
Conclusion	MITE - MITE	Pass	Pass	Pass	CENT THE

Took Hom	LOQ	Resul	Limit	
Test Item	(mg/kg)	No.9+No.15	No.10+No.11+No.12	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	tie lute - lute	Pass	Pass	TEN -1184 .C

Tank Hama	LOQ	Results	s (mg/kg)	Limit	
Test Item	(mg/kg)	No.13	No.14	(mg/kg)	
Lead(Pb)	2	28	24	500	
Conclusion	LIT'S MILL MINIS	Pass	Pass	TEK - TEK	

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.



## 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Taraffirm street as	LOQ	Results	(mg/kg)
Test Item	(mg/kg)	No.9+No.15	No.16
Cadmium(Cd)	2 11 2	ND*	of ND of The
Conclusion	* - # X	Pass	Pass

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "\*" = Results are calculated by the minimum weight of mixed components.





## 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)		Limit
	(%)	No.9+No.15	No.16	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	11 211 21
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND W	and any
Diisodecyl phthalate (DIDP)	0.01	ND*	, ND	EK MITER WITER V
Diisononyl phthalate (DINP)	0.01	ND*	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	pritrialates < 0.1
Conclusion	is ancies at	Pass	Pass	all the state state

#### Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DBP= Benzyl butyl phthalate
DIDP= Di-isodecyl phthalate
DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "\*" = Results are calculated by the minimum weight of mixed components.





4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)
NO.	Amines Substances	CAS NO.	(mg/kg)	No.2+No.3+No.5
1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	WD*
24	2,6-Xylidin	87-62-7	30	ND*
- 3	Conclusion	JULE W	11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Pass



	Aminos Cultatonos	CACNO	Limit	Result (mg/kg)
No.	Amines Substances	CAS No.	(mg/kg)	No.10+No.11+No.12
1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
S. C.	Conclusion	e+	18th - 15th	Pass

## Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "\*" = Results are calculated by the minimum weight of mixed components.



### 5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

T-15' Hamele We Will W	l luit	Results	100 s	U <sup>1</sup>
Test Items	Unit No.9+No.15		LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*-	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	with wh	Pass	- d+ d	(E)

#### Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "\*" = Results are calculated by the minimum weight of mixed components.



# 6) Colour Fastness to Rubbing

Colour Fastness to Rubbing							
(ISO 105-X1	12: 2016; Size of rubbing	g finger: 16mm dia	ameter.)		t of the		
are an	r 44 24 2	No.2	No.3	No.5	Client's Limit		
Length	Dry staining	4-5	4-5	4-5	2-3		
	Wet staining	4	4-5	4-5	2-3		
المال (۱۸۷	Dry staining	4-5	4-5	14. 17. 1.	2-3		
Width	Wet staining	4	4-5	1 -y	2-3		
Conclusion	14. 10. 2.	Pass	Pass	Pass	is any - any		

Colour Fasti	ness to Rubbing	et let i	THE WALL WALL	ale an	70
(ISO 105-X12	2: 2016; Size of rubbing	g finger: 16mm di	ameter.)	. It It	All State
me m	20, 20,	No.10	No.11	No.12	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	16 15 E	4-5	10 20 2	2-3
	Wet staining	mr -m	4-5	st st.	2-3
Conclusion		Pass	Pass	Pass	74, -7,

# Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

# **Description for Specimen:**

Specimen No.	Specimen Description		
me me 1 me m	Black plastic loop(VELCRO)		
TITEL MITTE MALTE MALTE	Black main fabric		
A 3 Pt TEN STEP	Black net fabric		
art with 4 min	Black plastic hook(VELCRO)		
EX TEX SEX WITE ON TER W	Black fabric rim		
6	Silvery metal strip		
7(R1) 11 11 11 11 11 11 11 11 11 11 11 11 1	Silvery metal zipper head		
8(R1)	Silvery metal zipper handle		
0 m m	Black plastic zipper tooth		
10 mouth 10 mouth and 10 mouth	Black zipper fabric		
11, 1	Black lining		
we will an in the	Black elastic band		





Specimen No.	Specimen Description		
whi will am and an an	Silvery metal zipper handle		
TEX STATE SOUTH WILL	Silvery metal zipper head		
15	Transparent plastic sheet		
nti nti 16 mil mil	Grey plastic strip		

Photograph of parts tested:





#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

