

Test Report

Report No. : AGC05443240722-001S1

SAMPLE NAME : Stainless steel lunchbox

MODEL NAME : MO9967

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : May 07, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Report No.: AGC05443240722-001S1

pplicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Stainless steel lunchbox

Model : MO9967

Vendor code : 114276

Country of Origin : CHINA

Country of Destination : EUROPE

Sample receiving state : Normal

Sample Received Date : Jul. 22, 2024(Part 1, Test point:1-1 to 1-6)

Apr. 29, 2025(Part 2, Test point:1-7)

Testing Period : Jul. 22, 2024 to Aug. 07, 2024(Part 1, Test point:1-1 to 1-6)

Apr. 29, 2025 to May 07, 2025 (Part 2, Test point:1-7)

Test Requested : Selected test(s) as requested by client.

Approved by:

Suhongliang, Leon

Technical Director



Report No.: AGC05443240722-001S1 Conclusion Mechanical dishwashing safe test Pass Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 Pass - Lead(Pb) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 Pass -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43 **Pass** - Aromatic Amines Azodyes (AZO) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 **Pass** - Phthalates Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 **Pass** - Polycyclic-aromatic Hydrocarbons (PAHs) Content - Colour fastness to rubbing Pass Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5 - Overall migration Pass - Specific migration of Bisphenol A(BPA) Pass - Bisphenol A(BPA) content Pass DM-4B-COM-003-v01 for: - Volatile Organic Matter Pass - Peroxide value **Pass** - Specific Migration of Organotin (measured as Tin) Pass

Regulation 1935/2004/EC and Council of Europe Resolution AP(2004)2

- Specific migration of Formaldehyde
- Pentachlorophenol (PCP) content

Pass
Pass

Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res (2013)9.

Pass

- Specific migration of heavy metal from metal and alloys used in contact with food

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9

Pass

- Specific migration of Heavy metal



Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Aug. 07, 2024	Invalid	Initial release
S1	May 07, 2025	Valid	Add test



The photo of the sample







The photo of AGC05443240722-001S1 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Black elastic band
1-2	Transparent silicone ring
1-3	Bamboo fork
1-3+1-4+1-5	Bamboo fork+Bamboo knife+Bamboo lid
1-6	Metal lunch box
1-7	Stainless steel box



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Part 1:

Mechanical dishwashing safe test

Test Sample:1-6

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO9967

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 1 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Mechanical dishwashing safe test

Test Sample:1-2

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO9967

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 1 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.



Mechanical dishwashing safe test

Test Sample:1-7

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO9967 1-7

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit		MDL	Test Result(s)	
Test Item(s)	Ollit	Lillit	MDL	1-1	1-2
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conformity	Conformity			

Test Item(s)	Unit Limit		MDI	Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-3+1-4+1-5	1-6
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conformity	Conformity			

Tost Itom(s)	Unit Li	Limit	MDL	Test Result(s)
Test Item(s)		LIIIII		1-7
Lead(Pb)	mg/kg	500	10	N.D.
Со	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-3+1-4+1-5



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit	MDL	Test Result(s)	
		LIIIII	MDL	1-2
Cadmium(Cd)	mg/kg	100	10	N.D.
Со	Conformity			

Report No.: AGC05443240722-001S1

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

- Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.



Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.
Co	Conformity			

Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-2
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.
Co	nclusion			Conformity

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-2
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.
Co	onclusion			Conformity

Report No.: AGC05443240722-001S1

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/



- Colour fastness to rubbing

Test Method: ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: 21.5 °C, 60 %R.H., 4 hrs

The percentage of soak of wet rubbing cloth: 95%~100% The long direction of the specimen: Endwise/ Crossrange

	Test Res	Result	
Test point	Colour fastness to	rubbing / (Grade)	Conclusion
	Dry rubbing	Wet rubbing	
1-1	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/

Note:

Colour Fastness Grade:

Grade 5 = No Colour Change (Best Grade)

Grade 1 = Colour Change Seriously (Bad Grade)

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5

- Overall Migration

		Test Result		
Test point		Overall migration/ (mg/kg)		Conclusion
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	Olive oil, 70°C,2h	
1-2	N.D.	N.D.	6.3	Conformity
Limit	60	60	60	/
MDL	5	5	5	/

⁹ grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5

- Specific migration of Bisphenol A(BPA)

	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-2	N.D.	Conformity
Limit(Client's Requirement)	0.05	/
MDL	0.02	/

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5

-Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)		
Limit(Client's Requirement) (mg/kg)	Prohibited		
MDL(mg/kg)	0.1		
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS		

Tost point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-2	N.D.	Conformity



- Volatile Organic Matter

Unit: %

Report No.: AGC05443240722-001S1

Toot it am (a)	Test Condition	MDL	Result(s)	T ::4
Test item(s)	Test Condition M	MIDL	1-2	Limit
Volatile Organic Matter		0.1	0.36	0.5
Conclusion	200°C, 4h	/	Conformity	/

DM-4B-COM-003-v01 for:

- Peroxide value

Unit: %

Test Item	MDL	Result(s) 1-2	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	1

DM-4B-COM-003-v01 for:

- Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-2	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/



Regulation 1935/2004/EC and Council of Europe Resolution AP(2004)2

-Specific migration of Formaldehyde

	Test Result	
Test point	Specific migration of Formaldehyde/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-3	N.D.	Conformity
Limit	15	/
MDL	5	/

Report No.: AGC05443240722-001S1

Regulation 1935/2004/EC and Council of Europe Resolution AP(2004)2

-Pentachlorophenol (PCP) content

Test Item	Pentachlorophenol (PCP)		
Limit (mg/kg)	0.15		
MDL(mg/kg)	0.05		
Test Method/Instrument	EN ISO 15320-2011/ GC-MS		

Test point	Test Result (mg/kg)	Conclusion
Test point	Pentachlorophenol (PCP)	Conclusion
1-3	N.D.	Conformity



Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used

in food contact materials of Council of Europe Resolution CM/Res (2013)9

- Specific migration of heavy metal from metal and alloys used in contact with food

Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.

Unit: mg/kg

Test Item(s)			Test Result(s)	Limit
	Test condition/ Equipment	MDL	1 st + 2 nd extractives	
	Equipment		1-6	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	0.011	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)		0.005	N.D.	0.07
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.98
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	0.034	/
Titanium (Ti)		0.01	N.D.	/



Unit: mg/kg

Test Item(s)	Test condition/ Equipment	MDL	Test Result(s)	Limit
			3 rd extractives	
			1-6	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)		0.005	N.D.	0.01
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.14
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/
Magnesium (Mg)	1	0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/



Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9


- Specific migration of Heavy metal

Test Method: EDQM (2024)

Item(s)	Unit	Limit		MDL	Test result(s)				
		1 st +2 nd migration	3 rd migration	WIDL	1 st +2 nd migration	3 rd migration			
Simulant Used: 0.5% Citric acid; Test Condition: 70°C, 2h									
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.			
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.			
Iron (Fe)	mg/kg	280	40	0.1	0.107	N.D.			
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.			
Chromium (Cr)	mg/kg	7	1	0.01	0.016	N.D.			
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.			
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.			
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.			
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.			
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.			
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.			
Nickel (Ni)	mg/kg	0.98	0.14	0.01	N.D.	N.D.			
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.			
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.			
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.			
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.			
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.			
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.			
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.			
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.			
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.			
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.			
Magnesium (Mg)	mg/kg	/	/	0.01	0.050	0.012			
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.			
Conclusion					Conformity	Conformity			


Note:

Results from all three migration are to be considered for compliance: Result of 3^{rd} migration shall not exceed the SRL and Sum of result of 1^{st} and 2^{nd} migration shall not exceed 7 times of SRL.







Test Flow Chart of Heavy Metal Content




Test Flow Chart of AZO









Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***